Reactor Netty Reference Guide

Stephane Maldini, Violeta Georgieva

Version 1.0.8

Table of Contents

1.	About the Documentation	1
	1.1. Latest Version and Copyright Notice	1
	1.2. Contributing to the Documentation	1
	1.3. Getting Help	1
2.	Getting Started	2
	2.1. Introducing Reactor Netty	2
	2.2. Prerequisites	2
	2.3. Understanding the BOM and versioning scheme	2
	2.4. Getting Reactor Netty	3
	2.5. Support and policies.	6
3.	TCP Server	8
	3.1. Starting and Stopping	8
	3.2. Eager Initialization	9
	3.3. Writing Data	. 10
	3.4. Consuming Data	. 11
	3.5. Lifecycle Callbacks	. 12
	3.6. TCP-level Configurations.	. 13
	3.7. SSL and TLS	. 18
	3.8. Metrics	. 20
	3.9. Unix Domain Sockets	. 23
4.	TCP Client	. 25
	4.1. Connect and Disconnect	. 25
	4.2. Eager Initialization	. 26
	4.3. Writing Data	. 27
	4.4. Consuming Data	. 29
	4.5. Lifecycle Callbacks	. 31
	4.6. TCP-level Configurations	. 32
	4.7. Connection Pool	. 37
	4.8. SSL and TLS	. 42
	4.9. Proxy Support	. 44
	4.10. Metrics	. 45
	4.11. Unix Domain Sockets	. 48
	4.12. Host Name Resolution	. 49
5.	HTTP Server.	. 53
	5.1. Starting and Stopping	. 53
	5.2. Eager Initialization.	. 54
	5.3. Routing HTTP	. 55
	5.4. Writing Data	. 59

	5.5. Consuming Data	61
	5.6. Lifecycle Callbacks	67
	5.7. TCP-level Configuration	68
	5.8. SSL and TLS	71
	5.9. HTTP Access Log	73
	5.10. HTTP/2	76
	5.11. Metrics	79
	5.12. Unix Domain Sockets	83
6.	. HTTP Client	84
	6.1. Connect	84
	6.2. Eager Initialization	86
	6.3. Writing Data	87
	6.4. Consuming Data	91
	6.5. Lifecycle Callbacks	94
	6.6. TCP-level Configuration	96
	6.7. Connection Pool	99
	6.8. SSL and TLS	106
	6.9. Retry Strategies	107
	6.10. HTTP/2.	107
	6.11. Metrics	110
	6.12. Unix Domain Sockets.	114
	6.13. Host Name Resolution	115
	6.14. Timeout Configuration	118
7.	. UDP Server	129
	7.1. Starting and Stopping	129
	7.2. Eager Initialization	130
	7.3. Writing Data	131
	7.4. Consuming Data	132
	7.5. Lifecycle Callbacks	133
	7.6. Connection Configuration	134
	7.7. Metrics	139
8.	UDP Client	142
	8.1. Connecting and Disconnecting	142
	8.2. Eager Initialization	143
	8.3. Writing Data	144
	8.4. Consuming Data	145
	8.5. Lifecycle Callbacks	146
	8.6. Connection Configuration	147
	8.7. Metrics	152

Chapter 1. About the Documentation

This section provides a brief overview of Reactor Netty reference documentation. You do not need to read this guide in a linear fashion. Each piece stands on its own, though they often refer to other pieces.

1.1. Latest Version and Copyright Notice

The Reactor Netty reference guide is available as HTML documents. The latest copy is available at https://projectreactor.io/docs/netty/release/reference/index.html

Copies of this document may be made for your own use and for distribution to others, provided that you do not charge any fee for such copies and further provided that each copy contains this Copyright Notice, whether distributed in print or electronically.

1.2. Contributing to the Documentation

The reference guide is written in Asciidoc, and you can find its sources at https://github.com/reactor/reactor-netty/tree/main/docs/asciidoc.

If you have an improvement, we will be happy to get a pull request from you!

We recommend that you check out a local copy of the repository so that you can generate the documentation by using the asciidoctor Gradle task and checking the rendering. Some of the sections rely on included files, so GitHub rendering is not always complete.

1.3. Getting Help

There are several ways to reach out for help with Reactor Netty. You can:

- Get in touch with the community on Gitter.
- Ask a question on stackoverflow.com at reactor-netty.
- Report bugs in Github issues. The repository is the following: reactor-netty.



All of Reactor Netty is open source, including this documentation.

Chapter 2. Getting Started

This section contains information that should help you get going with Reactor Netty. It includes the following information:

- Introducing Reactor Netty
- Prerequisites
- · Understanding the BOM and versioning scheme
- Getting Reactor Netty

2.1. Introducing Reactor Netty

Suited for Microservices Architecture, Reactor Netty offers backpressure-ready network engines for HTTP (including Websockets), TCP, and UDP.

2.2. Prerequisites

Reactor Netty runs on Java 8 and above.

It has transitive dependencies on:

- Reactive Streams v1.0.3
- Reactor Core v3.x
- Netty v4.1.x

2.3. Understanding the BOM and versioning scheme

Reactor Netty is part of the Project Reactor BOM (since the Aluminium release train). This curated list groups artifacts that are meant to work well together, providing the relevant versions despite potentially divergent versioning schemes in these artifacts.



The versioning scheme has changed between 0.9.x and 1.0.x (Dysprosium and Europium).

Artifacts follow a versioning scheme of MAJOR.MINOR.PATCH-QUALIFIER while the BOM is versioned using a CalVer inspired scheme of YYYY.MINOR.PATCH-QUALIFIER, where:

- MAJOR is the current generation of Reactor, where each new generation can bring fundamental changes to the structure of the project (which might imply a more significant migration effort)
- YYYY is the year of the first GA release in a given release cycle (like 1.0.0 for 1.0.x)
- .MINOR is a 0-based number incrementing with each new release cycle
 - in the case of projects, it generally reflects wider changes and can indicate a moderate migration effort
 - in the case of the BOM it allows discerning between release cycles in case two get first

released the same year

- .PATCH is a 0-based number incrementing with each service release
- -QUALIFIER is a textual qualifier, which is omitted in the case of GA releases (see below)

The first release cycle to follow that convention is thus 2020.0.x, codename Europium. The scheme uses the following qualifiers (note the use of dash separator), in order:

- -M1..-M9: milestones (we don't expect more than 9 per service release)
- -RC1..-RC9: release candidates (we don't expect more than 9 per service release)
- -SNAPSHOT: snapshots
- no qualifier for GA releases



Snapshots appear higher in the order above because, conceptually, they're always "the freshest pre-release" of any given PATCH. Even though the first deployed artifact of a PATCH cycle will always be a -SNAPSHOT, a similarly named but more up-to-date snapshot would also get released after eg. a milestone or between release candidates.

Each release cycle is also given a codename, in continuity with the previous codename-based scheme, which can be used to reference it more informally (like in discussions, blog posts, etc...). The codenames represent what would traditionally be the MAJOR.MINOR number. They (mostly) come from the Periodic Table of Elements, in increasing alphabetical order.



Up until Dysprosium, the BOM was versioned using a release train scheme with a codename followed by a qualifier, and the qualifiers were slightly different. For example: Aluminium-RELEASE (first GA release, would now be something like YYYY.0.0), Bismuth-M1, Californium-SR1 (service release would now be something like YYYY.0.1), Dysprosium-RC1, Dysprosium-BUILD-SNAPSHOT (after each patch, we'd go back to the same snapshot version. would now be something like YYYY.0.X-SNAPSHOT so we get 1 snapshot per PATCH)

2.4. Getting Reactor Netty

As mentioned earlier, the easiest way to use Reactor Netty in your core is to use the BOM and add the relevant dependencies to your project. Note that, when adding such a dependency, you must omit the version so that the version gets picked up from the BOM.

However, if you want to force the use of a specific artifact's version, you can specify it when adding your dependency as you usually would. You can also forego the BOM entirely and specify dependencies by their artifact versions.

2.4.1. Mayen Installation

The BOM concept is natively supported by Maven. First, you need to import the BOM by adding the following snippet to your pom.xml. If the top section (dependencyManagement) already exists in your pom, add only the contents.

- 1 Notice the dependency Management tag. This is in addition to the regular dependencies section.
- ② As of this writing, Dysprosium-SR10 is the latest version of the BOM. Check for updates at https://github.com/reactor/reactor/releases.

Next, add your dependencies to the relevant reactor projects, as usual (except without a <version>). The following listing shows how to do so:

2.4.2. Gradle Installation

The BOM concept is supported in Gradle since version 5. The following listing shows how to import the BOM and add a dependency to Reactor Netty:

```
dependencies {
    // import a BOM
    implementation platform('io.projectreactor:reactor-bom:Dysprosium-SR10') ①

    // define dependencies without versions
    implementation 'io.projectreactor.netty:reactor-netty-core' ②
    implementation 'io.projectreactor.netty:reactor-netty-http'
}
```

- ① As of this writing, Dysprosium-SR10 is the latest version of the BOM. Check for updates at https://github.com/reactor/reactor/releases.
- ② There is no third: separated section for the version. It is taken from the BOM.

2.4.3. Milestones and Snapshots

Milestones and developer previews are distributed through the Spring Milestones repository rather than Maven Central. To add it to your build configuration file, use the following snippet:

For Gradle, use the following snippet:

```
Milestones in Gradle

repositories {
  maven { url 'https://repo.spring.io/milestone' }
  mavenCentral()
}
```

Similarly, snapshots are also available in a separate dedicated repository (for both Maven and Gradle):

2.5. Support and policies

The entries below are mirroring https://github.com/reactor/.github/blob/main/SUPPORT.adoc

2.5.1. Do you have a question?



Search Stack Overflow first; discuss if necessary

If you're unsure why something isn't working or wondering if there is a better way of doing it please check on **Stack Overflow** first and if necessary start a discussion. Use relevant tags among the ones we monitor for that purpose:

- reactor-netty for specific reactor-netty questions
- project-reactor for generic reactor questions

If you prefer real-time discussion, we also have a few **Gitter channels**:

- reactor is the historic most active one, where most of the community can help
- reactor-core is intended for more advanced pinpointed discussions around the inner workings of the library
- reactor-netty is intended for netty-specific questions

Refer to each project's README for potential other sources of information.

We generally discourage opening GitHub issues for questions, in favor of the two channels above.

2.5.2. Our policy on deprecations

When dealing with deprecations, given a version A.B.C, we'll ensure that:

- deprecations introduced in version A.B.0 will be removed no sooner than version A.B+1.0
- deprecations introduced in version A.B.1+ will be removed no sooner than version A.B+2.0
- we'll strive to mention the following in the deprecation javadoc:
 - target minimum version for removal
 - pointers to replacements for the deprecated method
 - version in which method was deprecated



This policy is officially in effect as of January 2021, for all modules in 2020.0 BOMs and newer release trains, as well as Dysprosium releases after Dysprosium-SR15.



Deprecation removal targets are not a hard commitment, and the deprecated methods **could live on further than these minimum target GA versions** (ie. only the most problematic deprecated methods will be removed aggressively).



That said, deprecated code that has outlived its minimum removal target version may be removed in any subsequent release (including patch releases, aka service releases) without further notice. So users should still strive to update their code as early as possible.

Chapter 3. TCP Server

Reactor Netty provides an easy to use and configure TcpServer. It hides most of the Netty functionality that is needed to create a TCP server and adds Reactive Streams backpressure.

3.1. Starting and Stopping

To start a TCP server, you must create and configure a TcpServer instance. By default, the host is configured for any local address, and the system picks up an ephemeral port when the bind operation is invoked. The following example shows how to create and configure a TcpServer instance:

The returned DisposableServer offers a simple server API, including disposeNow(), which shuts the server down in a blocking fashion.

3.1.1. Host and Port

To serve on a specific host and port, you can apply the following configuration to the TCP server:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/server/address/Application.java

- ① Configures the TCP server host
- ② Configures the TCP server port

3.2. Eager Initialization

By default, the initialization of the TcpServer resources happens on demand. This means that the bind operation absorbs the extra time needed to initialize and load:

- the event loop groups
- the native transport libraries (when native transport is used)
- the native libraries for the security (in case of OpenSsl)

When you need to preload these resources, you can configure the TcpServer as follows:

/../../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/server/warmup/Application.java

1 Initialize and load the event loop groups, the native transport libraries and the native libraries for the security

3.3. Writing Data

In order to send data to a connected client, you must attach an I/O handler. The I/O handler has access to NettyOutbound to be able to write data. The following example shows how to attach an I/O handler:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/server/send/Application.javaimport reactor.core.publisher.Mono; import reactor.netty.DisposableServer; import reactor.netty.tcp.TcpServer; public class Application { public static void main(String[] args) { DisposableServer server = TcpServer.create() .handle((inbound, outbound) -> .bindNow(); server.onDispose() .block(); } } ① Sends hello string to the connected clients

3.4. Consuming Data

In order to receive data from a connected client, you must attach an I/O handler. The I/O handler has access to NettyInbound to be able to read data. The following example shows how to use it:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/tcp/server/read/Application.java/reactor/netty/examples/documentation/tcp/server/read/Application.java/reactor/netty/examples/documentation/tcp/server/read/Application.java/reactor/netty/examples/documentation/tcp/server/read/Application.java/reactor/netty/examples/documentation/tcp/server/read/Application.java/reactor/netty/examples/documentation/tcp/server/read/Application.java/reactor/netty/examples/documentation/tcp/server/read/Application.java/reactor/netty/examples/documentation/tcp/server/read/Application.java/reactor/netty/examples/documentation/tcp/server/read/Application.java/reactor/netty/examples/documentation/tcp/server/read/Application.java/reactor/netty/examples/documentation/tcp/server/read/Application.java/reactor/netty/examples/documentation/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server/read/Application/tcp/server
           import reactor.netty.DisposableServer;
           import reactor.netty.tcp.TcpServer;
           public class Application {
                                  public static void main(String[] args) {
                                                         DisposableServer server =
                                                                                                       TcpServer.create()
                                                                                                                                                           .handle((inbound, outbound) -> inbound.receive().then())
           1
                                                                                                                                                          .bindNow();
                                                         server.onDispose()
                                                                                            .block();
                                  }
           }
   ① Receives data from the connected clients
```

3.5. Lifecycle Callbacks

The following lifecycle callbacks are provided to let you extend the TcpServer:

Callback	Description
doOnBind	Invoked when the server channel is about to bind.
do0nBound	Invoked when the server channel is bound.
doOnChannelInit	Invoked when initializing the channel.
doOnConnection	Invoked when a remote client is connected
do0nUnbound	Invoked when the server channel is unbound.

The following example uses the doOnConnection and doOnChannelInit callbacks:

/../../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/server/lifecycle/Application.java

```
import io.netty.handler.logging.LoggingHandler;
import io.netty.handler.timeout.ReadTimeoutHandler;
import reactor.netty.DisposableServer;
import reactor.netty.tcp.TcpServer;
import java.util.concurrent.TimeUnit;
public class Application {
    public static void main(String[] args) {
        DisposableServer server =
                TcpServer.create()
                         .doOnConnection(conn ->
                             conn.addHandler(new ReadTimeoutHandler(10,
TimeUnit.SECONDS))) ①
                         .doOnChannelInit((observer, channel, remoteAddress) ->
                             channel.pipeline()
                                     .addFirst(new
LoggingHandler("reactor.netty.examples")))2
                         .bindNow();
        server.onDispose()
              .block();
    }
}
```

- 1 Netty pipeline is extended with ReadTimeoutHandler when a remote client is connected.
- ② Netty pipeline is extended with LoggingHandler when initializing the channel.

3.6. TCP-level Configurations

This section describes three kinds of configuration that you can use at the TCP level:

- Setting Channel Options
- Using a Wire Logger
- Using an Event Loop Group

3.6.1. Setting Channel Options

By default, the TCP server is configured with the following options:

If additional options are necessary or changes to the current options are needed, you can apply the following configuration:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/tcp/server/channeloptions/Application.
java
  import io.netty.channel.ChannelOption;
  import reactor.netty.DisposableServer;
  import reactor.netty.tcp.TcpServer;
  public class Application {
      public static void main(String[] args) {
          DisposableServer server =
                   TcpServer.create()
                             .option(ChannelOption.CONNECT_TIMEOUT_MILLIS, 10000)
                            .bindNow();
          server.onDispose()
                 .block();
      }
  }
```

You can find more about Netty channel options at the following links:

- Common ChannelOption
- Epoll ChannelOption
- KQueue ChannelOption
- Socket Options

3.6.2. Using a Wire Logger

Reactor Netty provides wire logging for when the traffic between the peers has to be inspected. By default, wire logging is disabled. To enable it, you must set the logger reactor.netty.tcp.TcpServer level to DEBUG and apply the following configuration;

By default, the wire logging uses AdvancedByteBufFormat#HEX_DUMP when printing the content. When you need to change this to AdvancedByteBufFormat#SIMPLE or AdvancedByteBufFormat#TEXTUAL, you can configure the TcpServer as follows:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/server/wiretap/custom/Application .java

① Enables the wire logging, AdvancedByteBufFormat#TEXTUAL is used for printing the content.

3.6.3. Using an Event Loop Group

By default, the TCP server uses an "Event Loop Group," where the number of the worker threads equals the number of processors available to the runtime on initialization (but with a minimum value of 4). When you need a different configuration, you can use one of the LoopResource#create methods.

The default configuration for the **Event Loop Group** is the following:

./../../reactor-netty-core/src/main/java/reactor/netty/ReactorNetty.java

```
/**
* Default worker thread count, fallback to available processor
* (but with a minimum value of 4)
public static final String IO_WORKER_COUNT = "reactor.netty.ioWorkerCount";
* Default selector thread count, fallback to -1 (no selector thread)
public static final String IO SELECT COUNT = "reactor.netty.ioSelectCount";
 * Default worker thread count for UDP, fallback to available processor
* (but with a minimum value of 4)
public static final String UDP_IO_THREAD_COUNT =
"reactor.netty.udp.ioThreadCount";
* Default quiet period that guarantees that the disposal of the underlying
LoopResources
* will not happen, fallback to 2 seconds.
public static final String SHUTDOWN QUIET PERIOD =
"reactor.netty.ioShutdownQuietPeriod";
/**
* Default maximum amount of time to wait until the disposal of the underlying
LoopResources
* regardless if a task was submitted during the guiet period, fallback to 15
seconds.
*/
public static final String SHUTDOWN_TIMEOUT = "reactor.netty.ioShutdownTimeout";
/**
* Default value whether the native transport (epoll, kqueue) will be preferred,
* fallback it will be preferred when available
public static final String NATIVE = "reactor.netty.native";
```

If changes to the these settings are needed, you can apply the following configuration:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/server/eventloop/Application.java

3.7. SSL and TLS

When you need SSL or TLS, you can apply the configuration shown in the next listing. By default, if OpenSSL is available, SslProvider.OPENSSL provider is used as a provider. Otherwise SslProvider.JDK is used. Switching the provider can be done through SslContextBuilder or by setting -Dio.netty.handler.ssl.noOpenSsl=true.

The following example uses SslContextBuilder:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/server/security/Application.java

```
import reactor.netty.DisposableServer;
import reactor.netty.tcp.TcpServer;
import reactor.netty.tcp.TcpSslContextSpec;
import java.io.File;
public class Application {
    public static void main(String[] args) {
        File cert = new File("certificate.crt");
        File key = new File("private.key");
        TcpSslContextSpec tcpSslContextSpec = TcpSslContextSpec.forServer(cert,
key);
        DisposableServer server =
                TcpServer.create()
                         .secure(spec -> spec.sslContext(tcpSslContextSpec))
                         .bindNow();
        server.onDispose()
              .block();
   }
}
```

3.7.1. Server Name Indication

You can configure the TCP server with multiple SslContext mapped to a specific domain. An exact domain name or a domain name containing a wildcard can be used when configuring the SNI mapping.

The following example uses a domain name containing a wildcard:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/server/sni/Application.java

```
import io.netty.handler.ssl.SslContext;
import io.netty.handler.ssl.SslContextBuilder;
import reactor.netty.DisposableServer;
import reactor.netty.tcp.TcpServer;
import java.io.File;
public class Application {
    public static void main(String[] args) throws Exception {
        File defaultCert = new File("default_certificate.crt");
        File defaultKey = new File("default_private.key");
        File testDomainCert = new File("default_certificate.crt");
        File testDomainKey = new File("default_private.key");
        SslContext defaultSslContext = SslContextBuilder.forServer(defaultCert,
defaultKey).build();
        SslContext testDomainSslContext =
SslContextBuilder.forServer(testDomainCert, testDomainKey).build();
        DisposableServer server =
                TcpServer.create()
                         .secure(spec -> spec.sslContext(defaultSslContext)
                                              .addSniMapping("*.test.com",
                                                      testDomainSpec ->
testDomainSpec.sslContext(testDomainSslContext)))
                         .bindNow();
        server.onDispose()
              .block();
   }
}
```

3.8. Metrics

The TCP server supports built-in integration with Micrometer. It exposes all metrics with a prefix of reactor.netty.tcp.server.

The following table provides information for the TCP server metrics:

metric name	type	description
reactor.netty.tcp.server.data.rec	DistributionSummary	Amount of the data received, in
eived		bytes

metric name	type	description
reactor.netty.tcp.server.data.se nt	DistributionSummary	Amount of the data sent, in bytes
reactor.netty.tcp.server.errors	Counter	Number of errors that occurred
reactor.netty.tcp.server.tls.hand shake.time	Timer	Time spent for TLS handshake

These additional metrics are also available:

ByteBufAllocator metrics

metric name	type	description
reactor.netty.bytebuf.allocator. used.heap.memory	Gauge	The number of the bytes of the heap memory
reactor.netty.bytebuf.allocator. used.direct.memory	Gauge	The number of the bytes of the direct memory
reactor.netty.bytebuf.allocator. used.heap.arenas	Gauge	The number of heap arenas (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.direct.arenas	Gauge	The number of direct arenas (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.threadlocal.caches	Gauge	The number of thread local caches (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.tiny.cache.size	Gauge	The size of the tiny cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.small.cache.size	Gauge	The size of the small cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.normal.cache.size	Gauge	The size of the normal cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.chunk.size	Gauge	The chunk size for an arena (when PooledByteBufAllocator)

The following example enables that integration:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/server/metrics/Application.java

① Enables the built-in integration with Micrometer

When TCP server metrics are needed for an integration with a system other than Micrometer or you want to provide your own integration with Micrometer, you can provide your own metrics recorder, as follows:

1 Enables TCP server metrics and provides Channel Metrics Recorder implementation.

3.9. Unix Domain Sockets

The TCP server supports Unix Domain Sockets (UDS) when native transport is in use.

The following example shows how to use UDS support:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/server/uds/Application.java

① Specifies DomainSocketAddress that will be used

Chapter 4. TCP Client

Reactor Netty provides the easy-to-use and easy-to-configure TcpClient. It hides most of the Netty functionality that is needed in order to create a TCP client and adds Reactive Streams backpressure.

4.1. Connect and Disconnect

To connect the TCP client to a given endpoint, you must create and configure a TcpClient instance. By default, the host is localhost and the port is 12012. The following example shows how to create a TcpClient:

The returned Connection offers a simple connection API, including disposeNow(), which shuts the client down in a blocking fashion.

4.1.1. Host and Port

To connect to a specific host and port, you can apply the following configuration to the TCP client. The following example shows how to do so:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/address/Application.java import reactor.netty.Connection; import reactor.netty.tcp.TcpClient; public class Application { public static void main(String[] args) { Connection connection = TcpClient.create() .host("example.com") ① .port(80) .connectNow(); connection.onDispose() .block(); } } ① Configures the TCP host

4.2. Eager Initialization

2 Configures the TCP port

By default, the initialization of the TcpClient resources happens on demand. This means that the connect operation absorbs the extra time needed to initialize and load:

- the event loop group
- the host name resolver
- the native transport libraries (when native transport is used)
- the native libraries for the security (in case of OpenSsl)

When you need to preload these resources, you can configure the TcpClient as follows:

/../../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/warmup/Application.java

```
import reactor.core.publisher.Mono;
import reactor.netty.Connection;
import reactor.netty.tcp.TcpClient;
public class Application {
    public static void main(String[] args) {
        TcpClient tcpClient =
                TcpClient.create()
                         .host("example.com")
                         .port(80)
                         .handle((inbound, outbound) ->
outbound.sendString(Mono.just("hello")));
        tcpClient.warmup() ①
                 .block();
        Connection connection = tcpClient.connectNow(); ②
        connection.onDispose()
                  .block();
   }
}
```

- 1 Initialize and load the event loop group, the host name resolver, the native transport libraries and the native libraries for the security
- 2 Host name resolution happens when connecting to the remote peer

4.3. Writing Data

To send data to a given endpoint, you must attach an I/O handler. The I/O handler has access to NettyOutbound to be able to write data.

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/send/Application.java

```
import reactor.core.publisher.Mono;
import reactor.netty.Connection;
import reactor.netty.tcp.TcpClient;
public class Application {
   public static void main(String[] args) {
       Connection connection =
              TcpClient.create()
                      .host("example.com")
                       .port(80)
                       .handle((inbound, outbound) ->
.connectNow();
       connection.onDispose()
                .block();
   }
}
```

① Sends hello string to the endpoint.

When you need more control over the writing process, as an alternative for I/O handler you may use Connection#outbound. As opposed to I/O handler where the connection is closed when the provided Publisher finishes (in case of finite Publisher), when using Connection#outbound, you have to invoke explicitly Connection#dispose in order to close the connection.

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/send/connection/Application. java

```
import reactor.core.publisher.Mono;
import reactor.netty.Connection;
import reactor.netty.tcp.TcpClient;
public class Application {
    public static void main(String[] args) {
        Connection connection =
                TcpClient.create()
                         .host("example.com")
                          .port(80)
                          .connectNow();
        connection.outbound()
                  .sendString(Mono.just("hello 1")) ①
                  .then()
                  .subscribe();
        connection.outbound()
                  .sendString(Mono.just("hello 2")) ②
                  .then()
                  .subscribe(null, null, connection::dispose); 3
        connection.onDispose()
                  .block();
   }
}
```

- ① Sends hello 1 string to the endpoint.
- 2 Sends hello 2 string to the endpoint.
- 3 Closes the connection once the message is sent to the endpoint.

4.4. Consuming Data

To receive data from a given endpoint, you must attach an I/O handler. The I/O handler has access to NettyInbound to be able to read data. The following example shows how to do so:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/read/Application.java

When you need more control over the reading process, as an alternative for I/O handler you may use Connection#inbound. As opposed to I/O handler where the connection is closed when the provided Publisher finishes (in case of finite Publisher), when using Connection#inbound, you have to invoke explicitly Connection#dispose in order to close the connection.

1 Receives data from a given endpoint

 $./../.reactor-netty-\\examples/src/main/java/reactor/netty/examples/documentation/tcp/client/read/connection/Application.\\java$

```
import reactor.netty.Connection;
import reactor.netty.tcp.TcpClient;
public class Application {
    public static void main(String[] args) {
        Connection connection =
                TcpClient.create()
                         .host("example.com")
                          .port(80)
                          .connectNow();
        connection.inbound()
                  .receive() ①
                  .then()
                  .subscribe();
        connection.onDispose()
                  .block();
    }
}
```

① Receives data from a given endpoint.

4.5. Lifecycle Callbacks

The following lifecycle callbacks are provided to let you extend the TcpClient.

Callback	Description
doAfterResolve	Invoked after the remote address has been resolved successfully.
doOnChannelInit	Invoked when initializing the channel.
doOnConnect	Invoked when the channel is about to connect.
doOnConnected	Invoked after the channel has been connected.
doOnDisconnected	Invoked after the channel has been disconnected.
doOnResolve	Invoked when the remote address is about to be resolved.
doOnResolveError	Invoked in case the remote address hasn't been resolved successfully.

The following example uses the doOnConnected and doOnChannelInit callbacks:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/tcp/client/lifecycle/Application.java
  import io.netty.handler.logging.LoggingHandler;
  import io.netty.handler.timeout.ReadTimeoutHandler;
  import reactor.netty.Connection;
  import reactor.netty.tcp.TcpClient;
  import java.util.concurrent.TimeUnit;
  public class Application {
      public static void main(String[] args) {
          Connection connection =
                   TcpClient.create()
                            .host("example.com")
                            .port(80)
                            .doOnConnected(conn ->
                                conn.addHandler(new ReadTimeoutHandler(10,
  TimeUnit.SECONDS))) 1
                            .doOnChannelInit((observer, channel, remoteAddress) ->
                                channel.pipeline()
                                        .addFirst(new
  LoggingHandler("reactor.netty.examples")))2
                            .connectNow();
          connection.onDispose()
                     .block();
      }
  }
```

- ① Netty pipeline is extended with ReadTimeoutHandler when the channel has been connected.
- 2 Netty pipeline is extended with LoggingHandler when initializing the channel.

4.6. TCP-level Configurations

This section describes three kinds of configuration that you can use at the TCP level:

- Channel Options
- Wire Logger
- Event Loop Group

4.6.1. Channel Options

By default, the TCP client is configured with the following options:

If additional options are necessary or changes to the current options are needed, you can apply the following configuration:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/tcp/client/channeloptions/Application.j
ava
  import io.netty.channel.ChannelOption;
  import reactor.netty.Connection;
  import reactor.netty.tcp.TcpClient;
  public class Application {
      public static void main(String[] args) {
          Connection connection =
                   TcpClient.create()
                             .host("example.com")
                             .port(80)
                             .option(ChannelOption.CONNECT_TIMEOUT_MILLIS, 10000)
                             .connectNow();
          connection.onDispose()
                     .block();
      }
  }
```

You can find more about Netty channel options at the following links:

- Common ChannelOption
- Epoll ChannelOption
- KQueue ChannelOption
- Socket Options

4.6.2. Wire Logger

Reactor Netty provides wire logging for when the traffic between the peers has to be inspected. By default, wire logging is disabled. To enable it, you must set the logger reactor.netty.tcp.TcpClient level to DEBUG and apply the following configuration:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/tcp/client/wiretap/Application.java
  import reactor.netty.Connection;
  import reactor.netty.tcp.TcpClient;
  public class Application {
      public static void main(String[] args) {
          Connection connection =
                   TcpClient.create()
                             .wiretap(true) ①
                             .host("example.com")
                             .port(80)
                             .connectNow();
          connection.onDispose()
                     .block();
      }
  }
1 Enables the wire logging
```

By default, the wire logging uses AdvancedByteBufFormat#HEX_DUMP when printing the content. When you need to change this to AdvancedByteBufFormat#SIMPLE or AdvancedByteBufFormat#TEXTUAL, you can configure the TcpClient as follows:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/wiretap/custom/Application. java

```
import io.netty.handler.logging.LogLevel;
import reactor.netty.Connection;
import reactor.netty.tcp.TcpClient;
import reactor.netty.transport.logging.AdvancedByteBufFormat;
public class Application {
    public static void main(String[] args) {
        Connection connection =
                TcpClient.create()
                          .wiretap("logger-name", LogLevel.DEBUG,
AdvancedByteBufFormat.TEXTUAL) ①
                          .host("example.com")
                          .port(80)
                          .connectNow();
        connection.onDispose()
                  .block();
    }
}
```

① Enables the wire logging, AdvancedByteBufFormat#TEXTUAL is used for printing the content.

4.6.3. Event Loop Group

By default the TCP client uses an "Event Loop Group", where the number of the worker threads equals the number of processors available to the runtime on initialization (but with a minimum value of 4). When you need a different configuration, you can use one of the LoopResource#create methods.

The following listing shows the default configuration for the Event Loop Group:

./../../reactor-netty-core/src/main/java/reactor/netty/ReactorNetty.java

```
/**
* Default worker thread count, fallback to available processor
* (but with a minimum value of 4)
public static final String IO_WORKER_COUNT = "reactor.netty.ioWorkerCount";
* Default selector thread count, fallback to -1 (no selector thread)
public static final String IO SELECT COUNT = "reactor.netty.ioSelectCount";
 * Default worker thread count for UDP, fallback to available processor
* (but with a minimum value of 4)
public static final String UDP_IO_THREAD_COUNT =
"reactor.netty.udp.ioThreadCount";
* Default quiet period that guarantees that the disposal of the underlying
LoopResources
* will not happen, fallback to 2 seconds.
public static final String SHUTDOWN QUIET PERIOD =
"reactor.netty.ioShutdownQuietPeriod";
/**
* Default maximum amount of time to wait until the disposal of the underlying
LoopResources
* regardless if a task was submitted during the guiet period, fallback to 15
seconds.
*/
public static final String SHUTDOWN_TIMEOUT = "reactor.netty.ioShutdownTimeout";
/**
* Default value whether the native transport (epoll, kqueue) will be preferred,
* fallback it will be preferred when available
public static final String NATIVE = "reactor.netty.native";
```

If you need changes to the these settings, you can apply the following configuration:

/../../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/eventloop/Application.java

```
import reactor.netty.Connection;
import reactor.netty.resources.LoopResources;
import reactor.netty.tcp.TcpClient;
public class Application {
    public static void main(String[] args) {
        LoopResources loop = LoopResources.create("event-loop", 1, 4, true);
        Connection connection =
                TcpClient.create()
                          .host("example.com")
                          .port(80)
                          .runOn(loop)
                          .connectNow();
        connection.onDispose()
                  .block();
   }
}
```

4.7. Connection Pool

By default, Reactor Netty client uses a "fixed" connection pool with 500 as the maximum number of active channels and 1000 as the maximum number of further channel acquisition attempts allowed to be kept in a pending state (for the rest of the configurations check the system properties or the builder configurations below). This means that the implementation creates a new channel if someone tries to acquire a channel as long as less than 500 have been created and are managed by the pool. When the maximum number of channels in the pool is reached, up to 1000 new attempts to acquire a channel are delayed (pending) until a channel is returned to the pool again, and further attempts are declined with an error.

```
/**
* Default max connections. Fallback to
* 2 * available number of processors (but with a minimum value of 16)
public static final String POOL_MAX_CONNECTIONS =
"reactor.netty.pool.maxConnections";
* Default acquisition timeout (milliseconds) before error. If -1 will never wait
 * acquire before opening a new
* connection in an unbounded fashion. Fallback 45 seconds
public static final String POOL_ACQUIRE_TIMEOUT =
"reactor.netty.pool.acquireTimeout";
* Default max idle time, fallback - max idle time is not specified.
public static final String POOL_MAX_IDLE_TIME = "reactor.netty.pool.maxIdleTime";
 * Default max life time, fallback - max life time is not specified.
public static final String POOL_MAX_LIFE_TIME = "reactor.netty.pool.maxLifeTime";
/**
 * Default leasing strategy (fifo, lifo), fallback to fifo.
* 
      fifo - The connection selection is first in, first out
      lifo - The connection selection is last in, first out
* 
*/
public static final String POOL LEASING STRATEGY =
"reactor.netty.pool.leasingStrategy";
/**
* Default {@code getPermitsSamplingRate} (between 0d and 1d (percentage))
* to be used with a {@link SamplingAllocationStrategy}.
* This strategy wraps a {@link PoolBuilder#sizeBetween(int, int) sizeBetween}
{@link AllocationStrategy}
* and samples calls to {@link AllocationStrategy#getPermits(int)}.
* Fallback - sampling is not enabled.
public static final String POOL_GET_PERMITS_SAMPLING_RATE =
"reactor.netty.pool.getPermitsSamplingRate";
/**
 * Default {@code returnPermitsSamplingRate} (between 0d and 1d (percentage))
* to be used with a {@link SamplingAllocationStrategy}.
* This strategy wraps a {@link PoolBuilder#sizeBetween(int, int) sizeBetween}
{@link AllocationStrategy}
* and samples calls to {@link AllocationStrategy#returnPermits(int)}.
 * Fallback - sampling is not enabled.
```

```
*/
public static final String POOL_RETURN_PERMITS_SAMPLING_RATE =
"reactor.netty.pool.returnPermitsSamplingRate";
```

When you need to change the default settings, you can configure the ConnectionProvider as follows:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/tcp/client/pool/config/Application.java
  import reactor.netty.Connection;
  import reactor.netty.resources.ConnectionProvider;
  import reactor.netty.tcp.TcpClient;
  import java.time.Duration;
  public class Application {
      public static void main(String[] args) {
          ConnectionProvider provider =
                   ConnectionProvider.builder("fixed")
                                      .maxConnections(50)
                                      .maxIdleTime(Duration.ofSeconds(20))
  1
                                      .maxLifeTime(Duration.ofSeconds(60))
  (2)
                                      .pendingAcquireTimeout(Duration.ofSeconds(60))
  (3)
                                      .evictInBackground(Duration.ofSeconds(120))
  4
                                      .build();
          Connection connection =
                   TcpClient.create(provider)
                            .host("example.com")
                            .port(80)
                            .connectNow();
          connection.onDispose()
                     .block();
      }
  }
```

- ① Configures the maximum time for a connection to stay idle to 20 seconds.
- ② Configures the maximum time for a connection to stay alive to 60 seconds.
- 3 Configures the maximum time for the pending acquire operation to 60 seconds.
- 4 Every two minutes, the connection pool is regularly checked for connections that are applicable for removal.

The following listing shows the available configurations:

Configuration name	Description
disposeInactivePoolsInBackground	When this option is enabled, connection pools are regularly checked in the background, and those that are empty and been inactive for a specified time become eligible for disposal. By default, this background disposal of inactive pools is disabled.
evictInBackground	When this option is enabled, each connection pool regularly checks for connections that are eligible for removal according to eviction criteria like maxIdleTime. By default, this background eviction is disabled.
fifo	Configure the connection pool so that if there are idle connections (i.e. pool is under-utilized), the next acquire operation will get the Least Recently Used connection (LRU, i.e. the connection that was released first among the current idle connections). Default leasing strategy.
lifo	Configure the connection pool so that if there are idle connections (i.e. pool is under-utilized), the next acquire operation will get the Most Recently Used connection (MRU, i.e. the connection that was released last among the current idle connections).
maxConnections	The maximum number of connections (per connection pool) before start pending. Default to 2 * available number of processors (but with a minimum value of 16).
maxIdleTime	The time after which the channel is eligible to be closed when idle (resolution: ms). Default: max idle time is not specified.
maxLifeTime	The total life time after which the channel is eligible to be closed (resolution: ms). Default: max life time is not specified.
metrics	Enables/disables built-in integration with Micrometer. ConnectionProvider.MeterRegistrar can be provided for integration with another metrics system. By default, metrics are not enabled.

Configuration name	Description
pendingAcquireMaxCount	The maximum number of extra attempts at acquiring a connection to keep in a pending queue. If -1 is specified, the pending queue does not have upper limit. Default to 2 * max connections.
pendingAcquireTimeout	The maximum time before which a pending acquire must complete, or a TimeoutException is thrown (resolution: ms). If -1 is specified, no such timeout is applied. Default: 45 seconds.



When you expect a high load, be cautious with a connection pool with a very high value for maximum connections. You might experience reactor.netty.http.client.PrematureCloseException exception with a root cause "Connect Timeout" due to too many concurrent connections opened/acquired.

If you need to disable the connection pool, you can apply the following configuration:

4.7.1. Metrics

The pooled ConnectionProvider supports built-in integration with Micrometer. It exposes all metrics with a prefix of reactor.netty.connection.provider.

Pooled ConnectionProvider metrics

metric name	type	description
reactor.netty.connection.provid er.total.connections	Gauge	The number of all connections, active or idle
reactor.netty.connection.provid er.active.connections	Gauge	The number of the connections that have been successfully acquired and are in active use
reactor.netty.connection.provid er.idle.connections	Gauge	The number of the idle connections
reactor.netty.connection.provid er.pending.connections	Gauge	The number of requests that are waiting for a connection

The following example enables that integration:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/tcp/client/pool/metrics/Application.jav
  import reactor.netty.Connection;
  import reactor.netty.resources.ConnectionProvider;
  import reactor.netty.tcp.TcpClient;
  public class Application {
      public static void main(String[] args) {
          ConnectionProvider provider =
                   ConnectionProvider.builder("fixed")
                                      .maxConnections(50)
                                      .metrics(true) ①
                                      .build();
          Connection connection =
                   TcpClient.create(provider)
                            .host("example.com")
                            .port(80)
                            .connectNow();
          connection.onDispose()
                     .block();
      }
  }
1 Enables the built-in integration with Micrometer
```

4.8. SSL and TLS

When you need SSL or TLS, you can apply the following configuration. By default, if OpenSSL is

available, the SslProvider.OPENSSL provider is used as a provider. Otherwise, the provider is SslProvider.JDK. You can switch the provider by using SslContextBuilder or by setting -Dio.netty.handler.ssl.noOpenSsl=true.

The following example uses SslContextBuilder:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/tcp/client/security/Application.java
  import reactor.netty.Connection;
  import reactor.netty.tcp.TcpClient;
  import reactor.netty.tcp.TcpSslContextSpec;
  public class Application {
      public static void main(String[] args) {
          TcpSslContextSpec tcpSslContextSpec = TcpSslContextSpec.forClient();
          Connection connection =
                   TcpClient.create()
                            .host("example.com")
                            .port(443)
                            .secure(spec -> spec.sslContext(tcpSslContextSpec))
                            .connectNow();
          connection.onDispose()
                     .block();
      }
  }
```

4.8.1. Server Name Indication

By default, the TCP client sends the remote host name as SNI server name. When you need to change this default setting, you can configure the TCP client as follows:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/sni/Application.java

```
import io.netty.handler.ssl.SslContext;
import io.netty.handler.ssl.SslContextBuilder;
import reactor.netty.Connection;
import reactor.netty.tcp.TcpClient;
import javax.net.ssl.SNIHostName;
public class Application {
    public static void main(String[] args) throws Exception {
        SslContext sslContext = SslContextBuilder.forClient().build();
        Connection connection =
                TcpClient.create()
                         .host("127.0.0.1")
                         .port(8080)
                          .secure(spec -> spec.sslContext(sslContext)
                                              .serverNames(new
SNIHostName("test.com")))
                          .connectNow();
        connection.onDispose()
                  .block();
    }
}
```

4.9. Proxy Support

The TCP client supports the proxy functionality provided by Netty and provides a way to specify "non proxy hosts" through the ProxyProvider builder. The following example uses ProxyProvider:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/proxy/Application.java

```
import reactor.netty.Connection;
import reactor.netty.transport.ProxyProvider;
import reactor.netty.tcp.TcpClient;
public class Application {
    public static void main(String[] args) {
        Connection connection =
                TcpClient.create()
                         .host("example.com")
                          .port(80)
                          .proxy(spec -> spec.type(ProxyProvider.Proxy.SOCKS4)
                                             .host("proxy")
                                             .port(8080)
                                             .nonProxyHosts("localhost"))
                        .connectNow();
        connection.onDispose()
                  .block();
   }
}
```

4.10. Metrics

The TCP client supports built-in integration with Micrometer. It exposes all metrics with a prefix of reactor.netty.tcp.client.

The following table provides information for the TCP client metrics:

metric name	type	description
reactor.netty.tcp.client.data.rec eived	DistributionSummary	Amount of the data received, in bytes
reactor.netty.tcp.client.data.sent	DistributionSummary	Amount of the data sent, in bytes
reactor.netty.tcp.client.errors	Counter	Number of errors that occurred
reactor.netty.tcp.client.tls.hands hake.time	Timer	Time spent for TLS handshake
reactor.netty.tcp.client.connect.t	Timer	Time spent for connecting to the remote address
reactor.netty.tcp.client.address. resolver	Timer	Time spent for resolving the address

These additional metrics are also available:

Pooled ConnectionProvider metrics

metric name	type	description
reactor.netty.connection.provid er.total.connections	Gauge	The number of all connections, active or idle
reactor.netty.connection.provid er.active.connections	Gauge	The number of the connections that have been successfully acquired and are in active use
reactor.netty.connection.provid er.idle.connections	Gauge	The number of the idle connections
reactor.netty.connection.provid er.pending.connections	Gauge	The number of requests that are waiting for a connection

ByteBufAllocator metrics

metric name	type	description
reactor.netty.bytebuf.allocator. used.heap.memory	Gauge	The number of the bytes of the heap memory
reactor.netty.bytebuf.allocator. used.direct.memory	Gauge	The number of the bytes of the direct memory
reactor.netty.bytebuf.allocator. used.heap.arenas	Gauge	The number of heap arenas (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.direct.arenas	Gauge	The number of direct arenas (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.threadlocal.caches	Gauge	The number of thread local caches (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.tiny.cache.size	Gauge	The size of the tiny cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.small.cache.size	Gauge	The size of the small cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.normal.cache.size	Gauge	The size of the normal cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.chunk.size	Gauge	The chunk size for an arena (when PooledByteBufAllocator)

The following example enables that integration:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/metrics/Application.java

1 Enables the built-in integration with Micrometer

When TCP client metrics are needed for an integration with a system other than Micrometer or you want to provide your own integration with Micrometer, you can provide your own metrics recorder, as follows:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/metrics/custom/Application.j ava

```
import reactor.netty.Connection;
import reactor.netty.channel.ChannelMetricsRecorder;
import reactor.netty.tcp.TcpClient;
import java.net.SocketAddress;
import java.time.Duration;
public class Application {
    public static void main(String[] args) {
        Connection connection =
                TcpClient.create()
                         .host("example.com")
                         .port(80)
                         .metrics(true, CustomChannelMetricsRecorder::new) ①
                          .connectNow();
        connection.onDispose()
                  .block();
    }
```

① Enables TCP client metrics and provides ChannelMetricsRecorder implementation.

4.11. Unix Domain Sockets

The TCP client supports Unix Domain Sockets (UDS) when native transport is in use.

The following example shows how to use UDS support:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/uds/Application.java import io.netty.channel.unix.DomainSocketAddress; import reactor.netty.Connection; import reactor.netty.tcp.TcpClient; public class Application { public static void main(String[] args) { Connection connection = TcpClient.create() .remoteAddress(() -> new DomainSocketAddress("/tmp/test.sock")) ① .connectNow(); connection.onDispose() .block(); } } ① Specifies DomainSocketAddress that will be used

4.12. Host Name Resolution

By default, the TcpClient uses Netty's domain name lookup mechanism that resolves a domain name asynchronously. This is as an alternative of the JVM's built-in blocking resolver.

When you need to change the default settings, you can configure the TcpClient as follows:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/tcp/client/resolver/Application.java

```
import reactor.netty.Connection;
import reactor.netty.tcp.TcpClient;
import java.time.Duration;
public class Application {
   public static void main(String[] args) {
       Connection connection =
              TcpClient.create()
                      .host("example.com")
                      .port(80)
                      .resolver(spec ->
.connectNow();
       connection.onDispose()
                .block();
   }
}
```

① The timeout of each DNS query performed by this resolver will be 500ms.

The following listing shows the available configurations:

Configuration name	Description
cacheMaxTimeToLive	The max time to live of the cached DNS resource records (resolution: seconds). If the time to live of the DNS resource record returned by the DNS server is greater than this max time to live, this resolver ignores the time to live from the DNS server and uses use this max time to live. Default to Integer.MAX_VALUE.
cacheMinTimeToLive	The min time to live of the cached DNS resource records (resolution: seconds). If the time to live of the DNS resource record returned by the DNS server is less than this min time to live, this resolver ignores the time to live from the DNS server and uses this min time to live. Default: 0.
cacheNegativeTimeToLive	The time to live of the cache for the failed DNS queries (resolution: seconds). Default: 0.

Configuration name	Description
completeOncePreferredResolved	When this setting is enabled, the resolver notifies as soon as all queries for the preferred address type are complete. When this setting is disabled, the resolver notifies when all possible address types are complete. This configuration is applicable for <pre>DnsNameResolver#resolveAll(String)</pre> . By default, this setting is enabled.
disableOptionalRecord	Disables the automatic inclusion of an optional record that tries to give a hint to the remote DNS server about how much data the resolver can read per response. By default, this setting is enabled.
disableRecursionDesired	Specifies whether this resolver has to send a DNS query with the recursion desired (RD) flag set. By default, this setting is enabled.
maxPayloadSize	Sets the capacity of the datagram packet buffer (in bytes). Default: 4096.
maxQueriesPerResolve	Sets the maximum allowed number of DNS queries to send when resolving a host name. Default: 16.
ndots	Sets the number of dots that must appear in a name before an initial absolute query is made. Default: -1 (to determine the value from the OS on Unix or use a value of 1 otherwise).
queryTimeout	Sets the timeout of each DNS query performed by this resolver (resolution: milliseconds). Default: 5000.
resolvedAddressTypes	The list of the protocol families of the resolved address.
roundRobinSelection	Enables an AddressResolverGroup of DnsNameResolver that supports random selection of destination addresses if multiple are provided by the nameserver. See RoundRobinDnsAddressResolverGroup. Default: DnsAddressResolverGroup
run0n	Performs the communication with the DNS servers on the given LoopResources. By default, the LoopResources specified on the client level are used.

Configuration name	Description
searchDomains	The list of search domains of the resolver. By default, the effective search domain list is populated by using the system DNS search domains.
trace	A specific logger and log level to be used by this resolver when generating detailed trace information in case of resolution failure.

Sometimes, you may want to switch to the JVM built-in resolver. To do so, you can configure the TcpClient as follows:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/tcp/client/resolver/custom/Application.\\
java
  import io.netty.resolver.DefaultAddressResolverGroup;
  import reactor.netty.Connection;
  import reactor.netty.tcp.TcpClient;
  public class Application {
      public static void main(String[] args) {
         Connection connection =
                 TcpClient.create()
                          .host("example.com")
                          .port(80)
                          .connectNow();
         connection.onDispose()
                   .block();
     }
 }
① Sets the JVM built-in resolver.
```

Chapter 5. HTTP Server

Reactor Netty provides the easy-to-use and easy-to-configure HttpServer class. It hides most of the Netty functionality that is needed in order to create a HTTP server and adds Reactive Streams backpressure.

5.1. Starting and Stopping

To start an HTTP server, you must create and configure a HttpServer instance. By default, the host is configured for any local address, and the system picks up an ephemeral port when the bind operation is invoked. The following example shows how to create an HttpServer instance:

The returned DisposableServer offers a simple server API, including disposeNow(), which shuts the server down in a blocking fashion.

5.1.1. Host and Port

To serve on a specific host and port, you can apply the following configuration to the HTTP server:

/../../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/server/address/Application.java

- ① Configures the HTTP server host
- ② Configures the HTTP server port

5.2. Eager Initialization

By default, the initialization of the HttpServer resources happens on demand. This means that the bind operation absorbs the extra time needed to initialize and load:

- the event loop groups
- the native transport libraries (when native transport is used)
- the native libraries for the security (in case of OpenSsl)

When you need to preload these resources, you can configure the HttpServer as follows:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/server/warmup/Application.java

① Initialize and load the event loop groups, the native transport libraries and the native libraries for the security

5.3. Routing HTTP

Defining routes for the HTTP server requires configuring the provided HttpServerRoutes builder. The following example shows how to do so:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/server/routing/Application.java

```
import reactor.core.publisher.Mono;
import reactor.netty.DisposableServer;
import reactor.netty.http.server.HttpServer;
public class Application {
    public static void main(String[] args) {
        DisposableServer server =
                HttpServer.create()
                           .route(routes ->
                               routes.get("/hello",
                                                           (1)
                                         (request, response) ->
response.sendString(Mono.just("Hello World!")))
                                     .post("/echo",
                                                            (2)
                                         (request, response) ->
response.send(request.receive().retain()))
                                     .get("/path/{param}", 3
                                         (request, response) ->
response.sendString(Mono.just(request.param("param"))))
                                     .ws("/ws",
                                         (wsInbound, wsOutbound) ->
wsOutbound.send(wsInbound.receive().retain())))
                           .bindNow();
        server.onDispose()
              .block();
    }
}
```

- ① Serves a GET request to /hello and returns Hello World!
- ② Serves a POST request to /echo and returns the received request body as a response.
- ③ Serves a GET request to /path/{param} and returns the value of the path parameter.
- 4 Serves websocket to /ws and returns the received incoming data as outgoing data.



The server routes are unique and only the first matching in order of declaration is invoked.

5.3.1. SSE

The following code shows how you can configure the HTTP server to serve Server-Sent Events:

```
import com.fasterxml.jackson.databind.ObjectMapper;
import io.netty.buffer.ByteBuf;
import io.netty.buffer.ByteBufAllocator;
import org.reactivestreams.Publisher;
import reactor.core.publisher.Flux;
import reactor.netty.DisposableServer;
import reactor.netty.http.server.HttpServer;
import reactor.netty.http.server.HttpServerRequest;
import reactor.netty.http.server.HttpServerResponse;
import java.io.ByteArrayOutputStream;
import java.nio.charset.Charset;
import java.time.Duration;
import java.util.function.BiFunction;
public class Application {
    public static void main(String[] args) {
        DisposableServer server =
                HttpServer.create()
                          .route(routes -> routes.get("/sse", serveSse()))
                          .bindNow();
        server.onDispose()
              .block();
    }
    /**
     * Prepares SSE response
     * The "Content-Type" is "text/event-stream"
     * The flushing strategy is "flush after every element" emitted by the
provided Publisher
     */
    private static BiFunction<HttpServerRequest, HttpServerResponse,
Publisher<Void>> serveSse() {
        Flux<Long> flux = Flux.interval(Duration.ofSeconds(10));
        return (request, response) ->
                response.sse()
                        .send(flux.map(Application::toByteBuf), b -> true);
    }
    /**
     * Transforms the Object to ByteBuf following the expected SSE format.
    private static ByteBuf toByteBuf(Object any) {
        ByteArrayOutputStream out = new ByteArrayOutputStream();
        try {
```

5.3.2. Static Resources

The following code shows how you can configure the HTTP server to serve static resources:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/server/staticresources/Applicatio
n.java
  import reactor.netty.DisposableServer;
  import reactor.netty.http.server.HttpServer;
  import java.net.URISyntaxException;
  import java.nio.file.Path;
  import java.nio.file.Paths;
  public class Application {
      public static void main(String[] args) throws URISyntaxException {
          Path file =
  Paths.get(Application.class.getResource("/logback.xml").toURI());
          DisposableServer server =
                   HttpServer.create()
                             .route(routes -> routes.file("/index.html", file))
                             .bindNow();
          server.onDispose()
                 .block();
      }
  }
```

5.4. Writing Data

To send data to a connected client, you must attach an I/O handler by using either handle(…) or route(…). The I/O handler has access to HttpServerResponse, to be able to write data. The following example uses the handle(…) method:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/server/send/Application.java
  import reactor.core.publisher.Mono;
  import reactor.netty.DisposableServer;
  import reactor.netty.http.server.HttpServer;
 public class Application {
     public static void main(String[] args) {
         DisposableServer server =
                 HttpServer.create()
                           .handle((request, response) ->
 .bindNow();
         server.onDispose()
               .block();
     }
 }
① Sends hello string to the connected clients
```

5.4.1. Adding Headers and Other Metadata

When you send data to the connected clients, you may need to send additional headers, cookies, status code, and other metadata. You can provide this additional metadata by using HttpServerResponse. The following example shows how to do so:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/server/send/headers/Application. java

```
import io.netty.handler.codec.http.HttpHeaderNames;
import io.netty.handler.codec.http.HttpResponseStatus;
import reactor.core.publisher.Mono;
import reactor.netty.DisposableServer;
import reactor.netty.http.server.HttpServer;
public class Application {
    public static void main(String[] args) {
        DisposableServer server =
                HttpServer.create()
                           .route(routes ->
                               routes.get("/hello",
                                   (request, response) ->
                                       response.status(HttpResponseStatus.OK)
.header(HttpHeaderNames.CONTENT_LENGTH, "12")
                                               .sendString(Mono.just("Hello
World!"))))
                           .bindNow();
        server.onDispose()
              .block();
    }
}
```

5.4.2. Compression

You can configure the HTTP server to send a compressed response, depending on the request header Accept-Encoding.

Reactor Netty provides three different strategies for compressing the outgoing data:

- compress(boolean): Depending on the boolean that is provided, the compression is enabled (true) or disabled (false).
- compress(int): The compression is performed once the response size exceeds the given value (in bytes).
- compress(BiPredicate<HttpServerRequest, HttpServerResponse>): The compression is performed if the predicate returns true.

The following example uses the compress method (set to true) to enable compression:

./../../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/server/compression/Application.j ava

```
import reactor.netty.DisposableServer;
import reactor.netty.http.server.HttpServer;
import java.net.URISyntaxException;
import java.nio.file.Path;
import java.nio.file.Paths;
public class Application {
    public static void main(String[] args) throws URISyntaxException {
        Path file =
Paths.get(Application.class.getResource("/logback.xml").toURI());
        DisposableServer server =
                HttpServer.create()
                          .compress(true)
                          .route(routes -> routes.file("/index.html", file))
                          .bindNow();
        server.onDispose()
              .block();
   }
}
```

5.5. Consuming Data

To receive data from a connected client, you must attach an I/O handler by using either handle(…) or route(…). The I/O handler has access to HttpServerRequest, to be able to read data.

The following example uses the handle(…) method:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/server/read/Application.javaimport reactor.netty.DisposableServer; import reactor.netty.http.server.HttpServer; public class Application { public static void main(String[] args) { DisposableServer server = HttpServer.create() .handle((request, response) -> request.receive().then()) 1 .bindNow(); server.onDispose() .block(); } } ① Receives data from the connected clients

5.5.1. Reading Headers, URI Params, and other Metadata

When you receive data from the connected clients, you might need to check request headers, parameters, and other metadata. You can obtain this additional metadata by using HttpServerRequest. The following example shows how to do so:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/server/read/headers/Application.j ava

```
import reactor.core.publisher.Mono;
import reactor.netty.DisposableServer;
import reactor.netty.http.server.HttpServer;
public class Application {
    public static void main(String[] args) {
        DisposableServer server =
                HttpServer.create()
                          .route(routes ->
                              routes.get("/{param}",
                                  (request, response) -> {
                                       if (request.requestHeaders().contains("Some-
Header")) {
                                           return
response.sendString(Mono.just(request.param("param")));
                                       return response.sendNotFound();
                                  }))
                          .bindNow();
        server.onDispose()
              .block();
    }
}
```

Obtaining the Remote (Client) Address

In addition to the metadata that you can obtain from the request, you can also receive the host (server) address, the remote (client) address and the scheme. Depending on the chosen factory method, you can retrieve the information directly from the channel or by using the Forwarded or X-Forwarded-* HTTP request headers. The following example shows how to do so:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/server/clientaddress/Application. java/netty/examples/documentation/http/server/clientaddress/Application. java/netty/examples/documentation/http/server/clientaddress/Application/http/s

```
import reactor.core.publisher.Mono;
import reactor.netty.DisposableServer;
import reactor.netty.http.server.HttpServer;
public class Application {
    public static void main(String[] args) {
        DisposableServer server =
                HttpServer.create()
                          .forwarded(true) ①
                          .route(routes ->
                              routes.get("/clientip",
                                  (request, response) ->
response.sendString(Mono.just(request.remoteAddress() 2
.getHostString())))
                          .bindNow();
        server.onDispose()
              .block();
    }
}
```

- ① Specifies that the information about the connection is to be obtained from the Forwarded and X-Forwarded-* HTTP request headers, if possible.
- ② Returns the address of the remote (client) peer.

It is also possible to customize the behavior of the Forwarded or X-Forwarded-* header handler. The following example shows how to do so:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/server/clientaddress/CustomForwardedHeaderHandlerApplication.java

```
import java.net.InetSocketAddress;
import reactor.core.publisher.Mono;
import reactor.netty.DisposableServer;
import reactor.netty.http.server.HttpServer;
import reactor.netty.transport.AddressUtils;
public class CustomForwardedHeaderHandlerApplication {
   public static void main(String[] args) {
       DisposableServer server =
               HttpServer.create()
                         String hostHeader = request.headers().get("X-
Forwarded-Host");
                             if (hostHeader != null) {
                                 String[] hosts = hostHeader.split(",", 2);
                                 InetSocketAddress hostAddress =
AddressUtils.createUnresolved(
                                    hosts[hosts.length - 1].trim(),
                                    connectionInfo.getHostAddress().getPort());
                                 connectionInfo =
connectionInfo.withHostAddress(hostAddress);
                             return connectionInfo;
                         })
                         .route(routes ->
                             routes.get("/clientip",
                                 (request, response) ->
response.sendString(Mono.just(request.remoteAddress() ②
.getHostString()))))
                         .bindNow();
       server.onDispose()
             .block();
   }
}
```

- 1 Add a custom header handler.
- 2 Returns the address of the remote (client) peer.

5.5.2. HTTP Request Decoder

By default, Netty configures some restrictions for the incoming requests, such as:

- The maximum length of the initial line.
- The maximum length of all headers.
- The maximum length of the content or each chunk.

For more information, see HttpRequestDecoder and HttpServerUpgradeHandler

By default, the HTTP server is configured with the following settings:

```
public static final int DEFAULT_MAX_INITIAL_LINE_LENGTH = 4096;
public static final int DEFAULT_MAX_HEADER_SIZE = 8192;
public static final int DEFAULT_MAX_CHUNK_SIZE = 8192;
public static final boolean DEFAULT_VALIDATE_HEADERS = true;
public static final int DEFAULT_INITIAL_BUFFER_SIZE = 128;
public static final boolean DEFAULT_ALLOW_DUPLICATE_CONTENT_LENGTHS = false;
```

```
/**

* The maximum length of the content of the HTTP/2.0 clear-text upgrade request.

* By default the server will reject an upgrade request with non-empty content,

* because the upgrade request is most likely a GET request.

*/

public static final int DEFAULT_H2C_MAX_CONTENT_LENGTH = 0;
```

When you need to change these default settings, you can configure the HTTP server as follows:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/server/requestdecoder/Applicatio n.java

```
import reactor.core.publisher.Mono;
import reactor.netty.DisposableServer;
import reactor.netty.http.server.HttpServer;
public class Application {
    public static void main(String[] args) {
        DisposableServer server =
                HttpServer.create()
                          .httpRequestDecoder(spec -> spec.maxHeaderSize(16384))
1
                          .handle((request, response) ->
response.sendString(Mono.just("hello")))
                          .bindNow();
        server.onDispose()
              .block();
   }
}
```

① The maximum length of all headers will be 16384. When this value is exceeded, a TooLongFrameException is raised.

5.6. Lifecycle Callbacks

The following lifecycle callbacks are provided to let you extend the HttpServer:

Callback	Description
doOnBind	Invoked when the server channel is about to bind.
do0nBound	Invoked when the server channel is bound.
doOnChannelInit	Invoked when initializing the channel.
doOnConnection	Invoked when a remote client is connected
do0nUnbound	Invoked when the server channel is unbound.

The following example uses the doOnConnection and doOnChannelInit callbacks:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/server/lifecycle/Application.java

```
import io.netty.handler.logging.LoggingHandler;
import io.netty.handler.timeout.ReadTimeoutHandler;
import reactor.netty.DisposableServer;
import reactor.netty.http.server.HttpServer;
import java.util.concurrent.TimeUnit;
public class Application {
    public static void main(String[] args) {
        DisposableServer server =
                HttpServer.create()
                          .doOnConnection(conn ->
                              conn.addHandler(new ReadTimeoutHandler(10,
TimeUnit.SECONDS))) ①
                          .doOnChannelInit((observer, channel, remoteAddress) ->
                              channel.pipeline()
                                      .addFirst(new
LoggingHandler("reactor.netty.examples")))2
                          .bindNow();
        server.onDispose()
              .block();
    }
}
```

- ① Netty pipeline is extended with ReadTimeoutHandler when a remote client is connected.
- ② Netty pipeline is extended with LoggingHandler when initializing the channel.

5.7. TCP-level Configuration

When you need to change configuration on the TCP level, you can use the following snippet to extend the default TCP server configuration:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/server/channeloptions/Applicatio n.java

See TCP Server for more detail about TCP-level configuration.

5.7.1. Wire Logger

Reactor Netty provides wire logging for when you need to inspect the traffic between the peers. By default, wire logging is disabled. To enable it, you must set the logger reactor.netty.http.server.HttpServer level to DEBUG and apply the following configuration:

By default, the wire logging uses AdvancedByteBufFormat#HEX_DUMP when printing the content. When you need to change this to AdvancedByteBufFormat#SIMPLE or AdvancedByteBufFormat#TEXTUAL, you can configure the HttpServer as follows:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/server/wiretap/custom/Application. n. java

① Enables the wire logging, AdvancedByteBufFormat#TEXTUAL is used for printing the content.

5.8. SSL and TLS

When you need SSL or TLS, you can apply the configuration shown in the next example. By default, if OpenSSL is available, SslProvider.OPENSSL provider is used as a provider. Otherwise SslProvider.JDK is used. You can switch the provider by using SslContextBuilder or by setting -Dio.netty.handler.ssl.noOpenSsl=true.

The following example uses SslContextBuilder:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/server/security/Application.java

```
import reactor.netty.DisposableServer;
import reactor.netty.http.Http11SslContextSpec;
import reactor.netty.http.server.HttpServer;
import java.io.File;
public class Application {
    public static void main(String[] args) {
        File cert = new File("certificate.crt");
        File key = new File("private.key");
        Http11SslContextSpec http11SslContextSpec =
Http11SslContextSpec.forServer(cert, key);
        DisposableServer server =
                HttpServer.create()
                          .secure(spec -> spec.sslContext(http11SslContextSpec))
                          .bindNow();
        server.onDispose()
              .block();
    }
}
```

5.8.1. Server Name Indication

You can configure the HTTP server with multiple SslContext mapped to a specific domain. An exact domain name or a domain name containing a wildcard can be used when configuring the SNI mapping.

The following example uses a domain name containing a wildcard:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/server/sni/Application.java

```
import io.netty.handler.ssl.SslContext;
import io.netty.handler.ssl.SslContextBuilder;
import reactor.netty.DisposableServer;
import reactor.netty.http.server.HttpServer;
import java.io.File;
public class Application {
    public static void main(String[] args) throws Exception {
        File defaultCert = new File("default_certificate.crt");
        File defaultKey = new File("default_private.key");
        File testDomainCert = new File("default_certificate.crt");
        File testDomainKey = new File("default_private.key");
        SslContext defaultSslContext = SslContextBuilder.forServer(defaultCert,
defaultKey).build();
        SslContext testDomainSslContext =
SslContextBuilder.forServer(testDomainCert, testDomainKey).build();
        DisposableServer server =
                HttpServer.create()
                          .secure(spec -> spec.sslContext(defaultSslContext)
                                               .addSniMapping("*.test.com",
                                                      testDomainSpec ->
testDomainSpec.sslContext(testDomainSslContext)))
                          .bindNow();
        server.onDispose()
              .block();
   }
}
```

5.9. HTTP Access Log

You can enable the HTTP access log either programmatically or by configuration. By default, it is disabled.

You can use -Dreactor.netty.http.server.accessLogEnabled=true to enable the HTTP access log by configuration.

You can use the following configuration (for Logback or similar logging frameworks) to have a separate HTTP access log file:

The following example enables it programmatically:

Calling this method takes precedence over the system property configuration.

By default, the logging format is Common Log Format, but you can specify a custom one as a parameter, as in the following example:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/server/accessLog/CustomLogAccessFormatApplication.java

You can also filter HTTP access logs by using the AccessLogFactory#createFilter method, as in the following example:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/server/accessLog/FilterLogAccess
Application.java
  import reactor.netty.DisposableServer;
  import reactor.netty.http.server.HttpServer;
  import reactor.netty.http.server.logging.AccessLogFactory;
  public class FilterLogAccessApplication {
      public static void main(String[] args) {
          DisposableServer server =
                   HttpServer.create()
                             .accessLog(true, AccessLogFactory.createFilter(p ->
  !String.valueOf(p.uri()).startsWith("/health/")))
                             .bindNow();
          server.onDispose()
                 .block();
      }
  }
```

Note that this method can take a custom format parameter too, as in this example:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/server/accessLog/CustomFormat AndFilterAccessLogApplication.java.java

```
import reactor.netty.DisposableServer;
import reactor.netty.http.server.HttpServer;
import reactor.netty.http.server.logging.AccessLog;
import reactor.netty.http.server.logging.AccessLogFactory;
public class CustomFormatAndFilterAccessLogApplication {
    public static void main(String[] args) {
        DisposableServer server =
                HttpServer.create()
                          .accessLog(true, AccessLogFactory.createFilter(p ->
!String.valueOf(p.uri()).startsWith("/health/"), ①
                                  x -> AccessLog.create("method={}, uri={}",
x.method(), x.uri()))) ②
                          .bindNow();
        server.onDispose()
              .block();
    }
}
```

- ① Specifies the filter predicate to use
- 2 Specifies the custom format to apply

5.10. HTTP/2

By default, the HTTP server supports HTTP/1.1. If you need HTTP/2, you can get it through configuration. In addition to the protocol configuration, if you need H2 but not H2C (cleartext), you must also configure SSL.



As Application-Layer Protocol Negotiation (ALPN) is not supported "out-of-the-box" by JDK8 (although some vendors backported ALPN to JDK8), you need an additional dependency to a native library that supports it — for example, netty-tcnative-boringssl-static.

The following listing presents a simple H2 example:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/server/http2/H2Application.java import reactor.core.publisher.Mono; import reactor.netty.DisposableServer; import reactor.netty.http.Http2SslContextSpec; import reactor.netty.http.HttpProtocol; import reactor.netty.http.server.HttpServer; import java.io.File; public class H2Application { public static void main(String[] args) { File cert = new File("certificate.crt"); File key = new File("private.key"); Http2SslContextSpec http2SslContextSpec = Http2Ss1ContextSpec.forServer(cert, key); DisposableServer server = HttpServer.create() .port(8080) .protocol(HttpProtocol.H2) .secure(spec -> spec.sslContext(http2SslContextSpec)) ② .handle((request, response) -> response.sendString(Mono.just("hello"))) .bindNow(); server.onDispose() .block(); } } 1 Configures the server to support only HTTP/2 2 Configures SSL

The application should now behave as follows:

```
$ curl --http2 https://localhost:8080 -i
HTTP/2 200
hello
```

The following listing presents a simple H2C example:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/server/http2/H2CApplication.java

```
import reactor.core.publisher.Mono;
import reactor.netty.DisposableServer;
import reactor.netty.http.HttpProtocol;
import reactor.netty.http.server.HttpServer;
public class H2CApplication {
    public static void main(String[] args) {
        DisposableServer server =
                HttpServer.create()
                          .port(8080)
                          .protocol(HttpProtocol.H2C)
                          .handle((request, response) ->
response.sendString(Mono.just("hello")))
                          .bindNow();
        server.onDispose()
              .block();
   }
}
```

The application should now behave as follows:

```
$ curl --http2-prior-knowledge http://localhost:8080 -i
HTTP/2 200
hello
```

5.10.1. Protocol Selection

./../../reactor-netty-http/src/main/java/reactor/netty/http/HttpProtocol.java

```
public enum HttpProtocol {
    /**
    * The default supported HTTP protocol by HttpServer and HttpClient
   HTTP11,
    /**
    * HTTP/2.0 support with TLS
    * If used along with HTTP/1.1 protocol, HTTP/2.0 will be the preferred
protocol.
    * While negotiating the application level protocol, HTTP/2.0 or HTTP/1.1 can
be chosen.
     * If used without HTTP/1.1 protocol, HTTP/2.0 will always be offered as a
protocol
    * for communication with no fallback to HTTP/1.1.
   H2.
    /**
    * HTTP/2.0 support with clear-text.
    * If used along with HTTP/1.1 protocol, will support H2C "upgrade":
    * Request or consume requests as HTTP/1.1 first, looking for HTTP/2.0 headers
    * and {@literal Connection: Upgrade}. A server will typically reply a
successful
     * 101 status if upgrade is successful or a fallback HTTP/1.1 response. When
    * successful the client will start sending HTTP/2.0 traffic.
    * If used without HTTP/1.1 protocol, will support H2C "prior-knowledge":
Doesn't
    * require {@literal Connection: Upgrade} handshake between a client and
server but
    * fallback to HTTP/1.1 will not be supported.
    */
   H2C
}
```

5.11. Metrics

The HTTP server supports built-in integration with Micrometer. It exposes all metrics with a prefix of reactor.netty.http.server.

The following table provides information for the HTTP server metrics:

metric name	type	description
reactor.netty.http.server.data.re ceived	DistributionSummary	Amount of the data received, in bytes
reactor.netty.http.server.data.se nt	DistributionSummary	Amount of the data sent, in bytes
reactor.netty.http.server.errors	Counter	Number of errors that occurred
reactor.netty.http.server.data.re ceived.time	Timer	Time spent in consuming incoming data
reactor.netty.http.server.data.se nt.time	Timer	Time spent in sending outgoing data
reactor.netty.http.server.respon se.time	Timer	Total time for the request/response

These additional metrics are also available:

ByteBufAllocator metrics

metric name	type	description
reactor.netty.bytebuf.allocator. used.heap.memory	Gauge	The number of the bytes of the heap memory
reactor.netty.bytebuf.allocator. used.direct.memory	Gauge	The number of the bytes of the direct memory
reactor.netty.bytebuf.allocator. used.heap.arenas	Gauge	The number of heap arenas (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.direct.arenas	Gauge	The number of direct arenas (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.threadlocal.caches	Gauge	The number of thread local caches (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.tiny.cache.size	Gauge	The size of the tiny cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.small.cache.size	Gauge	The size of the small cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.normal.cache.size	Gauge	The size of the normal cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.chunk.size	Gauge	The chunk size for an arena (when PooledByteBufAllocator)

The following example enables that integration:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/server/metrics/Application.java

```
import io.micrometer.core.instrument.Metrics;
import io.micrometer.core.instrument.config.MeterFilter;
import reactor.core.publisher.Mono;
import reactor.netty.DisposableServer;
import reactor.netty.http.server.HttpServer;
public class Application {
    public static void main(String[] args) {
        Metrics.globalRegistry ①
               .config()
.meterFilter(MeterFilter.maximumAllowableTags("reactor.netty.http.server", "URI",
100, MeterFilter.deny()));
        DisposableServer server =
                HttpServer.create()
                          .metrics(true, s -> {
                              if (s.startsWith("/stream/")) { ②
                                   return "/stream/{n}";
                               }
                              else if (s.startsWith("/bytes/")) {
                                   return "/bytes/{n}";
                               }
                              return s;
                          }) ③
                          .route(r ->
                               r.get("/stream/{n}",
                                    (req, res) ->
res.sendString(Mono.just(req.param("n"))))
                                .get("/bytes/{n}",
                                    (req, res) ->
res.sendString(Mono.just(req.param("n")))))
                          .bindNow();
        server.onDispose()
              .block();
    }
}
```

- 1 Applies upper limit for the meters with URI tag
- 2 Templated URIs will be used as an URI tag value when possible
- 3 Enables the built-in integration with Micrometer



In order to avoid a memory and CPU overhead of the enabled metrics, it is important to convert the real URIs to templated URIs when possible. Without a conversion to a template-like form, each distinct URI leads to the creation of a distinct tag, which takes a lot of memory for the metrics.



Always apply an upper limit for the meters with URI tags. Configuring an upper limit on the number of meters can help in cases when the real URIs cannot be templated. You can find more information at maximumAllowableTags.

When HTTP server metrics are needed for an integration with a system other than Micrometer or you want to provide your own integration with Micrometer, you can provide your own metrics recorder, as follows:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/server/metrics/custom/Applicatio
n.java
  import reactor.core.publisher.Mono;
  import reactor.netty.DisposableServer;
  import reactor.netty.http.server.HttpServer;
  import reactor.netty.http.server.HttpServerMetricsRecorder;
  import java.net.SocketAddress;
  import java.time.Duration;
  public class Application {
      public static void main(String[] args) {
          DisposableServer server =
                  HttpServer.create()
                             .metrics(true, CustomHttpServerMetricsRecorder::new) ①
                             .route(r ->
                                 r.get("/stream/{n}",
                                      (req, res) ->
  res.sendString(Mono.just(req.param("n"))))
                                  .get("/bytes/{n}",
                                      (req, res) ->
  res.sendString(Mono.just(req.param("n")))))
                             .bindNow();
          server.onDispose()
                .block();
      }
```

① Enables HTTP server metrics and provides HttpServerMetricsRecorder implementation.

5.12. Unix Domain Sockets

The HTTP server supports Unix Domain Sockets (UDS) when native transport is in use.

The following example shows how to use UDS support:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/server/uds/Application.java
  import io.netty.channel.unix.DomainSocketAddress;
  import reactor.netty.DisposableServer;
  import reactor.netty.http.server.HttpServer;
  public class Application {
      public static void main(String[] args) {
          DisposableServer server =
                  HttpServer.create()
                             .bindAddress(() -> new
  DomainSocketAddress("/tmp/test.sock")) ①
                             .bindNow();
          server.onDispose()
                 .block();
      }
  }
```

① Specifies DomainSocketAddress that will be used

Chapter 6. HTTP Client

Reactor Netty provides the easy-to-use and easy-to-configure HttpClient. It hides most of the Netty functionality that is required to create an HTTP client and adds Reactive Streams backpressure.

6.1. Connect

To connect the HTTP client to a given HTTP endpoint, you must create and configure a HttpClient instance. The following example shows how to do so:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/client/connect/Application.java
  import reactor.netty.http.client.HttpClient;
  public class Application {
      public static void main(String[] args) {
         client.get()
                                            2
               .uri("https://example.com/") 3
               .response()
               .block();
  }
1 Creates a HttpClient instance ready for configuring.
② Specifies that GET method will be used.
3 Specifies the path.
4 Obtains the response HttpClientResponse
```

The following example uses WebSocket:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/websocket/Application.java

```
import io.netty.buffer.Unpooled;
import io.netty.util.CharsetUtil;
import reactor.core.publisher.Flux;
import reactor.netty.http.client.HttpClient;
public class Application {
    public static void main(String[] args) {
        HttpClient client = HttpClient.create();
        client.websocket()
              .uri("wss://echo.websocket.org")
              .handle((inbound, outbound) -> {
                  inbound.receive()
                         .asString()
                         .take(1)
                         .subscribe(System.out::println);
                  final byte[] msgBytes =
"hello".getBytes(CharsetUtil.ISO_8859_1);
                  return outbound.send(Flux.just(Unpooled.wrappedBuffer(msgBytes),
Unpooled.wrappedBuffer(msgBytes)))
                                 .neverComplete();
              })
              .blockLast();
   }
}
```

6.1.1. Host and Port

In order to connect to a specific host and port, you can apply the following configuration to the HTTP client:

/../../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/address/Application.java

- ① Configures the HTTP host
- ② Configures the HTTP port

6.2. Eager Initialization

By default, the initialization of the HttpClient resources happens on demand. This means that the first request absorbs the extra time needed to initialize and load:

- the event loop group
- the host name resolver
- the native transport libraries (when native transport is used)
- the native libraries for the security (in case of OpenSsl)

When you need to preload these resources, you can configure the HttpClient as follows:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/client/warmup/Application.java

- ① Initialize and load the event loop group, the host name resolver, the native transport libraries and the native libraries for the security
- ② Host name resolution happens with the first request. In this example, a connection pool is used, so with the first request the connection to the URL is established, the subsequent requests to the same URL reuse the connections from the pool.

6.3. Writing Data

To send data to a given HTTP endpoint, you can provide a Publisher by using the send(Publisher) method. By default, Transfer-Encoding: chunked is applied for those HTTP methods for which a request body is expected. Content-Length provided through request headers disables Transfer-Encoding: chunked, if necessary. The following example sends hello:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/send/Application.java/self-examples/src/main/java/reactor/netty/examples/documentation/http/client/send/Application.java/self-examples/selimport reactor.core.publisher.Mono; import reactor.netty.ByteBufFlux; import reactor.netty.http.client.HttpClient; public class Application { public static void main(String[] args) { HttpClient client = HttpClient.create(); client.post() .uri("https://example.com/") .response() .block(); } } ① Sends a hello string to the given HTTP endpoint

6.3.1. Adding Headers and Other Metadata

When sending data to a given HTTP endpoint, you may need to send additional headers, cookies and other metadata. You can use the following configuration to do so:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/client/send/headers/Application. java/reactor/netty/examples/documentation/http/client/send/headers/Application. java/reactor/netty/examples/documentation/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/http/client/send/headers/Application/headers/Appl

```
import io.netty.handler.codec.http.HttpHeaderNames;
import reactor.core.publisher.Mono;
import reactor.netty.ByteBufFlux;
import reactor.netty.http.client.HttpClient;
public class Application {
    public static void main(String[] args) {
        HttpClient client =
                HttpClient.create()
                          .headers(h -> h.set(HttpHeaderNames.CONTENT_LENGTH, 5));
1
        client.post()
              .uri("https://example.com/")
              .send(ByteBufFlux.fromString(Mono.just("hello")))
              .response()
              .block();
   }
}
```

① Disables Transfer-Encoding: chunked and provides Content-Length header.

Compression

You can enable compression on the HTTP client, which means the request header Accept-Encoding is added to the request headers. The following example shows how to do so:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/compression/Application.ja

Auto-Redirect Support

va

You can configure the HTTP client to enable auto-redirect support.

Reactor Netty provides two different strategies for auto-redirect support:

- followRedirect(boolean): Specifies whether HTTP auto-redirect support is enabled for statuses 301|302|307|308.
- followRedirect(BiPredicate<HttpClientRequest, HttpClientResponse>): Enables auto-redirect support if the supplied predicate matches.

The following example uses followRedirect(true):

6.4. Consuming Data

To receive data from a given HTTP endpoint, you can use one of the methods from HttpClient.ResponseReceiver. The following example uses the responseContent method:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/read/Application.java

- 1 Receives data from a given HTTP endpoint
- 2 Aggregates the data
- 3 Transforms the data as string

6.4.1. Reading Headers and Other Metadata

When receiving data from a given HTTP endpoint, you can check response headers, status code, and other metadata. You can obtain this additional metadata by using HttpClientResponse. The following example shows how to do so.

./../.reactor-netty-examples/src/main/java/reactor/netty/examples/documentation/http/client/read/status/Application.java/ α

① Obtains the status code.

6.4.2. HTTP Response Decoder

By default, Netty configures some restrictions for the incoming responses, such as:

- The maximum length of the initial line.
- The maximum length of all headers.
- The maximum length of the content or each chunk.

For more information, see HttpResponseDecoder

By default, the HTTP client is configured with the following settings:

When you need to change these default settings, you can configure the HTTP client as follows:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/client/responsedecoder/Applicatio
n.java
  import reactor.netty.http.client.HttpClient;
  public class Application {
      public static void main(String[] args) {
          HttpClient client =
                   HttpClient.create()
                              .httpResponseDecoder(spec -> spec.maxHeaderSize(16384));
  (1)
          client.get()
                 .uri("https://example.com/")
                 .responseContent()
                 .aggregate()
                 .asString()
                 .block();
      }
  }
```

① The maximum length of all headers will be 16384. When this value is exceeded, a TooLongFrameException is raised.

6.5. Lifecycle Callbacks

The following lifecycle callbacks are provided to let you extend the HttpClient.

Callback	Description	
doAfterRequest	Invoked when the request has been sent.	
doAfterResolve	Invoked after the remote address has been resolved successfully.	
doAfterResponseSuccess	Invoked after the response has been fully received.	
doOnChannelInit	Invoked when initializing the channel.	
doOnConnect	Invoked when the channel is about to connect.	
doOnConnected	Invoked after the channel has been connected.	
doOnDisconnected	Invoked after the channel has been disconnected.	
doOnError	Invoked when the request has not been sent and when the response has not been fully received.	
doOnRedirect	Invoked when the response headers have been received, and the request is about to be redirected.	
doOnRequest	Invoked when the request is about to be sent.	
doOnRequestError	Invoked when the request has not been sent.	
doOnResolve	Invoked when the remote address is about to be resolved.	
doOnResolveError	Invoked in case the remote address hasn't been resolved successfully.	
doOnResponse	Invoked after the response headers have been received.	
doOnResponseError	Invoked when the response has not been fully received.	

The following example uses the doOnConnected and doOnChannelInit callbacks:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/lifecycle/Application.java

```
import io.netty.handler.logging.LoggingHandler;
import io.netty.handler.timeout.ReadTimeoutHandler;
import reactor.netty.http.client.HttpClient;
import java.util.concurrent.TimeUnit;
public class Application {
    public static void main(String[] args) {
        HttpClient client =
                HttpClient.create()
                          .doOnConnected(conn ->
                              conn.addHandler(new ReadTimeoutHandler(10,
TimeUnit.SECONDS)))
                      1
                          .doOnChannelInit((observer, channel, remoteAddress) ->
                              channel.pipeline()
                                      .addFirst(new
LoggingHandler("reactor.netty.examples"))); ②
        client.get()
              .uri("https://example.com/")
              .response()
              .block();
    }
}
```

- ① Netty pipeline is extended with ReadTimeoutHandler when the channel has been connected.
- ② Netty pipeline is extended with LoggingHandler when initializing the channel.

6.6. TCP-level Configuration

When you need configurations on a TCP level, you can use the following snippet to extend the default TCP client configuration (add an option, bind address etc.):

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/client/channeloptions/Application .java

```
import io.netty.channel.ChannelOption;
import io.netty.channel.epoll.EpollChannelOption;
import reactor.netty.http.client.HttpClient;
import java.net.InetSocketAddress;
public class Application {
    public static void main(String[] args) {
        HttpClient client =
                HttpClient.create()
                          .bindAddress(() -> new InetSocketAddress("host", 1234))
                          .option(ChannelOption.CONNECT_TIMEOUT_MILLIS, 10000) 1
                          .option(ChannelOption.SO_KEEPALIVE, true)
                                                                                 2
                          // The options below are available only when Epoll
transport is used
                          .option(EpollChannelOption.TCP_KEEPIDLE, 300)
                                                                                 (3)
                          .option(EpollChannelOption.TCP_KEEPINTVL, 60)
                                                                                 4
                          .option(EpollChannelOption.TCP KEEPCNT, 8);
                                                                                 (5)
        String response =
                client.get()
                      .uri("https://example.com/")
                      .responseContent()
                      .aggregate()
                      .asString()
                      .block();
        System.out.println("Response " + response);
    }
}
```

- ① Configures the connection establishment timeout to 10 seconds.
- ② Enables TCP keepalive. This means that TCP starts sending keepalive probes when a connection is idle for some time.
- The connection needs to remain idle for 5 minutes before TCP starts sending keepalive probes.
- 4 Configures the time between individual keepalive probes to 1 minute.
- ⑤ Configures the maximum number of TCP keepalive probes to 8.

See TCP Client for more about TCP level configurations.

6.6.1. Wire Logger

Reactor Netty provides wire logging for when the traffic between the peers needs to be inspected. By default, wire logging is disabled. To enable it, you must set the logger reactor.netty.http.client.HttpClient level to DEBUG and apply the following configuration:

By default, the wire logging uses AdvancedByteBufFormat#HEX_DUMP when printing the content. When you need to change this to AdvancedByteBufFormat#SIMPLE or AdvancedByteBufFormat#TEXTUAL, you can configure the HttpClient as follows:

① Enables the wire logging, AdvancedByteBufFormat#TEXTUAL is used for printing the content.

6.7. Connection Pool

By default, Reactor Netty client uses a "fixed" connection pool with 500 as the maximum number of active channels and 1000 as the maximum number of further channel acquisition attempts allowed to be kept in a pending state (for the rest of the configurations check the system properties or the builder configurations below). This means that the implementation creates a new channel if someone tries to acquire a channel as long as less than 500 have been created and are managed by the pool. When the maximum number of channels in the pool is reached, up to 1000 new attempts to acquire a channel are delayed (pending) until a channel is returned to the pool again, and further attempts are declined with an error.

```
/**
* Default max connections. Fallback to
* 2 * available number of processors (but with a minimum value of 16)
public static final String POOL_MAX_CONNECTIONS =
"reactor.netty.pool.maxConnections";
* Default acquisition timeout (milliseconds) before error. If -1 will never wait
 * acquire before opening a new
* connection in an unbounded fashion. Fallback 45 seconds
public static final String POOL_ACQUIRE_TIMEOUT =
"reactor.netty.pool.acquireTimeout";
* Default max idle time, fallback - max idle time is not specified.
public static final String POOL_MAX_IDLE_TIME = "reactor.netty.pool.maxIdleTime";
 * Default max life time, fallback - max life time is not specified.
public static final String POOL_MAX_LIFE_TIME = "reactor.netty.pool.maxLifeTime";
/**
 * Default leasing strategy (fifo, lifo), fallback to fifo.
* 
      fifo - The connection selection is first in, first out
      lifo - The connection selection is last in, first out
* 
*/
public static final String POOL LEASING STRATEGY =
"reactor.netty.pool.leasingStrategy";
/**
* Default {@code getPermitsSamplingRate} (between 0d and 1d (percentage))
* to be used with a {@link SamplingAllocationStrategy}.
* This strategy wraps a {@link PoolBuilder#sizeBetween(int, int) sizeBetween}
{@link AllocationStrategy}
* and samples calls to {@link AllocationStrategy#getPermits(int)}.
* Fallback - sampling is not enabled.
public static final String POOL_GET_PERMITS_SAMPLING_RATE =
"reactor.netty.pool.getPermitsSamplingRate";
/**
 * Default {@code returnPermitsSamplingRate} (between 0d and 1d (percentage))
* to be used with a {@link SamplingAllocationStrategy}.
* This strategy wraps a {@link PoolBuilder#sizeBetween(int, int) sizeBetween}
{@link AllocationStrategy}
* and samples calls to {@link AllocationStrategy#returnPermits(int)}.
 * Fallback - sampling is not enabled.
```

```
*/
public static final String POOL_RETURN_PERMITS_SAMPLING_RATE =
"reactor.netty.pool.returnPermitsSamplingRate";
```

When you need to change the default settings, you can configure the ConnectionProvider as follows:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/pool/config/Application.jav

```
import reactor.netty.http.client.HttpClient;
import reactor.netty.resources.ConnectionProvider;
import java.time.Duration;
public class Application {
    public static void main(String[] args) {
        ConnectionProvider provider =
                ConnectionProvider.builder("custom")
                                   .maxConnections(50)
                                   .maxIdleTime(Duration.ofSeconds(20))
(1)
                                   .maxLifeTime(Duration.ofSeconds(60))
2
                                   .pendingAcquireTimeout(Duration.ofSeconds(60))
(3)
                                   .evictInBackground(Duration.ofSeconds(120))
(4)
                                   .build();
        HttpClient client = HttpClient.create(provider);
        String response =
                client.get()
                       .uri("https://example.com/")
                       .responseContent()
                       .aggregate()
                       .asString()
                       .block();
        System.out.println("Response " + response);
        provider.disposeLater()
                .block();
    }
}
```

- ① Configures the maximum time for a connection to stay idle to 20 seconds.
- ② Configures the maximum time for a connection to stay alive to 60 seconds.
- 3 Configures the maximum time for the pending acquire operation to 60 seconds.
- Every two minutes, the connection pool is regularly checked for connections that are
 applicable for removal.

The following listing shows the available configurations:

Configuration name	Description
disposeInactivePoolsInBackground	When this option is enabled, connection pools are regularly checked in the background, and those that are empty and been inactive for a specified time become eligible for disposal. By default, this background disposal of inactive pools is disabled.
evictInBackground	When this option is enabled, each connection pool regularly checks for connections that are eligible for removal according to eviction criteria like maxIdleTime. By default, this background eviction is disabled.
fifo	Configure the connection pool so that if there are idle connections (i.e. pool is under-utilized), the next acquire operation will get the Least Recently Used connection (LRU, i.e. the connection that was released first among the current idle connections). Default leasing strategy.
lifo	Configure the connection pool so that if there are idle connections (i.e. pool is under-utilized), the next acquire operation will get the Most Recently Used connection (MRU, i.e. the connection that was released last among the current idle connections).
maxConnections	The maximum number of connections (per connection pool) before start pending. Default to 2 * available number of processors (but with a minimum value of 16).
maxIdleTime	The time after which the channel is eligible to be closed when idle (resolution: ms). Default: max idle time is not specified.
maxLifeTime	The total life time after which the channel is eligible to be closed (resolution: ms). Default: max life time is not specified.
metrics	Enables/disables built-in integration with Micrometer. ConnectionProvider.MeterRegistrar can be provided for integration with another metrics system. By default, metrics are not enabled.

Configuration name	Description
pendingAcquireMaxCount	The maximum number of extra attempts at acquiring a connection to keep in a pending queue. If -1 is specified, the pending queue does not have upper limit. Default to 2 * max connections.
pendingAcquireTimeout	The maximum time before which a pending acquire must complete, or a TimeoutException is thrown (resolution: ms). If -1 is specified, no such timeout is applied. Default: 45 seconds.



When you expect a high load, be cautious with a connection pool with a very high value for maximum connections. You might experience reactor.netty.http.client.PrematureCloseException exception with a root cause "Connect Timeout" due to too many concurrent connections opened/acquired.

If you need to disable the connection pool, you can apply the following configuration:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/client/pool/Application.java
  import reactor.netty.http.client.HttpClient;
  public class Application {
      public static void main(String[] args) {
          HttpClient client = HttpClient.newConnection();
          String response =
                   client.get()
                         .uri("https://example.com/")
                         .responseContent()
                         .aggregate()
                         .asString()
                         .block();
          System.out.println("Response " + response);
      }
  }
```

6.7.1. Metrics

The pooled ConnectionProvider supports built-in integration with Micrometer. It exposes all metrics with a prefix of reactor.netty.connection.provider.

Pooled ConnectionProvider metrics

metric name	type	description
reactor.netty.connection.provid er.total.connections	Gauge	The number of all connections, active or idle
reactor.netty.connection.provid er.active.connections	Gauge	The number of the connections that have been successfully acquired and are in active use
reactor.netty.connection.provid er.idle.connections	Gauge	The number of the idle connections
reactor.netty.connection.provid er.pending.connections	Gauge	The number of requests that are waiting for a connection

The following example enables that integration:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/client/pool/metrics/Application.ja
va
  import reactor.netty.http.client.HttpClient;
  import reactor.netty.resources.ConnectionProvider;
  public class Application {
      public static void main(String[] args) {
          ConnectionProvider provider =
                  ConnectionProvider.builder("custom")
                                      .maxConnections(50)
                                      .metrics(true) (1)
                                      .build();
          HttpClient client = HttpClient.create(provider);
          String response =
                  client.get()
                         .uri("https://example.com/")
                         .responseContent()
                         .aggregate()
                         .asString()
                         .block();
          System.out.println("Response " + response);
          provider.disposeLater()
                   .block();
      }
  }
```

① Enables the built-in integration with Micrometer

6.8. SSL and TLS

When you need SSL or TLS, you can apply the configuration shown in the next example. By default, if OpenSSL is available, a SslProvider.OPENSSL provider is used as a provider. Otherwise, a SslProvider.JDK provider is used You can switch the provider by using SslContextBuilder or by setting -Dio.netty.handler.ssl.noOpenSsl=true. The following example uses SslContextBuilder:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/client/security/Application.java
  import reactor.netty.http.Http11SslContextSpec;
  import reactor.netty.http.client.HttpClient;
  public class Application {
      public static void main(String[] args) {
          Http11SslContextSpec http11SslContextSpec =
  Http11SslContextSpec.forClient();
          HttpClient client =
                   HttpClient.create()
                             .secure(spec -> spec.sslContext(http11SslContextSpec));
          client.get()
                 .uri("https://example.com/")
                 .response()
                 .block();
      }
  }
```

6.8.1. Server Name Indication

By default, the HTTP client sends the remote host name as SNI server name. When you need to change this default setting, you can configure the HTTP client as follows:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/sni/Application.java

```
import io.netty.handler.ssl.SslContext;
import io.netty.handler.ssl.SslContextBuilder;
import reactor.netty.http.client.HttpClient;
import javax.net.ssl.SNIHostName;
public class Application {
    public static void main(String[] args) throws Exception {
        SslContext sslContext = SslContextBuilder.forClient().build();
        HttpClient client =
                HttpClient.create()
                          .secure(spec -> spec.sslContext(sslContext)
                                               .serverNames(new
SNIHostName("test.com")));
        client.get()
              .uri("https://127.0.0.1:8080/")
              .response()
              .block();
    }
}
```

6.9. Retry Strategies

By default, the HTTP client retries the request once if it was aborted on the TCP level.

6.10. HTTP/2

By default, the HTTP client supports HTTP/1.1. If you need HTTP/2, you can get it through configuration. In addition to the protocol configuration, if you need H2 but not H2C (cleartext), you must also configure SSL.



As Application-Layer Protocol Negotiation (ALPN) is not supported "out-of-the-box" by JDK8 (although some vendors backported ALPN to JDK8), you need an additional dependency to a native library that supports it—for example, netty-tcnative-boringssl-static.

The following listing presents a simple H2 example:

/../../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/http2/H2Application.java

```
import io.netty.handler.codec.http.HttpHeaders;
import reactor.core.publisher.Mono;
import reactor.netty.http.HttpProtocol;
import reactor.netty.http.client.HttpClient;
import reactor.util.function.Tuple2;
public class H2Application {
    public static void main(String[] args) {
        HttpClient client =
                HttpClient.create()
                          .protocol(HttpProtocol.H2) ①
                          .secure();
                                                     2
        Tuple2<String, HttpHeaders> response =
                client.get()
                      .uri("https://example.com/")
                      .responseSingle((res, bytes) -> bytes.asString()
.zipWith(Mono.just(res.responseHeaders())))
                      .block();
        System.out.println("Used stream ID: " + response.getT2().get("x-http2-
stream-id"));
        System.out.println("Response: " + response.getT1());
    }
}
```

1 Configures the client to support only HTTP/2

2 Configures SSL

The following listing presents a simple H2C example:

./../../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/http2/H2CApplication.java

```
import io.netty.handler.codec.http.HttpHeaders;
import reactor.core.publisher.Mono;
import reactor.netty.http.HttpProtocol;
import reactor.netty.http.client.HttpClient;
import reactor.util.function.Tuple2;
public class H2CApplication {
    public static void main(String[] args) {
        HttpClient client =
                HttpClient.create()
                          .protocol(HttpProtocol.H2C);
        Tuple2<String, HttpHeaders> response =
                client.get()
                      .uri("http://localhost:8080/")
                      .responseSingle((res, bytes) -> bytes.asString()
.zipWith(Mono.just(res.responseHeaders())))
                      .block();
        System.out.println("Used stream ID: " + response.getT2().get("x-http2-
stream-id"));
        System.out.println("Response: " + response.getT1());
}
```

6.10.1. Protocol Selection

```
public enum HttpProtocol {
    /**
     * The default supported HTTP protocol by HttpServer and HttpClient
    HTTP11,
    /**
     * HTTP/2.0 support with TLS
     * If used along with HTTP/1.1 protocol, HTTP/2.0 will be the preferred
protocol.
     * While negotiating the application level protocol, HTTP/2.0 or HTTP/1.1 can
be chosen.
     * If used without HTTP/1.1 protocol, HTTP/2.0 will always be offered as a
protocol
     * for communication with no fallback to HTTP/1.1.
    H2.
    /**
     * HTTP/2.0 support with clear-text.
     * If used along with HTTP/1.1 protocol, will support H2C "upgrade":
     * Request or consume requests as HTTP/1.1 first, looking for HTTP/2.0 headers
     * and {@literal Connection: Upgrade}. A server will typically reply a
successful
     * 101 status if upgrade is successful or a fallback HTTP/1.1 response. When
     * successful the client will start sending HTTP/2.0 traffic.
     * If used without HTTP/1.1 protocol, will support H2C "prior-knowledge":
Doesn't
     * require {@literal Connection: Upgrade} handshake between a client and
server but
     * fallback to HTTP/1.1 will not be supported.
     */
    H2C
}
```

6.11. Metrics

The HTTP client supports built-in integration with Micrometer. It exposes all metrics with a prefix of reactor.netty.http.client.

The following table provides information for the HTTP client metrics:

metric name	type	description
reactor.netty.http.client.data.rec eived	DistributionSummary	Amount of the data received, in bytes
reactor.netty.http.client.data.se nt	DistributionSummary	Amount of the data sent, in bytes
reactor.netty.http.client.errors	Counter	Number of errors that occurred
reactor.netty.http.client.tls.hand shake.time	Timer	Time spent for TLS handshake
reactor.netty.http.client.connect .time	Timer	Time spent for connecting to the remote address
reactor.netty.http.client.address .resolver	Timer	Time spent for resolving the address
reactor.netty.http.client.data.rec eived.time	Timer	Time spent in consuming incoming data
reactor.netty.http.client.data.se nt.time	Timer	Time spent in sending outgoing data
reactor.netty.http.client.respons e.time	Timer	Total time for the request/response

These additional metrics are also available:

Pooled ConnectionProvider metrics

metric name	type	description
reactor.netty.connection.provid er.total.connections	Gauge	The number of all connections, active or idle
reactor.netty.connection.provid er.active.connections	Gauge	The number of the connections that have been successfully acquired and are in active use
reactor.netty.connection.provid er.idle.connections	Gauge	The number of the idle connections
reactor.netty.connection.provid er.pending.connections	Gauge	The number of requests that are waiting for a connection

ByteBufAllocator metrics

metric name	type	description
reactor.netty.bytebuf.allocator. used.heap.memory	Gauge	The number of the bytes of the heap memory
reactor.netty.bytebuf.allocator. used.direct.memory	Gauge	The number of the bytes of the direct memory

metric name	type	description
reactor.netty.bytebuf.allocator. used.heap.arenas	Gauge	The number of heap arenas (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.direct.arenas	Gauge	The number of direct arenas (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.threadlocal.caches	Gauge	The number of thread local caches (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.tiny.cache.size	Gauge	The size of the tiny cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.small.cache.size	Gauge	The size of the small cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.normal.cache.size	Gauge	The size of the normal cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.chunk.size	Gauge	The chunk size for an arena (when PooledByteBufAllocator)

The following example enables that integration:

examples/src/main/java/reactor/netty/examples/documentation/http/client/metrics/Application.java

```
import io.micrometer.core.instrument.Metrics;
import io.micrometer.core.instrument.config.MeterFilter;
import reactor.netty.http.client.HttpClient;
public class Application {
    public static void main(String[] args) {
        Metrics.globalRegistry ①
               .config()
.meterFilter(MeterFilter.maximumAllowableTags("reactor.netty.http.client", "URI",
100, MeterFilter.deny()));
        HttpClient client =
                HttpClient.create()
                          .metrics(true, s -> {
                              if (s.startsWith("/stream/")) { ②
                                  return "/stream/{n}";
                              else if (s.startsWith("/bytes/")) {
                                  return "/bytes/{n}";
                              return s;
                          }); 3
        client.get()
              .uri("https://httpbin.org/stream/2")
              .responseContent()
              .blockLast();
        client.get()
              .uri("https://httpbin.org/bytes/1024")
              .responseContent()
              .blockLast();
}
```

- 1 Applies upper limit for the meters with URI tag
- 2 Templated URIs will be used as a URI tag value when possible
- 3 Enables the built-in integration with Micrometer



In order to avoid a memory and CPU overhead of the enabled metrics, it is important to convert the real URIs to templated URIs when possible. Without a conversion to a template-like form, each distinct URI leads to the creation of a distinct tag, which takes a lot of memory for the metrics.



Always apply an upper limit for the meters with URI tags. Configuring an upper limit on the number of meters can help in cases when the real URIs cannot be templated. You can find more information at maximumAllowableTags.

When HTTP client metrics are needed for an integration with a system other than Micrometer or you want to provide your own integration with Micrometer, you can provide your own metrics recorder, as follows:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/client/metrics/custom/Application
.java
  import reactor.netty.http.client.HttpClient;
  import reactor.netty.http.client.HttpClientMetricsRecorder;
  import java.net.SocketAddress;
  import java.time.Duration;
  public class Application {
     public static void main(String[] args) {
         HttpClient client =
                 HttpClient.create()
                          client.get()
               .uri("https://httpbin.org/stream/2")
               .response()
               .block();
     }
```

① Enables HTTP client metrics and provides HttpClientMetricsRecorder implementation.

6.12. Unix Domain Sockets

The HTTP client supports Unix Domain Sockets (UDS) when native transport is in use.

The following example shows how to use UDS support:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/uds/Application.javaimport io.netty.channel.unix.DomainSocketAddress; import reactor.netty.http.client.HttpClient; public class Application { public static void main(String[] args) { HttpClient client = HttpClient.create() .remoteAddress(() -> new client.get() .uri("/") .response() .block(); } } ① Specifies DomainSocketAddress that will be used

6.13. Host Name Resolution

By default, the HttpClient uses Netty's domain name lookup mechanism that resolves a domain name asynchronously. This is as an alternative of the JVM's built-in blocking resolver.

When you need to change the default settings, you can configure the HttpClient as follows:

/../../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/resolver/Application.java

```
import reactor.netty.http.client.HttpClient;
import java.time.Duration;
public class Application {
   public static void main(String[] args) {
       HttpClient client =
              HttpClient.create()
                       .resolver(spec ->
String response =
              client.get()
                    .uri("https://example.com/")
                    .responseContent()
                    .aggregate()
                    .asString()
                    .block();
       System.out.println("Response " + response);
   }
}
```

1 The timeout of each DNS query performed by this resolver will be 500ms.

The following listing shows the available configurations:

Configuration name	Description
cacheMaxTimeToLive	The max time to live of the cached DNS resource records (resolution: seconds). If the time to live of the DNS resource record returned by the DNS server is greater than this max time to live, this resolver ignores the time to live from the DNS server and uses this max time to live. Default to Integer.MAX_VALUE.
cacheMinTimeToLive	The min time to live of the cached DNS resource records (resolution: seconds). If the time to live of the DNS resource record returned by the DNS server is less than this min time to live, this resolver ignores the time to live from the DNS server and uses this min time to live. Default: 0.
cacheNegativeTimeToLive	The time to live of the cache for the failed DNS queries (resolution: seconds). Default: 0.

Configuration name	Description
completeOncePreferredResolved	When this setting is enabled, the resolver notifies as soon as all queries for the preferred address type are complete. When this setting is disabled, the resolver notifies when all possible address types are complete. This configuration is applicable for <pre>DnsNameResolver#resolveAll(String)</pre> . By default, this setting is enabled.
disableOptionalRecord	Disables the automatic inclusion of an optional record that tries to give a hint to the remote DNS server about how much data the resolver can read per response. By default, this setting is enabled.
disableRecursionDesired	Specifies whether this resolver has to send a DNS query with the recursion desired (RD) flag set. By default, this setting is enabled.
maxPayloadSize	Sets the capacity of the datagram packet buffer (in bytes). Default: 4096.
maxQueriesPerResolve	Sets the maximum allowed number of DNS queries to send when resolving a host name. Default: 16.
ndots	Sets the number of dots that must appear in a name before an initial absolute query is made. Default: -1 (to determine the value from the OS on Unix or use a value of 1 otherwise).
queryTimeout	Sets the timeout of each DNS query performed by this resolver (resolution: milliseconds). Default: 5000.
resolvedAddressTypes	The list of the protocol families of the resolved address.
roundRobinSelection	Enables an AddressResolverGroup of DnsNameResolver that supports random selection of destination addresses if multiple are provided by the nameserver. See RoundRobinDnsAddressResolverGroup. Default: DnsAddressResolverGroup
run0n	Performs the communication with the DNS servers on the given LoopResources. By default, the LoopResources specified on the client level are used.

Configuration name	Description
searchDomains	The list of search domains of the resolver. By default, the effective search domain list is populated by using the system DNS search domains.
trace	A specific logger and log level to be used by this resolver when generating detailed trace information in case of resolution failure.

Sometimes, you may want to switch to the JVM built-in resolver. To do so, you can configure the httpClient as follows:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/client/resolver/custom/Applicatio
n.java
  import io.netty.resolver.DefaultAddressResolverGroup;
  import reactor.netty.http.client.HttpClient;
 public class Application {
     public static void main(String[] args) {
         HttpClient client =
                 HttpClient.create()
                           String response =
                 client.get()
                       .uri("https://example.com/")
                       .responseContent()
                       .aggregate()
                       .asString()
                       .block();
         System.out.println("Response " + response);
     }
 }
① Sets the JVM built-in resolver.
```

6.14. Timeout Configuration

This section describes various timeout configuration options that can be used in HttpClient. Configuring a proper timeout may improve or solve issues in the communication process. The configuration options can be grouped as follows:

• Connection Pool Timeout

- HttpClient Timeout
 - Response Timeout
 - Connection Timeout
 - SSL/TLS Timeout
 - Proxy Timeout
 - Host Name Resolution Timeout

6.14.1. Connection Pool Timeout

By default, HttpClient uses a connection pool. When a request is completed successfully and if the connection is not scheduled for closing, the connection is returned to the connection pool and can thus be reused for processing another request. The connection may be reused immediately for another request or may stay idle in the connection pool for some time.

The following list describes the available timeout configuration options:

• maxIdleTime - The maximum time (resolution: ms) that this connection stays idle in the connection pool. By default, maxIdleTime is not specified.



When you configure maxIdleTime, you should consider the idle timeout configuration on the target server. Choose a configuration that is equal to or less than the one on the target server. By doing so, you can reduce the I/O issues caused by a connection closed by the target server.

- maxLifeTime The maximum time (resolution: ms) that this connection stays alive. By default, maxLifeTime is not specified.
- pendingAcquireTimeout The maximum time (resolution: ms) after which a pending acquire operation must complete, or a PoolAcquireTimeoutException is thrown. Default: 45s.

By default, these timeouts are checked on connection release or acquire operations and, if some timeout is reached, the connection is closed and removed from the connection pool. However, you can also configure the connection pool, by setting evictInBackground, to perform periodic checks on connections.

To customize the default settings, you can configure HttpClient as follows:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/client/pool/Application.java

```
import reactor.netty.http.client.HttpClient;
import reactor.netty.resources.ConnectionProvider;
import java.time.Duration;
public class Application {
    public static void main(String[] args) {
        ConnectionProvider provider =
                ConnectionProvider.builder("custom")
                                   .maxConnections(50)
                                   .maxIdleTime(Duration.ofSeconds(20))
1
                                   .maxLifeTime(Duration.ofSeconds(60))
(2)
                                   .pendingAcquireTimeout(Duration.ofSeconds(60))
(3)
                                   .evictInBackground(Duration.ofSeconds(120))
4
                                   .build();
        HttpClient client = HttpClient.create(provider);
        String response =
                client.get()
                      .uri("https://example.com/")
                      .responseContent()
                      .aggregate()
                      .asString()
                      .block();
        System.out.println("Response " + response);
        provider.disposeLater()
                .block();
   }
}
```

- ① Configures the maximum time for a connection to stay idle to 20 seconds.
- ② Configures the maximum time for a connection to stay alive to 60 seconds.
- ③ Configures the maximum time for the pending acquire operation to 60 seconds.
- 4 Every two minutes, the connection pool is regularly checked for connections that are applicable for removal.

6.14.2. HttpClient Timeout

This section provides information for the various timeout configuration options at the HttpClient level.



Reactor Netty uses Reactor Core as its Reactive Streams implementation, and you may want to use the timeout operator that Mono and Flux provide. Keep in mind, however, that it is better to use the more specific timeout configuration options available in Reactor Netty, since they provide more control for a specific purpose and use case. By contrast, the timeout operator can only apply to the operation as a whole, from establishing the connection to the remote peer to receiving the response.

Response Timeout

HttpClient provides an API for configuring a default response timeout for all requests. You can change this default response timeout through an API for a specific request. By default, responseTimeout is not specified.



It is always a good practice to configure a response timeout.

To customize the default settings, you can configure HttpClient as follows:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/client/read/timeout/Application.java/reactor/netty/examples/documentation/http/client/read/timeout/Application.java/reactor/netty/examples/documentation/http/client/read/timeout/Application.java/reactor/netty/examples/documentation/http/client/read/timeout/Application.java/reactor/netty/examples/documentation/http/client/read/timeout/Application.java/reactor/netty/examples/documentation/http/client/read/timeout/Application.java/reactor/netty/examples/documentation/http/client/read/timeout/Application.java/reactor/netty/examples/documentation/http/client/read/timeout/Application.java/reactor/netty/examples/documentation/http/client/read/timeout/Application.java/reactor/netty/examples/documentation/http/client/read/timeout/Application.java/reactor/netty/examples/documentation/http/client/read/timeout/Application.java/reactor/netty/examples/documentation/http/client/read/timeout/Application.java/reactor/netty/examples/documentation/http/client/read/timeout/Application/

```
import reactor.core.publisher.Mono;
import reactor.netty.http.client.HttpClient;
import java.time.Duration;
public class Application {
    public static void main(String[] args) {
        HttpClient client =
                HttpClient.create()
                          .responseTimeout(Duration.ofSeconds(1));
                                                                       1
        String response1 =
                client.post()
                      .uri("https://example.com/")
                      .send((req, out) -> {
                          req.responseTimeout(Duration.ofSeconds(2)); ②
                          return out.sendString(Mono.just("body1"));
                      })
                      .responseContent()
                      .aggregate()
                      .asString()
                      .block();
        System.out.println("Response " + response1);
        String response2 =
                client.post()
                      .uri("https://example.com/")
                      .send((req, out) -> out.sendString(Mono.just("body2")))
                      .responseContent()
                      .aggregate()
                      .asString()
                      .block();
        System.out.println("Response " + response2);
    }
}
```

- ① Configures the default response timeout to 1 second.
- ② Configures a response timeout for a specific request to 2 seconds.

Connection Timeout

The following listing shows all available connection timeout configuration options, but some of them may apply only to a specific transport.

- CONNECT_TIMEOUT_MILLIS If the connection establishment attempt to the remote peer does not finish within the configured connect timeout (resolution: ms), the connection establishment attempt fails. Default: 30s.
- SO_KEEPALIVE When the connection stays idle for some time (the time is implementation dependent, but the default is typically two hours), TCP automatically sends a keepalive probe to the remote peer. By default, SO_KEEPALIVE is not enabled. When you run with Epoll transport, you may also configure:
 - TCP_KEEPIDLE The maximum time (resolution: seconds) that this connection stays idle before
 TCP starts sending keepalive probes, if SO_KEEPALIVE has been set. The maximum time is
 implementation dependent, but the default is typically two hours.
 - TCP_KEEPINTVL The time (resolution: seconds) between individual keepalive probes.
 - TCP_KEEPCNT The maximum number of keepalive probes TCP should send before dropping the connection.



Sometimes, between the client and the server, you may have a network component that silently drops the idle connections without sending a response. From the Reactor Netty point of view, in this use case, the remote peer just does not respond. To be able to handle such a use case you may consider configuring SO_KEEPALIVE.

To customize the default settings, you can configure HttpClient as follows:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/http/client/channeloptions/Application .java

```
import io.netty.channel.ChannelOption;
import io.netty.channel.epoll.EpollChannelOption;
import reactor.netty.http.client.HttpClient;
import java.net.InetSocketAddress;
public class Application {
    public static void main(String[] args) {
        HttpClient client =
                HttpClient.create()
                          .bindAddress(() -> new InetSocketAddress("host", 1234))
                          .option(ChannelOption.CONNECT_TIMEOUT_MILLIS, 10000) 1
                          .option(ChannelOption.SO_KEEPALIVE, true)
                                                                                 2
                          // The options below are available only when Epoll
transport is used
                                                                                 (3)
                          .option(EpollChannelOption.TCP_KEEPIDLE, 300)
                          .option(EpollChannelOption.TCP_KEEPINTVL, 60)
                                                                                 4
                          .option(EpollChannelOption.TCP KEEPCNT, 8);
                                                                                 (5)
        String response =
                client.get()
                      .uri("https://example.com/")
                      .responseContent()
                      .aggregate()
                      .asString()
                      .block();
        System.out.println("Response " + response);
    }
}
```

- ① Configures the connection establishment timeout to 10 seconds.
- ② Enables TCP keepalive. This means that TCP starts sending keepalive probes when a connection is idle for some time.
- The connection needs to remain idle for 5 minutes before TCP starts sending keepalive probes.
- 4 Configures the time between individual keepalive probes to 1 minute.
- ⑤ Configures the maximum number of TCP keepalive probes to 8.

SSL/TLS Timeout

HttpClient supports the SSL/TLS functionality provided by Netty.

The following list describes the available timeout configuration options:

• handshakeTimeout - Use this option to configure the SSL handshake timeout (resolution: ms). Default: 10s.



You should consider increasing the SSL handshake timeout when expecting slow network connections.

- closeNotifyFlushTimeout Use this option to configure the SSL close_notify flush timeout (resolution: ms). Default: 3s.
- closeNotifyReadTimeout Use this option to configure the SSL close_notify read timeout (resolution: ms). Default: 0s.

To customize the default settings, you can configure HttpClient as follows:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/security/custom/Applicatio n.java

```
import reactor.netty.http.Http11SslContextSpec;
import reactor.netty.http.client.HttpClient;
import java.time.Duration;
public class Application {
    public static void main(String[] args) {
        Http11SslContextSpec http11SslContextSpec =
Http11SslContextSpec.forClient();
        HttpClient client =
                HttpClient.create()
                          .secure(spec -> spec.sslContext(http11SslContextSpec)
.handshakeTimeout(Duration.ofSeconds(30))
                                                  (1)
.closeNotifyFlushTimeout(Duration.ofSeconds(10))
.closeNotifyReadTimeout(Duration.ofSeconds(10))); 3
        String response =
                client.get()
                      .uri("https://example.com/")
                      .responseContent()
                      .aggregate()
                      .asString()
                      .block();
        System.out.println("Response " + response);
    }
}
```

- ① Configures the SSL handshake timeout to 30 seconds.
- ② Configures the SSL close_notify flush timeout to 10 seconds.
- 3 Configures the SSL close_notify read timeout to 10 seconds.

Proxy Timeout

HttpClient supports the proxy functionality provided by Netty and provides a way to specify the connection establishment timeout. If the connection establishment attempt to the remote peer does not finish within the timeout, the connection establishment attempt fails. Default: 10s.

To customize the default settings, you can configure HttpClient as follows:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/http/client/proxy/Application.java

```
import reactor.netty.http.client.HttpClient;
import reactor.netty.transport.ProxyProvider;
public class Application {
    public static void main(String[] args) {
        HttpClient client =
                HttpClient.create()
                           .proxy(spec -> spec.type(ProxyProvider.Proxy.HTTP)
                                              .host("proxy")
                                              .port(8080)
                                              .connectTimeoutMillis(20 000)); ①
        String response =
                client.get()
                      .uri("https://example.com/")
                      .responseContent()
                      .aggregate()
                      .asString()
                      .block();
        System.out.println("Response " + response);
    }
}
```

① Configures the connection establishment timeout to 20 seconds.

Host Name Resolution Timeout

By default, the HttpClient uses Netty's domain name lookup mechanism to resolve a domain name asynchronously.

The following list describes the available timeout configuration options:

- cacheMaxTimeToLive The maximum time to live of the cached DNS resource records (resolution: seconds). If the time to live of the DNS resource record returned by the DNS server is greater than this maximum time to live, this resolver ignores the time to live from the DNS server and uses this maximum time to live. Default: Integer.MAX VALUE.
- cacheMinTimeToLive The minimum time to live of the cached DNS resource records (resolution: seconds). If the time to live of the DNS resource record returned by the DNS server is less than this minimum time to live, this resolver ignores the time to live from the DNS server and uses this minimum time to live. Default: 0s.
- cacheNegativeTimeToLive The time to live of the cache for the failed DNS queries (resolution: seconds). Default: 0s.

• queryTimeout - Sets the timeout of each DNS query performed by this resolver (resolution: milliseconds). Default: 5s.

To customize the default settings, you can configure HttpClient as follows:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/http/client/resolver/Application.java
  import reactor.netty.http.client.HttpClient;
 import java.time.Duration;
 public class Application {
     public static void main(String[] args) {
         HttpClient client =
                 HttpClient.create()
                          .resolver(spec ->
 String response =
                 client.get()
                       .uri("https://example.com/")
                       .responseContent()
                       .aggregate()
                       .asString()
                       .block();
         System.out.println("Response " + response);
     }
 }
```

1 The timeout of each DNS query performed by this resolver will be 500ms.

Chapter 7. UDP Server

Reactor Netty provides the easy-to-use and easy-to-configure UdpServer. It hides most of the Netty functionality that is required to create a UDP server and adds Reactive Streams backpressure.

7.1. Starting and Stopping

To start a UDP server, a UdpServer instance has to be created and configured. By default, the host is configured to be localhost and the port is 12012. The following example shows how to create and start a UDP server:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/udp/server/create/Application.java
  import reactor.netty.Connection;
  import reactor.netty.udp.UdpServer;
  import java.time.Duration;
  public class Application {
      public static void main(String[] args) {
          Connection server =
                   UdpServer.create()
                             .bindNow(Duration.ofSeconds(30)); 2
          server.onDispose()
                 .block();
      }
  }
① Creates a UdpServer instance that is ready for configuring.
② Starts the server in a blocking fashion and waits for it to finish initializing.
```

The returned Connection offers a simple server API, including disposeNow(), which shuts the server down in a blocking fashion.

7.1.1. Host and Port

In order to serve on a specific host and port, you can apply the following configuration to the UDP server:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/udp/server/address/Application.java/server/address/Application.j

- ① Configures the UDP server host
- 2 Configures the UDP server port

7.2. Eager Initialization

By default, the initialization of the UdpServer resources happens on demand. This means that the bind operation absorbs the extra time needed to initialize and load:

- · the event loop group
- the native transport libraries (when native transport is used)

When you need to preload these resources, you can configure the UdpServer as follows:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/udp/server/warmup/Application.java import io.netty.channel.socket.DatagramPacket; import reactor.core.publisher.Mono; import reactor.netty.Connection; import reactor.netty.udp.UdpServer; import java.time.Duration; public class Application { public static void main(String[] args) { UdpServer udpServer = UdpServer.create() .handle((in, out) -> out.sendObject(in.receiveObject() .map(o -> { if (o instanceof DatagramPacket) { DatagramPacket p = (DatagramPacket) o; return new DatagramPacket(p.content().retain(), p.sender()); else { return Mono.error(new Exception("Unexpected type of the message: " + o)); }))); udpServer.warmup() ① .block(); Connection server = udpServer.bindNow(Duration.ofSeconds(30)); server.onDispose() .block(); } }

1 Initialize and load the event loop group and the native transport libraries

7.3. Writing Data

To send data to the remote peer, you must attach an I/O handler. The I/O handler has access to UdpOutbound, to be able to write data. The following example shows how to send hello:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/udp/server/send/Application.java import io.netty.buffer.ByteBuf; import io.netty.buffer.Unpooled; import io.netty.channel.socket.DatagramPacket; import io.netty.util.CharsetUtil; import reactor.core.publisher.Mono; import reactor.netty.Connection; import reactor.netty.udp.UdpServer; import java.time.Duration; public class Application { public static void main(String[] args) { Connection server = UdpServer.create() .handle((in, out) -> out.sendObject(in.receiveObject() .map(o -> { if (o instanceof DatagramPacket) { DatagramPacket p = (DatagramPacket) o; ByteBuf buf = Unpooled.copiedBuffer("hello", CharsetUtil.UTF_8); return new DatagramPacket(buf, p.sender()); 1 } else { return Mono.error(new Exception("Unexpected type of the message: " + o)); }))) .bindNow(Duration.ofSeconds(30)); server.onDispose() .block(); } } 1 Sends a hello string to the remote peer

7.4. Consuming Data

To receive data from a remote peer, you must attach an I/O handler. The I/O handler has access to UdpInbound, to be able to read data. The following example shows how to consume data:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/udp/server/read/Application.java import io.netty.channel.socket.DatagramPacket; import reactor.core.publisher.Mono; import reactor.netty.Connection; import reactor.netty.udp.UdpServer; import java.time.Duration; public class Application { public static void main(String[] args) { Connection server = UdpServer.create() .handle((in, out) -> out.sendObject(in.receiveObject() .map(o -> { if (o instanceof DatagramPacket) { DatagramPacket p = (DatagramPacket) o; return new DatagramPacket(p.content().retain(), p.sender()); 1 else { return Mono.error(new Exception("Unexpected type of the message: " + o)); }))) .bindNow(Duration.ofSeconds(30)); server.onDispose() .block(); } }

1 Receives data from the remote peer

7.5. Lifecycle Callbacks

The following lifecycle callbacks are provided to let you extend the UdpServer:

Callback	Description
doOnBind	Invoked when the server channel is about to bind.
do0nBound	Invoked when the server channel is bound.
doOnChannelInit	Invoked when initializing the channel.

Callback	Description
do0nUnbound	Invoked when the server channel is unbound.

The following example uses the doOnBound and doOnChannelInit callbacks:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/udp/server/lifecycle/Application.java
  import io.netty.handler.codec.LineBasedFrameDecoder;
  import io.netty.handler.logging.LoggingHandler;
  import reactor.netty.Connection;
  import reactor.netty.udp.UdpServer;
  import java.time.Duration;
 public class Application {
     public static void main(String[] args) {
         Connection server =
                 UdpServer.create()
                          .doOnBound(conn -> conn.addHandler(new
 LineBasedFrameDecoder(8192))) ①
                          .doOnChannelInit((observer, channel, remoteAddress) ->
                              channel.pipeline()
                                     .addFirst(new
 .bindNow(Duration.ofSeconds(30));
         server.onDispose()
               .block();
     }
 }
```

- ① Netty pipeline is extended with LineBasedFrameDecoder when the server channel is bound.
- ② Netty pipeline is extended with LoggingHandler when initializing the channel.

7.6. Connection Configuration

This section describes three kinds of configuration that you can use at the UDP level:

- Channel Options
- Wire Logger
- Event Loop Group

7.6.1. Channel Options

By default, the UDP server is configured with the following options:

```
UdpServerBind() {
    this.config = new UdpServerConfig(
        Collections.singletonMap(ChannelOption.AUTO_READ, false),
        () -> new InetSocketAddress(NetUtil.LOCALHOST, DEFAULT_PORT));
}
```

If you need additional options or need to change the current options, you can apply the following configuration:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/udp/server/channeloptions/Applicatio
n.java
  import io.netty.channel.ChannelOption;
  import reactor.netty.Connection;
  import reactor.netty.udp.UdpServer;
  import java.time.Duration;
  public class Application {
      public static void main(String[] args) {
          Connection server =
                   UdpServer.create()
                             .option(ChannelOption.CONNECT_TIMEOUT_MILLIS, 10000)
                            .bindNow(Duration.ofSeconds(30));
          server.onDispose()
                 .block();
      }
  }
```

For more information about Netty channel options, see the following links:

- Common ChannelOption
- Epoll ChannelOption
- KQueue ChannelOption
- Socket Options

7.6.2. Wire Logger

Reactor Netty provides wire logging for when the traffic between the peers has to be inspected. By default, wire logging is disabled. To enable it, you must set the logger reactor.netty.udp.UdpServer level to DEBUG and apply the following configuration:

By default, the wire logging uses AdvancedByteBufFormat#HEX_DUMP when printing the content. When you need to change this to AdvancedByteBufFormat#SIMPLE or AdvancedByteBufFormat#TEXTUAL, you can configure the UdpServer as follows:

1 Enables the wire logging

./../reactor-netty-examples/src/main/java/reactor/netty/examples/documentation/udp/server/wiretap/custom/Applicatio n.java

```
import io.netty.handler.logging.LogLevel;
import reactor.netty.Connection;
import reactor.netty.transport.logging.AdvancedByteBufFormat;
import reactor.netty.udp.UdpServer;
import java.time.Duration;
public class Application {
    public static void main(String[] args) {
        Connection server =
                UdpServer.create()
                          .wiretap("logger-name", LogLevel.DEBUG,
AdvancedByteBufFormat.TEXTUAL) ①
                         .bindNow(Duration.ofSeconds(30));
        server.onDispose()
              .block();
    }
}
```

① Enables the wire logging, AdvancedByteBufFormat#TEXTUAL is used for printing the content.

7.6.3. Event Loop Group

By default, the UDP server uses "Event Loop Group," where the number of the worker threads equals the number of processors available to the runtime on initialization (but with a minimum value of 4). When you need a different configuration, you can use one of the LoopResource#create methods.

The default configuration for the "Event Loop Group" is the following:

./../../reactor-netty-core/src/main/java/reactor/netty/ReactorNetty.java

```
/**
* Default worker thread count, fallback to available processor
* (but with a minimum value of 4)
public static final String IO_WORKER_COUNT = "reactor.netty.ioWorkerCount";
* Default selector thread count, fallback to -1 (no selector thread)
public static final String IO SELECT COUNT = "reactor.netty.ioSelectCount";
 * Default worker thread count for UDP, fallback to available processor
* (but with a minimum value of 4)
public static final String UDP_IO_THREAD_COUNT =
"reactor.netty.udp.ioThreadCount";
* Default quiet period that guarantees that the disposal of the underlying
LoopResources
* will not happen, fallback to 2 seconds.
public static final String SHUTDOWN QUIET PERIOD =
"reactor.netty.ioShutdownQuietPeriod";
/**
* Default maximum amount of time to wait until the disposal of the underlying
LoopResources
* regardless if a task was submitted during the quiet period, fallback to 15
seconds.
*/
public static final String SHUTDOWN_TIMEOUT = "reactor.netty.ioShutdownTimeout";
/**
* Default value whether the native transport (epoll, kqueue) will be preferred,
* fallback it will be preferred when available
public static final String NATIVE = "reactor.netty.native";
```

If you need changes to these settings, you can apply the following configuration:

./../reactor-netty-

examples/src/main/java/reactor/netty/examples/documentation/udp/server/eventloop/Application.java/server/eventloop/Application/application/application/application/application/application/application/application/application/application/applica

7.7. Metrics

The UDP server supports built-in integration with Micrometer. It exposes all metrics with a prefix of reactor.netty.udp.server.

The following table provides information for the UDP server metrics:

metric name	type	description
reactor.netty.udp.server.data.re ceived	DistributionSummary	Amount of the data received, in bytes
reactor.netty.udp.server.data.se	DistributionSummary	Amount of the data sent, in bytes
reactor.netty.udp.server.errors	Counter	Number of errors that occurred

These additional metrics are also available:

ByteBufAllocator metrics

metric name	type	description
reactor.netty.bytebuf.allocator.	Gauge	The number of the bytes of the
used.heap.memory		heap memory

metric name	type	description
reactor.netty.bytebuf.allocator. used.direct.memory	Gauge	The number of the bytes of the direct memory
reactor.netty.bytebuf.allocator. used.heap.arenas	Gauge	The number of heap arenas (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.direct.arenas	Gauge	The number of direct arenas (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.threadlocal.caches	Gauge	The number of thread local caches (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.tiny.cache.size	Gauge	The size of the tiny cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.small.cache.size	Gauge	The size of the small cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.normal.cache.size	Gauge	The size of the normal cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.chunk.size	Gauge	The chunk size for an arena (when PooledByteBufAllocator)

The following example enables that integration:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/udp/server/metrics/Application.java
  import reactor.netty.Connection;
  import reactor.netty.udp.UdpServer;
  import java.time.Duration;
  public class Application {
      public static void main(String[] args) {
          Connection server =
                   UdpServer.create()
                            .metrics(true) ①
                            .bindNow(Duration.ofSeconds(30));
          server.onDispose()
                 .block();
      }
  }
1 Enables the built-in integration with Micrometer
```

When UDP server metrics are needed for an integration with a system other than Micrometer or you

want to provide your own integration with Micrometer, you can provide your own metrics recorder, as follows:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/udp/server/metrics/custom/Applicatio n.java

① Enables UDP server metrics and provides ChannelMetricsRecorder implementation.

Chapter 8. UDP Client

Reactor Netty provides the easy-to-use and easy-to-configure UdpClient. It hides most of the Netty functionality that is required to create a UDP client and adds Reactive Streams backpressure.

8.1. Connecting and Disconnecting

To connect the UDP client to a given endpoint, you must create and configure a UdpClient instance. By default, the host is configured for localhost and the port is 12012. The following example shows how to create and connect a UDP client:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/udp/client/create/Application.java
  import reactor.netty.Connection;
  import reactor.netty.udp.UdpClient;
  import java.time.Duration;
  public class Application {
      public static void main(String[] args) {
          Connection connection =
                   UdpClient.create()
                             .connectNow(Duration.ofSeconds(30)); ②
          connection.onDispose()
                     .block();
      }
  }
① Creates a UdpClient instance that is ready for configuring.
② Connects the client in a blocking fashion and waits for it to finish initializing.
```

The returned Connection offers a simple connection API, including disposeNow(), which shuts the client down in a blocking fashion.

8.1.1. Host and Port

To connect to a specific host and port, you can apply the following configuration to the UDP client:

examples/src/main/java/reactor/netty/examples/documentation/udp/client/address/Application.java

- ① Configures the host to which this client should connect
- 2 Configures the port to which this client should connect

8.2. Eager Initialization

By default, the initialization of the UdpClient resources happens on demand. This means that the connect operation absorbs the extra time needed to initialize and load:

- · the event loop group
- the host name resolver
- the native transport libraries (when native transport is used)

When you need to preload these resources, you can configure the UdpClient as follows:

examples/src/main/java/reactor/netty/examples/documentation/udp/client/warmup/Application.java

```
import reactor.core.publisher.Mono;
import reactor.netty.Connection;
import reactor.netty.udp.UdpClient;
import java.time.Duration;
public class Application {
    public static void main(String[] args) {
        UdpClient udpClient = UdpClient.create()
                                        .host("example.com")
                                        .port(80)
                                        .handle((udpInbound, udpOutbound) ->
udpOutbound.sendString(Mono.just("hello")));
        udpClient.warmup() ①
                 .block();
        Connection connection = udpClient.connectNow(Duration.ofSeconds(30)); 2
        connection.onDispose()
                  .block();
    }
}
```

- ① Initialize and load the event loop group, the host name resolver, and the native transport libraries
- 2 Host name resolution happens when connecting to the remote peer

8.3. Writing Data

To send data to a given peer, you must attach an I/O handler. The I/O handler has access to UdpOutbound, to be able to write data.

The following example shows how to send hello:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/udp/client/send/Application.java/send/applicatioimport reactor.core.publisher.Mono; import reactor.netty.Connection; import reactor.netty.udp.UdpClient; import java.time.Duration; public class Application { public static void main(String[] args) { Connection connection = UdpClient.create() .host("example.com") .port(80) .handle((udpInbound, udpOutbound) -> .connectNow(Duration.ofSeconds(30)); connection.onDispose() .block(); } } ① Sends hello string to the remote peer.

8.4. Consuming Data

To receive data from a given peer, you must attach an I/O handler. The I/O handler has access to UdpInbound, to be able to read data. The following example shows how to consume data:

.handle((udpInbound, udpOutbound) ->

.connectNow(Duration.ofSeconds(30));

① Receives data from a given peer

}

}

udpInbound.receive().then()) ①

connection.onDispose()

.block();

8.5. Lifecycle Callbacks

The following lifecycle callbacks are provided to let you extend the UdpClient:

.port(80)

Callback	Description	
doAfterResolve	Invoked after the remote address has been resolved successfully.	
doOnChannelInit	Invoked when initializing the channel.	
doOnConnect	Invoked when the channel is about to connect.	
doOnConnected	Invoked after the channel has been connected.	
doOnDisconnected	Invoked after the channel has been disconnected.	
doOnResolve	Invoked when the remote address is about to be resolved.	
doOnResolveError	Invoked in case the remote address hasn't been resolved successfully.	

The following example uses the doOnConnected and doOnChannelInit callbacks:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/udp/client/lifecycle/Application.java

```
import io.netty.handler.codec.LineBasedFrameDecoder;
import io.netty.handler.logging.LoggingHandler;
import reactor.netty.Connection;
import reactor.netty.udp.UdpClient;
import java.time.Duration;
public class Application {
    public static void main(String[] args) {
        Connection connection =
                UdpClient.create()
                          .host("example.com")
                         .port(80)
                          .doOnConnected(conn -> conn.addHandler(new
LineBasedFrameDecoder(8192))) 1
                          .doOnChannelInit((observer, channel, remoteAddress) ->
                             channel.pipeline()
                                     .addFirst(new
LoggingHandler("reactor.netty.examples")))
                          .connectNow(Duration.ofSeconds(30));
        connection.onDispose()
                  .block();
   }
}
```

- 1 Netty pipeline is extended with LineBasedFrameDecoder when the channel has been connected.
- ② Netty pipeline is extended with LoggingHandler when initializing the channel.

8.6. Connection Configuration

This section describes three kinds of configuration that you can use at the UDP level:

- Channel Options
- Wire Logger
- Event Loop Group

8.6.1. Channel Options

By default, the UDP client is configured with the following options:

If you need additional options or need to change the current options, you can apply the following configuration:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/udp/client/channeloptions/Application.
java
  import io.netty.channel.ChannelOption;
  import reactor.netty.Connection;
  import reactor.netty.udp.UdpClient;
  import java.time.Duration;
  public class Application {
      public static void main(String[] args) {
          Connection connection =
                   UdpClient.create()
                            .host("example.com")
                            .port(80)
                            .option(ChannelOption.CONNECT_TIMEOUT_MILLIS, 10000)
                             .connectNow(Duration.ofSeconds(30));
          connection.onDispose()
                     .block();
      }
  }
```

You can find more about Netty channel options at the following links:

- Common ChannelOption
- Epoll ChannelOption
- KQueue ChannelOption
- Socket Options

8.6.2. Wire Logger

Reactor Netty provides wire logging for when the traffic between the peers has to be inspected. By default, wire logging is disabled. To enable it, you must set the logger reactor.netty.udp.UdpClient level to DEBUG and apply the following configuration:

```
./../reactor-netty-
examples/src/main/java/reactor/netty/examples/documentation/udp/client/wiretap/Application.java
  import reactor.netty.Connection;
  import reactor.netty.udp.UdpClient;
  import java.time.Duration;
  public class Application {
      public static void main(String[] args) {
          Connection connection =
                   UdpClient.create()
                             .host("example.com")
                            .port(80)
                            .wiretap(true) ①
                             .connectNow(Duration.ofSeconds(30));
          connection.onDispose()
                     .block();
      }
  }
1 Enables the wire logging
```

By default, the wire logging uses AdvancedByteBufFormat#HEX_DUMP when printing the content. When you need to change this to AdvancedByteBufFormat#SIMPLE or AdvancedByteBufFormat#TEXTUAL, you can configure the UdpClient as follows:

 $examples/src/main/java/reactor/netty/examples/documentation/udp/client/wiretap/custom/Application.\\ ijava$

```
import io.netty.handler.logging.LogLevel;
import reactor.netty.Connection;
import reactor.netty.transport.logging.AdvancedByteBufFormat;
import reactor.netty.udp.UdpClient;
import java.time.Duration;
public class Application {
    public static void main(String[] args) {
        Connection connection =
                UdpClient.create()
                         .host("example.com")
                         .port(80)
                         .wiretap("logger-name", LogLevel.DEBUG,
AdvancedByteBufFormat.TEXTUAL) ①
                         .connectNow(Duration.ofSeconds(30));
        connection.onDispose()
                  .block();
    }
}
```

① Enables the wire logging, AdvancedByteBufFormat#TEXTUAL is used for printing the content.

8.6.3. Event Loop Group

By default, the UDP client uses "Event Loop Group," where the number of the worker threads equals the number of processors available to the runtime on initialization (but with a minimum value of 4). When you need a different configuration, you can use one of the LoopResources#create methods.

The following listing shows the default configuration for the "Event Loop Group":

./../../reactor-netty-core/src/main/java/reactor/netty/ReactorNetty.java

```
/**
* Default worker thread count, fallback to available processor
* (but with a minimum value of 4)
public static final String IO_WORKER_COUNT = "reactor.netty.ioWorkerCount";
* Default selector thread count, fallback to -1 (no selector thread)
public static final String IO SELECT COUNT = "reactor.netty.ioSelectCount";
 * Default worker thread count for UDP, fallback to available processor
* (but with a minimum value of 4)
public static final String UDP_IO_THREAD_COUNT =
"reactor.netty.udp.ioThreadCount";
* Default quiet period that guarantees that the disposal of the underlying
LoopResources
* will not happen, fallback to 2 seconds.
public static final String SHUTDOWN QUIET PERIOD =
"reactor.netty.ioShutdownQuietPeriod";
/**
* Default maximum amount of time to wait until the disposal of the underlying
LoopResources
* regardless if a task was submitted during the quiet period, fallback to 15
seconds.
*/
public static final String SHUTDOWN_TIMEOUT = "reactor.netty.ioShutdownTimeout";
/**
* Default value whether the native transport (epoll, kqueue) will be preferred,
* fallback it will be preferred when available
public static final String NATIVE = "reactor.netty.native";
```

If you need changes to the these settings, you can apply the following configuration:

./../.reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/udp/client/eventloop/Application.java

```
import reactor.netty.Connection;
import reactor.netty.resources.LoopResources;
import reactor.netty.udp.UdpClient;
import java.time.Duration;
public class Application {
    public static void main(String[] args) {
        LoopResources loop = LoopResources.create("event-loop", 1, 4, true);
        Connection connection =
                UdpClient.create()
                         .host("example.com")
                         .port(80)
                         .runOn(loop)
                         .connectNow(Duration.ofSeconds(30));
        connection.onDispose()
                  .block();
   }
}
```

8.7. Metrics

The UDP client supports built-in integration with Micrometer. It exposes all metrics with a prefix of reactor.netty.udp.client.

The following table provides information for the UDP client metrics:

metric name	type	description
reactor.netty.udp.client.data.rec eived	DistributionSummary	Amount of the data received, in bytes
reactor.netty.udp.client.data.se nt	DistributionSummary	Amount of the data sent, in bytes
reactor.netty.udp.client.errors	Counter	Number of errors that occurred
reactor.netty.udp.client.connect .time	Timer	Time spent for connecting to the remote address
reactor.netty.udp.client.address .resolver	Timer	Time spent for resolving the address

These additional metrics are also available:

ByteBufAllocator metrics

metric name	type	description
reactor.netty.bytebuf.allocator. used.heap.memory	Gauge	The number of the bytes of the heap memory
reactor.netty.bytebuf.allocator. used.direct.memory	Gauge	The number of the bytes of the direct memory
reactor.netty.bytebuf.allocator. used.heap.arenas	Gauge	The number of heap arenas (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.direct.arenas	Gauge	The number of direct arenas (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.threadlocal.caches	Gauge	The number of thread local caches (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.tiny.cache.size	Gauge	The size of the tiny cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.small.cache.size	Gauge	The size of the small cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.normal.cache.size	Gauge	The size of the normal cache (when PooledByteBufAllocator)
reactor.netty.bytebuf.allocator. used.chunk.size	Gauge	The chunk size for an arena (when PooledByteBufAllocator)

The following example enables that integration:

./../reactor-nettyexamples/src/main/java/reactor/netty/examples/documentation/udp/client/metrics/Application.java

When UDP client metrics are needed for an integration with a system other than Micrometer or you

want to provide your own integration with Micrometer, you can provide your own metrics recorder,

1 Enables the built-in integration with Micrometer

 $examples/src/main/java/reactor/netty/examples/documentation/udp/client/metrics/custom/Application. \\ java$

```
import reactor.netty.Connection;
import reactor.netty.channel.ChannelMetricsRecorder;
import reactor.netty.udp.UdpClient;
import java.net.SocketAddress;
import java.time.Duration;
public class Application {
    public static void main(String[] args) {
        Connection connection =
                UdpClient.create()
                         .host("example.com")
                         .port(80)
                         .metrics(true, CustomChannelMetricsRecorder::new) ①
                         .connectNow(Duration.ofSeconds(30));
        connection.onDispose()
                  .block();
    }
```

① Enables UDP client metrics and provides Channel Metrics Recorder implementation.