



Spring Cloud Task Reference Guide

1.0.0.M2

Copies of this document may be made for your own use and for distribution to others, provided that you do not charge any fee for such copies and further provided that each copy contains this Copyright Notice, whether distributed in print or electronically.

Table of Contents

I. Preface	1
1. About the documentation	2
2. Getting help	3
3. First Steps	4
II. Getting started	5
4. Introducing Spring Cloud Task	6
5. System Requirements	7
5.1. Database Requirements	7
6. Developing your first Spring Cloud Task application	8
6.1. Creating the POM	8
6.2. Adding classpath dependencies	9
6.3. Writing the code	9
The @EnableTask annotation	10
The main method	10
The CommandLineRunner	10
6.4. Running the example	11
III. Features	12
7. The lifecycle of a Spring Cloud Task	13
7.1. The TaskExecution	13
7.2. Mapping Exit Codes	14
8. Configuration	15
8.1. DataSource	15
8.2. TaskConfigurer	15
8.3. Task Name	15
8.4. Task Execution Listener	16
IV. Batch	17
9. Associating A Job Execution To The Task In Which It Was Executed	18
9.1. Overriding the TaskBatchExecutionListener	18
10. Remote Partitioning	19
11. Batch Informational Messages	20
V. Spring Cloud Stream Integration	21
12. Launching a task from a Spring Cloud Stream	22
12.1. Spring Cloud Data Flow	22
13. Spring Cloud Task Events	23
14. Spring Batch Events	24
VI. Appendices	25
15. Task repository schema	26
16. Building this documentation	27

Part I. Preface

This section provides a brief overview of the Spring Cloud Task reference documentation. Think of it as a map for the rest of the document. You can read this reference guide in a linear fashion, or you can skip sections if something doesn't interest you.

1. About the documentation

The Spring Cloud Task reference guide is available as [html](#), [pdf](#) and [epub](#) documents. The latest copy is available at docs.spring.io/spring-cloud-task/docs/current-SNAPSHOT/reference/html/.

Copies of this document may be made for your own use and for distribution to others, provided that you do not charge any fee for such copies and further provided that each copy contains this Copyright Notice, whether distributed in print or electronically.

2. Getting help

Having trouble with Spring Cloud Task, We'd like to help!

- Ask a question - we monitor stackoverflow.com for questions tagged with [spring-cloud-task](https://stackoverflow.com/questions/tagged/spring-cloud-task).
- Report bugs with Spring Cloud Task at github.com/spring-cloud/spring-cloud-task/issues.

Note

All of Spring Cloud Task is open source, including the documentation! If you find problems with the docs; or if you just want to improve them, please [get involved](#).

3. First Steps

If you're just getting started with Spring Cloud Task, or 'Spring' in general, [this is the place to start!](#)

- **From scratch:** [Overview](#) | [Requirements](#)
- **Tutorial:** [First application](#)
- **Running your example:** [Running your application](#)

Part II. Getting started

If you're just getting started with Spring Cloud Task, this is the section for you! Here we answer the basic "what?", "how?" and "why?" questions. You'll find a gentle introduction to Spring Cloud Task. We'll then build our first Spring Cloud Task application, discussing some core principles as we go.

4. Introducing Spring Cloud Task

Spring Cloud Task makes it easy to create short lived microservices. We provide capabilities that allow short lived JVM processes to be executed on demand in a production environment.

5. System Requirements

You need Java installed (Java 7 or better, we recommend Java 8) and to build you need to have Maven installed as well.

5.1 Database Requirements

Spring Cloud Task uses a relational database to store the results of an executed task. While you can begin developing a task without a database (the status of the task is logged as part of the task repository's updates), for production environments, you'll want to utilize a supported database. Below is a list of the ones currently supported:

- H2
- HSQLDB
- MySql
- Oracle
- Postgres
- SqlServer

6. Developing your first Spring Cloud Task application

A good place to start is with a simple "Hello World!" application so we'll create the Spring Cloud Task equivalent to highlight the features of the framework. We'll use Apache Maven as a build tool for this project since most IDEs have good support for it.

Note

The spring.io web site contains many "Getting Started" guides that use Spring Boot. If you're looking to solve a specific problem; check there first. You can shortcut the steps below by going to start.spring.io and creating a new project. This will automatically generate a new project structure so that you can start coding right the way. Check the documentation for more details.

Before we begin, open a terminal to check that you have valid versions of Java and Maven installed.

```
$ java -version
java version "1.8.0_31"
Java(TM) SE Runtime Environment (build 1.8.0_31-b13)
Java HotSpot(TM) 64-Bit Server VM (build 25.31-b07, mixed mode)
```

```
$ mvn -v
Apache Maven 3.2.3 (33f8c3e1027c3ddde99d3cdebad2656a31e8fdf4; 2014-08-11T15:58:10-05:00)
Maven home: /usr/local/Cellar/maven/3.2.3/libexec
Java version: 1.8.0_31, vendor: Oracle Corporation
```

Note

This sample needs to be created in its own folder. Subsequent instructions assume you have created a suitable folder and that it is your "current directory".

6.1 Creating the POM

We need to start by creating a Maven `pom.xml` file. The `pom.xml` is the recipe that will be used to build your project. Open your favorite text editor and add the following:

```
<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">

  <modelVersion>4.0.0</modelVersion>

  <groupId>com.example</groupId>
  <artifactId>myproject</artifactId>
  <packaging>jar</packaging>
  <version>0.0.1-SNAPSHOT</version>

  <parent>
    <groupId>org.springframework.boot</groupId>
    <artifactId>spring-boot-starter-parent</artifactId>
    <version>1.3.3.RELEASE</version>
  </parent>

  <properties>
    <start-class>com.example.SampleTask</start-class>
  </properties>
```

```

<dependencies>
  <dependency>
    <groupId>org.springframework.boot</groupId>
    <artifactId>spring-boot-starter</artifactId>
  </dependency>
</dependencies>

<build>
  <plugins>
    <plugin>
      <groupId>org.springframework.boot</groupId>
      <artifactId>spring-boot-maven-plugin</artifactId>
    </plugin>
  </plugins>
</build>
</project>

```

This should give you a working build. You can test it out by running `mvn package` (you can ignore the "jar will be empty - no content was marked for inclusion!" warning for now).

Note

At this point you could import the project into an IDE (most modern Java IDE's include built-in support for Maven). For simplicity we will continue to use a plain text editor for this example.

6.2 Adding classpath dependencies

A Spring Cloud Task is made up of a Spring Boot application that is expected to end. In our POM above, we created the shell of a Spring Boot application from a dependency perspective by setting our parent to use the `spring-boot-starter-parent`.

Spring Boot provides a number of additional "Starter POMs". Some of which are appropriate for use within tasks (`spring-boot-starter-batch`, `spring-boot-starter-jdbc`, etc) and some may not be (`spring-boot-starter-web` is probably not going to be used in a task). The indicator of if a starter makes sense or not comes down to if the resulting application will end (batch based applications typically end, the `spring-boot-starter-web` dependency bootstraps a servlet container which probably won't).

For this example, we'll only need to add a single additional dependency, the one for Spring Cloud Task itself:

```

<dependency>
  <groupId>org.springframework.cloud</groupId>
  <artifactId>spring-cloud-task-core</artifactId>
  <version>1.0.0.BUILD-SNAPSHOT</version>
</dependency>

```

6.3 Writing the code

To finish our application, we need to create a single Java file. Maven will compile the sources from `src/main/java` by default so you need to create that folder structure. Then add a file named `src/main/java/com/example/SampleTask.java`:

```

package com.example;

import org.springframework.boot.*;
import org.springframework.boot.autoconfigure.SpringBootApplication;
import org.springframework.cloud.task.configuration.EnableTask;
import org.springframework.context.annotation.Bean;

```

```

@SpringBootApplication
@EnableTask
public class SampleTask {

    @Bean
    public CommandLineRunner commandLineRunner() {
        return new HelloWorldCommandLineRunner();
    }

    public static void main(String[] args) {
        SpringApplication.run(SampleTask.class, args);
    }

    public static class HelloWorldCommandLineRunner implements CommandLineRunner {

        @Override
        public void run(String... strings) throws Exception {
            System.out.println("Hello World!");
        }
    }
}

```

While it may not look like much, quite a bit is going on. To read more about the Spring Boot specifics, take a look at their reference documentation here: <http://docs.spring.io/spring-boot/docs/current/reference/html/>

We'll also need to create an `application.properties` in `src/main/resources`. We'll configure two properties in it: the application name (which is translated to the task name) and we'll set the logging for spring cloud task to `DEBUG` so that we can see what's going on:

```

logging.level.org.springframework.cloud.task=DEBUG
spring.application.name=helloWorld

```

The @EnableTask annotation

The first non boot annotation in our example is the `@EnableTask` annotation. This class level annotation tells Spring Cloud Task to bootstrap it's functionality. This occurs by importing an additional configuration class, `SimpleTaskConfiguration` by default. This additional configuration registers the `TaskRepository` and the infrastructure for its use.

Out of the box, the `TaskRepository` will use an in memory `Map` to record the results of a task. Obviously this isn't a practical solution for a production environment since the `Map` goes away once the task ends. However, for a quick getting started experience we use this as a default as well as echoing to the logs what is being updated in that repository. Later in this documentation we'll cover how to customize the configuration of the pieces provided by Spring Cloud Task.

When our sample application is run, Spring Boot will launch our `HelloWorldCommandLineRunner` outputting our "Hello World!" message to standard out. The `TaskLifecycleListener` will record the start of the task and the end of the task in the repository.

The main method

The main method serves as the entry point to any java application. Our main method delegates to Spring Boot's `SpringApplication` class. You can read more about it in the Spring Boot documentation.

The CommandLineRunner

In Spring, there are many ways to bootstrap an application's logic. Spring Boot provides a convenient method of doing so in an organized manor via their `*Runner` interfaces (`CommandLineRunner` or `ApplicationRunner`). A well behaved task will bootstrap any logic via one of these two runners.

The lifecycle of a task is considered from before the `*Runner#run` methods are executed to once they are all complete. Spring Boot allows an application to use multiple `*Runner` implementation and Spring Cloud Task doesn't attempt to impede on this convention.

Note

Any processing bootstrapped from mechanisms other than a `CommandLineRunner` or `ApplicationRunner` (using `InitializingBean#afterPropertiesSet` for example) will not be recorded by Spring Cloud Task.

6.4 Running the example

At this point, your application should work. Since this application is Spring Boot based, we can run it from the command line via the command `$ mvn spring-boot:run` from the root of our applicaiton:

```
$ mvn clean spring-boot:run
.....
..... (Maven log output here)
.....

. ____
/\ \ /  ___'  _ _ _ _ _ ( ) _ _ _ _ _ \ \ \ \ \
( ( ) \ ___ | ' _ | ' _ | | ' _ \ _ ` | \ \ \ \ \
\\ /  ___) | | _ | | | | | | | ( | | ) ) ) ) )
'   | ___ | . _ | | _ | | _ \ , | / / / / /
=====|_|=====|___/=/_/_/_/
:: Spring Boot ::             (v1.3.3.RELEASE)

2016-01-25 11:08:10.183 INFO 12943 --- [           main] com.example.SampleTask
: Starting SampleTask on Michaels-MacBook-Pro-2.local with PID 12943 (/Users/mminella/Documents/
IntelliJWorkspace/spring-cloud-task-example/target/classes started by mminella in /Users/mminella/
Documents/IntelliJWorkspace/spring-cloud-task-example)
2016-01-25 11:08:10.185 INFO 12943 --- [           main] com.example.SampleTask           : No
active profile set, falling back to default profiles: default
2016-01-25 11:08:10.226 INFO 12943 --- [           main] s.c.a.AnnotationConfigApplicationContext :
Refreshing org.springframework.context.annotation.AnnotationConfigApplicationContext@2a2c3676: startup
date [Mon Jan 25 11:08:10 CST 2016]; root of context hierarchy
2016-01-25 11:08:11.051 INFO 12943 --- [           main] o.s.j.e.a.AnnotationMBeanExporter           :
Registering beans for JMX exposure on startup
2016-01-25 11:08:11.065 INFO 12943 --- [           main] o.s.c.t.r.support.SimpleTaskRepository      :
Creating: TaskExecution{executionId=0, externalExecutionID='null', exitCode=0, taskName='application',
startTime=Mon Jan 25 11:08:11 CST 2016, endTime=null, statusCode='null', exitMessage='null',
parameters=[]}
Hello World!
2016-01-25 11:08:11.071 INFO 12943 --- [           main] com.example.SampleTask           :
Started SampleTask in 1.095 seconds (JVM running for 3.826)
2016-01-25 11:08:11.220 INFO 12943 --- [ Thread-1] s.c.a.AnnotationConfigApplicationContext :
Closing org.springframework.context.annotation.AnnotationConfigApplicationContext@2a2c3676: startup
date [Mon Jan 25 11:08:10 CST 2016]; root of context hierarchy
2016-01-25 11:08:11.222 INFO 12943 --- [ Thread-1] o.s.c.t.r.support.SimpleTaskRepository      :
Updating: TaskExecution{executionId=0, externalExecutionID='null', exitCode=0, taskName='application',
startTime=Mon Jan 25 11:08:11 CST 2016, endTime=Mon Jan 25 11:08:11 CST 2016, statusCode='null',
exitMessage='null', parameters=[]}
2016-01-25 11:08:11.222 INFO 12943 --- [ Thread-1] o.s.j.e.a.AnnotationMBeanExporter           :
Unregistering JMX-exposed beans on shutdown
```

If you notice, there are three lines of interest in the above output:

- `SimpleTaskRepository` logged out the creation of the entry in the `TaskRepository`.
- The execution of our `CommandLineRunner`, demonstrated by the "Hello World!" output.
- `SimpleTaskRepository` logging the completion of the task in the `TaskRepository`.

Part III. Features

This section goes into more detail about Spring Cloud Task. How to use it, how to configure it, as well as the appropriate extension points are all covered in this section.

7. The lifecycle of a Spring Cloud Task

In most cases, the modern cloud environment is designed around the execution of processes that are not expected to end. If they do, they are typically restarted. While most platforms do have some method to execute a process that isn't restarted when it ends, the results of that execution are typically not maintained in a consumable way. Spring Cloud Task brings the ability to execute short lived processes in an environment and record the results. This allows for a microservices architecture around short lived processes as well as longer running services via the integration of tasks by messages.

While this functionality is useful in a cloud environment, the same issues can arise in a traditional deployment model as well. When executing Spring Boot applications via a scheduler like cron, it can be useful to be able to monitor the results of the application after it's completion.

A Spring Cloud Task takes the approach that a Spring Boot application can have a start and an end and still be successful. Batch applications are just one example of where short lived processes can be helpful. Spring Cloud Task records lifecycle events of a given task.

The lifecycle consists of a single task execution. This is a physical execution of a Spring Boot application configured to be a task (annotated with the `@EnableTask` annotation).

At the beginning of a task (before any `CommandLineRunner` or `ApplicationRunner` implementations have been executed, an entry in the `TaskRepository` is created recording the start event. This event is triggered via `SmartLifecycle#start` being triggered by Spring Framework. This indicates to the system that all beans are ready for use and is before the execution of any of the `CommandLineRunner` or `ApplicationRunner` implementations provided by Spring Boot.

Note

The recording of a task will only occur upon the successful bootstrapping of an `ApplicationContext`. If the context fails to bootstrap at all, the task's execution will not be recorded.

Upon completion of all of the `*Runner#run` calls from Spring Boot or the failure of an `ApplicationContext` (indicated via a `ApplicationFailedEvent`), the task execution is updated in the repository with the results.

Note

At the completion of a task (all `*Runner#run` methods are called and the task repository has been updated) the `ApplicationContext` will be closed by default. This behavior can be overridden by setting the property `spring.cloud.task.closecontext.enabled` to `false`.

7.1 The TaskExecution

The information stored in the `TaskRepository` is modeled in the `TaskExecution` class and consists of the following information:

Field	Description
<code>executionid</code>	The unique id for the task's execution.

Field	Description
exitCode	The exit code generated from an <code>ExitCodeExceptionHandler</code> implementation. If there is no exit code generated, but an <code>ApplicationFailedEvent</code> is thrown, 1 is set. Otherwise, it's assumed to be 0.
taskName	The name for the task as determined by the configured <code>TaskNameResolver</code> .
starTime	The time the task was started as indicated by the <code>SmartLifecycle#start</code> call.
endTime	The time the task was completed as indicated by the <code>ApplicationReadyEvent</code> .
exitMessage	Any information available at the time of exit. If an exception is the cause of the end of the task (as indicated via an <code>ApplicationFailedEvent</code>), the stack trace for that exception will be stored here.
parameters	A <code>List</code> of the string command line arguments as they were passed into the executable boot application.

7.2 Mapping Exit Codes

When a task completes, it will want to return an exit code to the OS. If we take a look at our original example, we can see that we are not controlling that aspect of our application. So if an exception is thrown, the JVM will return a code that may or may not be of any use to you in the debugging of that.

As such, Spring Boot provides an interface, `ExitCodeExceptionHandler` that allows you to map uncaught exceptions to exit codes. This allows you to be able to indicate at that level what went wrong. Also, by mapping exit codes in this manor, Spring Cloud Task will record the exit code returned.

Note

While the task is running the exit code will be stored as a null in the repository. Once complete the appropriate exit code will be stored based on the guidelines enumerated above.

8. Configuration

Spring Cloud Task provides an out of the box configuration as defined in the `DefaultTaskConfigurer` and `SimpleTaskConfiguration`. This section will walk through the defaults as well as how to customize Spring Cloud Task for your needs

8.1 DataSource

Spring Cloud Task utilizes a `DataSource` for storing the results of task executions. By default, we provide an in memory instance of H2 to provide a simple method of bootstrapping development. However, in a production environment, you'll want to configure your own `DataSource`.

If your application utilizes only a single `DataSource` and that will serve as both your business schema as well as the task repository, all you need to do is provide any `DataSource` (via Spring Boot's configuration conventions is the easiest way). This will be automatically used by Spring Cloud Task for the repository.

If your application utilizes more than one `DataSource`, you'll need to configure the task repository with the appropriate `DataSource`. This customization can be done via an implementation of the `TaskConfigurer`.

8.2 TaskConfigurer

The `TaskConfigurer` is a strategy interface allowing for users to customize the way components of Spring Cloud Task are configured. By default, we provide the `DefaultTaskConfigurer` that provides logical defaults (`Map` based in memory components useful for development if no `DataSource` is provided and JDBC based components if there is a `DataSource` available).

The `TaskConfigurer` allows the configuration of three main components:

Component	Description	Default (provided by <code>DefaultTaskConfigurer</code>)
<code>TaskRepository</code>	The implementation of the <code>TaskRepository</code> to be used.	<code>SimpleTaskRepository</code>
<code>TaskExplorer</code>	The implementation of the <code>TaskExplorer</code> (a component for read only access to the task repository) to be used.	<code>SimpleTaskExplorer</code>
<code>PlatformTransactionManager</code>	A transaction manager to be used when executing updates for tasks.	<code>DataSourceTransactionManager</code> if a <code>DataSource</code> is used, <code>ResourcelessTransactionManager</code> if it is not.

8.3 Task Name

In most cases, the name of the task will be the application name as configured via Spring Boot. However, there are some cases, where you may want to map the run of a task to a different name. Spring Data Flow is an example of this (where you want the task to be run with the name of the task definition).

Because of this, we offer the ability to customize how the task is named via the `TaskNameResolver` interface.

By default, Spring Cloud Task provides the `SimpleTaskNameResolver` which will use the following options (in order of precedence):

1. A Spring Boot property (configured any of the ways Spring Boot allows) `spring.cloud.task.name`.
2. The application name as resolved using Spring Boot's rules (obtained via `ApplicationContext#getId`).

8.4 Task Execution Listener

Allows a user to register listeners for specific events that occur during the task lifecycle. This is done by creating a class that implements the `TaskExecutionListener` interface. The class that implements the `TaskExecutionListener` interface will be notified for the following events:

1. `onTaskStartup` - prior to the storing the `TaskExecution` into the `TaskRepository`
2. `onTaskEnd` - prior to the updating of the `TaskExecution` entry in the `TaskRepository` marking the final state of the task.
3. `onTaskFailed` - prior to the `onTaskEnd` method being invoked when an unhandled exception is thrown by the task.

Spring Cloud Task also allows a user add `TaskExecution` Listeners to methods within a bean by using the following method annotations:

1. `@BeforeTask` - prior to the storing the `TaskExecution` into the `TaskRepository`
2. `@AfterTask` - prior to the updating of the `TaskExecution` entry in the `TaskRepository` marking the final state of the task.
3. `@FailedTask` - prior to the `@AfterTask` method being invoked when an unhandled exception is thrown by the task.

```
public class MyBean {  
  
    @BeforeTask  
    public void methodA(TaskExecution taskExecution) {  
    }  
  
    @AfterTask  
    public void methodB(TaskExecution taskExecution) {  
    }  
  
    @FailedTask  
    public void methodC(TaskExecution taskExecution, Throwable throwable) {  
    }  
}
```

Part IV. Batch

This section goes into more detail about Spring Cloud Task's integrations with Spring Batch. Tracking the association between a job execution and the task it was executed within as well as remote partitioning via Spring Cloud Deployer are all covered within this section.

9. Associating A Job Execution To The Task In Which It Was Executed

Spring Boot provides facilities for the execution of batch jobs easily within an über-jar. Spring Boot's support of this functionality allows for a developer to execute multiple batch jobs within that execution. Spring Cloud Task provides the ability to associate the execution of a job (a job execution) with a task's execution so that one can be traced back to the other.

This functionality is accomplished by using the `TaskBatchExecutionListener`. By default, this listener is auto configured in any context that has both a Spring Batch Job configured (via having a bean of type `Job` defined in the context) and the `spring-cloud-task-batch` jar is available within the classpath. The listener will be injected into all jobs.

9.1 Overriding the `TaskBatchExecutionListener`

To prevent the listener from being injected into any batch jobs within the current context, the autoconfiguration can be disabled via standard Spring Boot mechanisms.

To only have the listener injected into particular jobs within the context, the `batchTaskExecutionListenerBeanPostProcessor` may be overridden and a list of job bean ids can be provided:

```
public TaskBatchExecutionListenerBeanPostProcessor batchTaskExecutionListenerBeanPostProcessor() {
    TaskBatchExecutionListenerBeanPostProcessor postProcessor =
        new TaskBatchExecutionListenerBeanPostProcessor();

    postProcessor.setJobNames(Arrays.asList(new String[] { "job1", "job2" }));

    return postProcessor;
}
```

10. Remote Partitioning

Spring Cloud Deployer provides facilities for launching Spring Boot based applications on most cloud infrastructures. The `DeployerPartitionHandler` and `DeployerStepExecutionHandler` delegate the launching of worker step executions to Spring Cloud Deployer.

To configure the `DeployerStepExecutionHandler`, a `Resource` representing the Spring Boot über-jar to be executed, a `TaskLauncher`, and a `JobExplorer` are all required. You can configure any environment properties as well as the max number of workers to be executing at once, the interval to poll for the results (defaults to 10 seconds), and a timeout (defaults to -1 or no timeout). An example of configuring this `PartitionHandler` would look like the following:

```
@Bean
public PartitionHandler partitionHandler(TaskLauncher taskLauncher,
    JobExplorer jobExplorer) throws Exception {
    MavenResource resource =
        MavenResource.parse(String.format("%s:%s:%s",
            "io.spring.cloud",
            "partitioned-batch-job",
            "1.0.0.BUILD-SNAPSHOT"));

    DeployerPartitionHandler partitionHandler =
        new DeployerPartitionHandler(taskLauncher, jobExplorer, resource, "workerStep");

    Map<String, String> environmentProperties = new HashMap<>();
    environmentProperties.put("spring.profiles.active", "worker");

    partitionHandler.setEnvironmentProperties(environmentProperties);
    partitionHandler.setMaxWorkers(2);

    return partitionHandler;
}
```

The `Resource` to be executed is expected to be a Spring Boot über-jar with a `DeployerStepExecutionHandler` configured as a `CommandLineRunner` in the current context. Both the master and slave are expected to have visibility into the same data store being used as the job repository and task repository. Once the underlying infrastructure has bootstrapped the Spring Boot jar and Spring Boot has launched the `DeployerStepExecutionHandler`, the step handler will execute the Step requested. An example of configuring the `DefaultStepExecutionHandler`:

```
@Bean
public DeployerStepExecutionHandler stepExecutionHandler(JobExplorer jobExplorer) {
    DeployerStepExecutionHandler handler =
        new DeployerStepExecutionHandler(this.context, jobExplorer, this.jobRepository);

    return handler;
}
```

11. Batch Informational Messages

Spring Cloud Task provides the ability for batch jobs to emit informational messages. This is covered in detail in the section [Spring Batch Events](#).

Part V. Spring Cloud

Stream Integration

A task by itself can be useful, but it's the integration of a task into a larger ecosystem that allows it to be useful for more complex processing and orchestration. This section covers the integration options for Spring Cloud Task and Spring Cloud Stream.

12. Launching a task from a Spring Cloud Stream

Allows a user to launch tasks from a stream. This is done by creating a sink that listens for a message that contains a `TaskLaunchRequest` as its payload. The `TaskLaunchRequest` contains the maven coordinates to the Task that is to be executed. It also has a `Map` that contains the environment variables that will be used by the Task.

Note

If the payload is of a different type then the sink will throw an exception.

For example a stream can be created that has a processor that takes in data from a http source and creates a `GenericMessage` that contains the `TaskLaunchRequest` and sends the message to its output channel. The task sink would then receive the message from its input channel and then launch the task.

To create a taskSink a user needs to only create a spring boot app that includes the following annotation `EnableTaskLauncher`. The code would look something like this:

```
@SpringBootApplication
@EnableTaskLauncher
public class TaskSinkApplication {
    public static void main(String[] args) {
        SpringApplication.run(TaskSinkApplication.class, args);
    }
}
```

A sample Sink and Processor have been made available to you in the samples module of the Spring Cloud Task project. To install these samples into your local maven repository execute a maven build from the `spring-cloud-task-samples` directory with the property `skipInstall` set to false. For example: `mvn clean install`.

12.1 Spring Cloud Data Flow

To create a stream in Spring Cloud Data Flow first we would want to register the Task Sink Application we created. In the example below we are registering the Processor and Sink sample applications using the Spring Cloud Data Flow shell:

```
module register --name taskSink --type sink --uri maven://io.spring:tasksink:1.0.0.BUILD-SNAPSHOT
module register --name taskProcessor --type processor --uri maven:io.spring:taskprocessor:1.0.0.BUILD-SNAPSHOT
```

Creating a stream from the Spring Cloud Data Flow shell would look like this:

```
stream create foo --definition "http --server.port=9000|taskProcessor|taskSink" --deploy
```

13. Spring Cloud Task Events

Spring Cloud Task provides the ability to emit events via Spring Cloud Stream channel when the task is executed via a Spring Cloud Stream channel. A task listener is used to publish the `TaskExecution` on a message channel named `task-events`. This feature is autowired into any task that has `spring-cloud-stream` on its classpath in addition to the `spring-cloud-stream` and a task defined.

Note

To disable the event emitting listener, set the property `spring.cloud.task.events.enabled` to `false`.

With the appropriate classpath defined, a simple task like this:

```
@SpringBootApplication
@EnableTask
public class TaskEventsApplication {

    public static void main(String[] args) {
        SpringApplication.run(TaskEventsApplication.class, args);
    }

    @Configuration
    public static class TaskConfiguration {

        @Bean
        public CommandLineRunner commandLineRunner() {
            return new CommandLineRunner() {
                @Override
                public void run(String... args) throws Exception {
                    System.out.println("The CommandLineRunner was executed");
                }
            };
        }
    }
}
```

will emit the `TaskExecution` as an event on the `task-events` channel (both at the start and end of the task).

Note

Configuration of the content type may be required via `--spring.cloud.stream.bindings.task-events.contentType=<CONTENT_TYPE>` if the processor or sink downstream does not have the `spring-cloud-task-core` jar on its classpath.

Note

A binder implementation is also required to be on the classpath.

14. Spring Batch Events

When executing a Spring Batch job via a task, Spring Cloud Task can be configured to emit informational messages based on the Spring Batch listeners available in Spring Batch. Specifically the following Spring Batch listeners are autoconfigured into each batch job and emit messages on the associated Spring Cloud Stream channels when run via Spring Cloud Task:

- `JobExecutionListener` - `job-execution-events`
- `StepExecutionListener` - `step-execution-events`
- `ChunkListener` - `chunk-events`
- `ItemReadListener` - `item-read-events`
- `ItemProcessListener` - `item-process-events`
- `ItemWriteListener` - `item-write-events`
- `SkipListener` - `skip-events`

The above listeners are autoconfigured into any `AbstractJob` when the appropriate beans exist in the context (a `Job` and a `TaskLifecycleListener`). Configuration to listen to these events is handled the same way binding to any other Spring Cloud Stream channel is done. Our task (the one running the batch job) serves as a `Source`, with the listening applications serving as either a `Processor` or `Sink`.

An example could be to have an application listening to the `job-execution-events` channel for the start and stop of a job. To configure the listening application, you'd configure the input to be `job-execution-events` as follows

```
spring.cloud.stream.bindings.input.destination=job-execution-events
```

Note

A binder implementation is also required to be on the classpath.

To disable the listener functionality, use the following configuration:

```
spring.cloud.task.batch.events.enabled=false
```

Part VI. Appendices

15. Task repository schema

This appendix provides an ERD for the database schema used in the task repository.

16. Building this documentation

This project uses Maven to generate this documentation. To generate it for yourself, execute the command: `$./mvnw clean package -P full.`