

Spring Datastore Document - Reference Documentation

1.0.0.M3

Mark Pollack, Thomas Risberg, Oliver Gierke, Costin Leau, Jon Brisbin

Copyright © 2011

Copies of this document may be made for your own use and for distribution to others, provided that you do not charge any fee for such copies and further provided that each copy contains this Copyright Notice, whether distributed in print or electronically.

Preface	iv
I. Introduction	1
1. Why Spring Data - Document?	2
2. Requirements	3
3. Additional Help Resources	4
3.1. Support	4
3.1.1. Community Forum	4
3.1.2. Professional Support	4
3.2. Following Development	4
4. Repositories	5
4.1. Introduction	5
4.2. Core concepts	5
4.3. Query methods	6
4.3.1. Defining repository interfaces	7
4.3.2. Defining query methods	7
4.3.3. Creating repository instances	9
4.4. Custom implementations	11
4.4.1. Adding behaviour to single repositories	11
4.4.2. Adding custom behaviour to all repositories	12
II. Reference Documentation	15
5. MongoDB support	16
5.1. Getting Started	16
5.1.1. Required Jars	18
5.1.2. Migrating from M2 to M3	19
5.2. Examples Repository	19
5.3. Connecting to MongoDB with Spring	19
5.3.1. Registering a Mongo instance using Java based metadata	20
5.3.2. Registering a Mongo instance using XML based metadata	21
5.3.3. The MongoClientFactory interface	22
5.3.4. Registering a MongoClientFactory instance using Java based metadata	22
5.3.5. Registering a MongoClientFactory instance using XML based metadata	23
5.4. Introduction to MongoTemplate	24
5.4.1. Instantiating MongoTemplate	25
5.5. Saving, Updating, and Removing Documents	26
5.5.1. How the '_id' field is handled in the mapping layer	28
5.5.2. Methods for saving and inserting documents	28
5.5.3. Updating documents in a collection	30
5.5.4. Methods for removing documents	31
5.6. Querying Documents	31
5.6.1. Querying documents in a collection	32
5.6.2. Methods for querying for documents	33
5.6.3. GeoSpatial Queries	34
5.7. Overriding default mapping with custom converters	35
5.7.1. Saving using a registered Spring Converter	35
5.7.2. Reading using a Spring Converter	36
5.7.3. Registering Spring Converters with the MongoConverter	36
5.8. Index and Collection management	36
5.8.1. Methods for creating an Index	36
5.8.2. Methods for working with a Collection	37
5.9. Executing Commands	37
5.9.1. Methods for executing commands	37
5.10. Lifecycle Events	38

5.. Exception Translation	39
5.12. Execution Callback	39
6. Mongo repositories	41
6.1. Introduction	41
6.2. Usage	41
6.3. Query methods	42
6.3.1. Mongo JSON based query methods and field restriction	43
6.3.2. Type-safe Query methods	44
7. Mapping	46
7.1. Convention based Mapping	46
7.1.1. How the '_id' field is handled in the mapping layer	46
7.2. Mapping Configuration	47
7.3. Metadata based Mapping	49
7.3.1. Mapping annotation overview	49
7.3.2. Compound Indexes	51
7.3.3. Using DBRefs	51
7.3.4. Mapping Framework Events	52
7.3.5. Overriding Mapping with explicit Converters	52
8. Cross Store support	54
8.1. Cross Store Configuration	54
8.2. Writing the Cross Store Application	56
9. Logging support	58
9.1. MongoDB Log4j Configuration	58
10. JMX support	59
10.1. MongoDB JMX Configuration	59

Preface

The Spring Datastore Document project applies core Spring concepts to the development of solutions using a document style data store. We provide a "template" as a high-level abstraction for storing and querying documents. You will notice similarities to the JDBC support in the Spring Framework.

Part I. Introduction

This document is the reference guide for Spring Data - Document Support. It explains Document module concepts and semantics and the syntax for various stores namespaces.

This section provides some basic introduction to Spring and Document database. The rest of the document refers only to Spring Data Document features and assumes the user is familiar with document databases such as MongoDB and CouchDB as well as Spring concepts.

1. Knowing Spring

Spring Data uses Spring framework's [core](#) functionality, such as the [IoC](#) container, [type conversion system](#), [expression language](#), [JMX integration](#), and portable [DAO exception hierarchy](#). While it is not important to know the Spring APIs, understanding the concepts behind them is. At a minimum, the idea behind IoC should be familiar for whatever IoC container you choose to use.

The core functionality of the MongoDB and CouchDB support can be used directly, with no need to invoke the IoC services of the Spring Container. This is much like `JdbcTemplate` which can be used 'standalone' without any other services of the Spring container. To leverage all the features of Spring Data document, such as the repository support, you will need to configure some parts of the library using Spring.

To learn more about Spring, you can refer to the comprehensive (and sometimes disarming) documentation that explains in detail the Spring Framework. There are a lot of articles, blog entries and books on the matter - take a look at the Spring framework [home page](#) for more information.

2. Knowing NoSQL and Document databases

NoSQL stores have taken the storage world by storm. It is a vast domain with a plethora of solutions, terms and patterns (to make things worth even the term itself has multiple [meanings](#)). While some of the principles are common, it is crucial that the user is familiar to some degree with the stores supported by DATADOC. The best way to get acquainted to this solutions is to read their documentation and follow their examples - it usually doesn't take more then 5-10 minutes to go through them and if you are coming from an RDMBS-only background many times these exercises can be an eye opener.

The jumping off ground for learning about MongoDB is www.mongodb.org. Here is a list of other useful resources.

- The [online shell](#) provides a convenient way to interact with a MongoDB instance in combination with the online [tutorial](#).
- MongoDB [Java Language Center](#)
- Several [books](#) available for purchase
- Karl Seguin's online book: "[The Little MongoDB Book](#)"

Chapter 1. Why Spring Data - Document?

The Spring Framework is the leading full-stack Java/JEE application framework. It provides a lightweight container and a non-invasive programming model enabled by the use of dependency injection, AOP, and portable service abstractions.

[NoSQL](#) storages provide an alternative to classical RDBMS for horizontal scalability and speed. In terms of implementation, Document stores represent one of the most popular types of stores in the NoSQL space. The document database supported by Spring Data are MongoDB and CouchDB, though just MongoDB integration has been released to date.

The goal of the Spring Data Document (or DATADOC) framework is to provide an extension to the Spring programming model that supports writing applications that use Document databases. The Spring framework has always promoted a POJO programming model with a strong emphasis on portability and productivity. These values are carried over into Spring Data Document.

Notable features that are used in Spring Data Document from the Spring framework are the Features that particular, features from the Spring framework that are used are the Conversion Service, JMX Exporters, portable Data Access Exception hierarchy, Spring Expression Language, and Java based IoC container configuration. The programming model follows the familiar Spring 'template' style, so if you are familiar with Spring template classes such as JdbcTemplate, JmsTemplate, RestTemplate, you will feel right at home. For example, MongoTemplate removes much of the boilerplate code you would have to write when using the MongoDB driver to save POJOs as well as a rich java based query interface to retrieve POJOs. The programming model also offers a new Repository approach in which the Spring container will provide an implementation of a Repository based solely off an interface definition which can also include custom finder methods.

Chapter 2. Requirements

Spring Data Document 1.x binaries requires JDK level 6.0 and above, and [Spring Framework](#) 3.0.x and above.

In terms of document stores, [MongoDB](#) preferably version 1.6.5 or later or [CouchDB](#) 1.0.1 or later are required.

Chapter 3. Additional Help Resources

Learning a new framework is not always straight forward. In this section, we try to provide what we think is an easy to follow guide for starting with Spring Data Document module. However, if you encounter issues or you are just looking for an advice, feel free to use one of the links below:

3.1. Support

There are a few support options available:

3.1.1. Community Forum

The Spring Data [forum](#) is a message board for all Spring Data (not just Document) users to share information and help each other. Note that registration is needed *only* for posting.

3.1.2. Professional Support

Professional, from-the-source support, with guaranteed response time, is available from [SpringSource](#), the company behind Spring Data and Spring.

3.2. Following Development

For information on the Spring Data Mongo source code repository, nightly builds and snapshot artifacts please see the [Spring Data Mongo homepage](#).

You can help make Spring Data best serve the needs of the Spring community by interacting with developers through the Spring Community [forums](#). To follow developer activity look for the mailing list information on the Spring Data Mongo homepage.

If you encounter a bug or want to suggest an improvement, please create a ticket on the Spring Data issue [tracker](#).

To stay up to date with the latest news and announcements in the Spring eco system, subscribe to the Spring Community [Portal](#).

Lastly, you can follow the SpringSource Data [blog](#) or the project team on Twitter ([SpringData](#))

Chapter 4. Repositories

4.1. Introduction

Implementing a data access layer of an application has been cumbersome for quite a while. Too much boilerplate code had to be written. Domain classes were anemic and haven't been designed in a real object oriented or domain driven manner.

Using both of these technologies makes developers life a lot easier regarding rich domain model's persistence. Nevertheless the amount of boilerplate code to implement repositories especially is still quite high. So the goal of the repository abstraction of Spring Data is to reduce the effort to implement data access layers for various persistence stores significantly

The following chapters will introduce the core concepts and interfaces of Spring Data repositories.

4.2. Core concepts

The central interface in Spring Data repository abstraction is `Repository` (probably not that much of a surprise). It is typeable to the domain class to manage as well as the id type of the domain class. This interface mainly acts as marker interface to capture the types to deal with and helps us discovering interface that extend this one. Beyond that there's `CrudRepository` which provides some sophisticated functionality around CRUD for the entity managed.

Example 4.1. Repository interface

```
public interface CrudRepository<T, ID extends Serializable> {  
  
    T save(T entity); ❶  
  
    T findOne(ID primaryKey); ❷  
  
    Iterable<T> findAll(); ❸  
  
    Long count();  
  
    void delete(T entity); ❹  
  
    boolean exists(ID primaryKey); ❺  
  
    // ... more functionality omitted. ❻  
}
```

- ❶ Saves the given entity.
- ❷ Returns the entity identified by the given id.
- ❸ Returns all entities.
- ❹ Returns the number of entities.
- ❺ Deletes the given entity.
- ❻ Returns whether an entity with the given id exists.

Usually we will have persistence technology specific sub-interfaces to include additional technology specific methods. We will now ship implementations for a variety of Spring Data modules that implement that interface.

On top of the `CrudRepository` there is a `PagingAndSortingRepository` abstraction that adds additional

methods to ease paginated access to entities:

Example 4.2. PagingAndSortingRepository

```
public interface PagingAndSortingRepository<T, ID extends Serializable> extends Repository<T, ID> {  
    Iterable<T> findAll(Sort sort);  
    Page<T> findAll(Pageable pageable);  
}
```

Accessing the second page of `User` by a page size of 20 you could simply do something like this:

```
PagingAndSortingRepository<User, Long> repository = // ... get access to a bean  
Page<User> users = repository.findAll(new PageRequest(1, 20));
```

4.3. Query methods

Next to standard CRUD functionality repositories are usually query the underlying datastore. With Spring Data declaring those queries becomes a four-step process.

1. Declare an interface extending `Repository` or one of its sub-interfaces and type it to the domain class it shall handle.

```
public interface PersonRepository extends Repository<User, Long> { ... }
```

2. Declare query methods on the interface.

```
List<Person> findByLastname(String lastname);
```

3. Setup Spring to create proxy instances for those interfaces.

```
<?xml version="1.0" encoding="UTF-8"?>  
<beans:beans xmlns:beans="http://www.springframework.org/schema/beans"  
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
  xmlns="http://www.springframework.org/schema/data/jpa"  
  xsi:schemaLocation="http://www.springframework.org/schema/beans  
    http://www.springframework.org/schema/beans/spring-beans.xsd  
    http://www.springframework.org/schema/data/jpa  
    http://www.springframework.org/schema/data/jpa/spring-jpa.xsd">  
  <repositories base-package="com.acme.repositories" />  
</beans>
```

4. Get the repository instance injected and use it.

```
public class SomeClient {  
    @Autowired  
    private PersonRepository repository;  
  
    public void doSomething() {  
        List<Person> persons = repository.findByLastname("Matthews");  
    }  
}
```

At this stage we barely scratched the surface of what's possible with the repositories but the general approach should be clear. Let's go through each of these steps and figure out details and various options that you have at each stage.

4.3.1. Defining repository interfaces

As a very first step you define a domain class specific repository interface to start with. It's got to extend `Repository` and be typed to the domain class and an ID type. If you want to expose CRUD methods for that domain type, extend `CrudRepository` instead of `Repository`.

4.3.1.1. Fine tuning repository definition

Usually you will have your repository interface extend `Repository`, `CrudRepository` or `PagingAndSortingRepository`. If you don't like extending Spring Data interfaces at all you can also annotate your repository interface with `@RepositoryDefinition`. Extending `CrudRepository` will expose a complete set of methods to manipulate your entities. If you rather want to be selective about the methods being expose simply copy the ones you want to expose from `CrudRepository` into your domain repository.

Example 4.3. Selectively exposing CRUD methods

```
interface MyBaseRepository<T, ID extends Serializable> extends Repository<T, ID> {
    T findOne(ID id);
    T save(T entity);
}

interface UserRepository extends MyBaseRepository<User, Long> {
    User findByEmailAddress(EmailAddress emailAddress);
}
```

In the first step we define a common base interface for all our domain repositories and expose `findOne(...)` as well as `save(...)`. These methods will be routed into the base repository implementation of the store of your choice because they are matching the method signatures in `CrudRepository`. So our `UserRepository` will now be able to save users, find single ones by id as well as triggering a query to find `Users` by their email address.

4.3.2. Defining query methods

4.3.2.1. Query lookup strategies

The next thing we have to discuss is the definition of query methods. There's roughly two main ways how the repository proxy is generally able to come up with the store specific query from the method name. The first option is to derive the quer from the method name directly, the second is using some kind of additionally created query. What detailed options are available pretty much depends on the actual store. However there's got to be some algorithm the decision which actual query to is made.

There's three strategies for the repository infrastructure to resolve the query. The strategy to be used can be configured at the namespace through the `query-lookup-strategy` attribute. However might be the case that some of the strategies are not supported for the specific datastore. Here are your options:

CREATE

This strategy will try to construct a store specific query from the query method's name. The general approach is

to remove a given set of well-known prefixes from the method name and parse the rest of the method. Read more about query construction in ???.

USE_DECLARED_QUERY

This strategy tries to find a declared query which will be used for execution first. The query could be defined by an annotation somewhere or declared by other means. Please consult the documentation of the specific store to find out what options are available for that store. If the repository infrastructure does not find a declared query for the method at bootstrap time it will fail.

CREATE_IF_NOT_FOUND (default)

This strategy is actually a combination of the both mentioned above. It will try to lookup a declared query first but create a custom method name based query if no declared query was found. This is default lookup strategy and thus will be used if you don't configure anything explicitly. It allows quick query definition by method names but also custom tuning of these queries by introducing declared queries for those who need explicit tuning.

4.3.2.2. Query creation

The query builder mechanism built into Spring Data repository infrastructure is useful to build constraining queries over entities of the repository. We will strip the prefixes `findBy`, `find`, `readBy`, `read`, `getBy` as well as `get` from the method and start parsing the rest of it. At a very basic level you can define conditions on entity properties and concatenate them with `AND` and `OR`.

Example 4.4. Query creation from method names

```
public interface PersonRepository extends Repository<User, Long> {  
    List<Person> findByEmailAddressAndLastname(EmailAddress emailAddress, String lastname);  
}
```

The actual result of parsing that method will of course depend on the persistence store we create the query for. However there are some general things to notice. The expression are usually property traversals combined with operators that can be concatenated. As you can see in the example you can combine property expressions with `And` and `Or`. Beyond that you will get support for various operators like `Between`, `LessThan`, `GreaterThan`, `Like` for the property expressions. As the operators supported can vary from datastore to datastore please consult the according part of the reference documentation.

4.3.2.2.1. Property expressions

Property expressions can just refer to a direct property of the managed entity (as you just saw in the example above. On query creation time we already make sure that the parsed property is at a property of the managed domain class. However you can also traverse nested properties to define constraints on. Assume `Persons` have `Addresses` with `ZipCodes`. In that case a method name of

```
List<Person> findByAddressZipCode(ZipCode zipCode);
```

will create the property traversal `x.address.zipCode`. The resolution algorithm starts with interpreting the entire part (`AddressZipCode`) as property and checks the domain class for a property with that name (uncapitalized). If it succeeds it just uses that. If not it starts splitting up the source at the camel case parts from

the right side into a head and a tail and tries to find the according property, e.g. `AddressZip` and `Code`. If we find a property with that head we take the tail and continue building the tree down from there. As in our case the first split does not match we move the split point to the left (`Address, ZipCode`).

Now although this should work for most cases, there might be cases where the algorithm could select the wrong property. Suppose our `Person` class has a `addressZip` property as well. Then our algorithm would match in the first split round already and essentially choose the wrong property and finally fail (as the type of `addressZip` probably has no code property). To resolve this ambiguity you can use `_` inside your method name to manually define traversal points. So our method name would end up like so:

```
List<Person> findByAddress_ZipCode(ZipCode zipCode);
```

4.3.2.3. Special parameter handling

To hand parameters to your query you simply define method parameters as already seen in in examples above. Besides that we will recognizes certain specific types to apply pagination and sorting to your queries dynamically.

Example 4.5. Using Pageable and Sort in query methods

```
Page<User> findByLastname(String lastname, Pageable pageable);
List<User> findByLastname(String lastname, Sort sort);
List<User> findByLastname(String lastname, Pageable pageable);
```

The first method allows you to pass a `Pageable` instance to the query method to dynamically add paging to your statically defined query. `Sorting` options are handed via the `Pageable` instance, too. If you only need sorting, simply add a `Sort` parameter to your method. As you also can see, simply returning a `List` is possible as well. We will then not retrieve the additional metadata required to build the actual `Page` instance but rather simply restrict the query to lookup only the given range of entities.



Note

To find out how many pages you get for a query entirely we have to trigger an additional count query. This will be derived from the query you actually trigger by default.

4.3.3. Creating repository instances

So now the question is how to create instances and bean definitions for the repository interfaces defined.

4.3.3.1. Spring

The easiest way to do so is by using the Spring namespace that is shipped with each Spring Data module that supports the repository mechanism. Each of those includes a `repositories` element that allows you to simply define a base package Spring shall scan for you.

```
<?xml version="1.0" encoding="UTF-8"?>
<beans:beans xmlns:beans="http://www.springframework.org/schema/beans"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://www.springframework.org/schema/data/jpa"
  xsi:schemaLocation="http://www.springframework.org/schema/beans
    http://www.springframework.org/schema/beans/spring-beans.xsd
    http://www.springframework.org/schema/data/jpa
```

```
http://www.springframework.org/schema/data/jpa/spring-jpa.xsd">
<repositories base-package="com.acme.repositories" />
</beans:beans>
```

In this case we instruct Spring to scan `com.acme.repositories` and all its sub packages for interfaces extending `Repository` or one of its sub-interfaces. For each interface found it will register the persistence technology specific `FactoryBean` to create the according proxies that handle invocations of the query methods. Each of these beans will be registered under a bean name that is derived from the interface name, so an interface of `UserRepository` would be registered under `userRepository`. The `base-package` attribute allows to use wildcards, so that you can have a pattern of packages parsed.

Using filters

By default we will pick up every interface extending the persistence technology specific `Repository` sub-interface located underneath the configured base package and create a bean instance for it. However, you might want to gain finer grained control over which interfaces bean instances get created for. To do this we support the use of `<include-filter />` and `<exclude-filter />` elements inside `<repositories />`. The semantics are exactly equivalent to the elements in Spring's context namespace. For details see [Spring reference documentation](#) on these elements.

E.g. to exclude certain interfaces from instantiation as repository, you could use the following configuration:

Example 4.6. Using exclude-filter element

```
<repositories base-package="com.acme.repositories">
  <context:exclude-filter type="regex" expression=".*SomeRepository" />
</repositories>
```

This would exclude all interface ending on `SomeRepository` from being instantiated.

Manual configuration

If you'd rather like to manually define which repository instances to create you can do this with nested `<repository />` elements.

```
<repositories base-package="com.acme.repositories">
  <repository id="userRepository" />
</repositories>
```

4.3.3.2. Standalone usage

You can also use the repository infrastructure outside of a Spring container usage. You will still need to have some of the Spring libraries on your classpath but you can generally setup repositories programmatically as well. The Spring Data modules providing repository support ship a persistence technology specific `RepositoryFactory` that can be used as follows:

Example 4.7. Standalone usage of repository factory

```
RepositoryFactorySupport factory = ... // Instantiate factory here
UserRepository repository = factory.getRepository(UserRepository.class);
```

4.4. Custom implementations

4.4.1. Adding behaviour to single repositories

Often it is necessary to provide a custom implementation for a few repository methods. Spring Data repositories easily allow provide custom repository code and integrate it with generic CRUD abstraction and query method functionality. To enrich a repository with custom functionality you have to define an interface and an implementation for that functionality first and let the repository interface you provided so far extend that custom interface.

Example 4.8. Interface for custom repository functionality

```
interface UserRepositoryCustom {  
    public void someCustomMethod(User user);  
}
```

Example 4.9. Implementation of custom repository functionality

```
class UserRepositoryImpl implements UserRepositoryCustom {  
    public void someCustomMethod(User user) {  
        // Your custom implementation  
    }  
}
```

Note that the implementation itself does not depend on Spring Data and can be a regular Spring bean. So you can either use standard dependency injection behaviour to inject references to other beans, take part in aspects and so on.

Example 4.10. Changes to the your basic repository interface

```
public interface UserRepository extends CrudRepository<User, Long>, UserRepositoryCustom {  
    // Declare query methods here  
}
```

Let your standard repository interface extend the custom one. This makes CRUD and custom functionality available to clients.

Configuration

If you use namespace configuration the repository infrastructure tries to autodetect custom implementations by looking up classes in the package we found a repository using the naming conventions appending the namespace element's attribute `repository-impl-postfix` to the classname. This suffix defaults to `Impl`.

Example 4.11. Configuration example

```
<repositories base-package="com.acme.repository">
  <repository id="userRepository" />
</repositories>

<repositories base-package="com.acme.repository" repository-impl-postfix="FooBar">
  <repository id="userRepository" />
</repositories>
```

The first configuration example will try to lookup a class `com.acme.repository.UserRepositoryImpl` to act as custom repository implementation, where the second example will try to lookup `com.acme.repository.UserRepositoryFooBar`.

Manual wiring

The approach above works perfectly well if your custom implementation uses annotation based configuration and autowiring entirely as will be treated as any other Spring bean. If your customly implemented bean needs some special wiring you simply declare the bean and name it after the conventions just described. We will then pick up the custom bean by name rather than creating an own instance.

Example 4.12. Manual wiring of custom implementations (I)

```
<repositories base-package="com.acme.repository">
  <repository id="userRepository" />
</repositories>

<beans:bean id="userRepositoryImpl" class="...">
  <!-- further configuration -->
</beans:bean>
```

This also works if you use automatic repository lookup without defining single `<repository />` elements.

In case you are not in control of the implementation bean name (e.g. if you wrap a generic repository facade around an existing repository implementation) you can explicitly tell the `<repository />` element which bean to use as custom implementation by using the `repository-impl-ref` attribute.

Example 4.13. Manual wiring of custom implementations (II)

```
<repositories base-package="com.acme.repository">
  <repository id="userRepository" repository-impl-ref="customRepositoryImplementation" />
</repositories>

<bean id="customRepositoryImplementation" class="...">
  <!-- further configuration -->
</bean>
```

4.4.2. Adding custom behaviour to all repositories

In other cases you might want to add a single method to all of your repository interfaces. So the approach just shown is not feasible. The first step to achieve this is adding and intermediate interface to declare the shared behaviour

Example 4.14. An interface declaring custom shared behaviour

```
public interface MyRepository<T, ID extends Serializable>
    extends JpaRepository<T, ID> {

    void sharedCustomMethod(ID id);
}
```

Now your individual repository interfaces will extend this intermediate interface to include the functionality declared. The second step is to create an implementation of this interface that extends the persistence technology specific repository base class which will act as custom base class for the repository proxies then.

**Note**

If you're using automatic repository interface detection using the Spring namespace using the interface just as is will cause Spring trying to create an instance of `MyRepository`. This is of course not desired as it just acts as intermediate between `Repository` and the actual repository interfaces you want to define for each entity. To exclude an interface extending `Repository` from being instantiated as repository instance annotate it with `@NoRepositoryBean`.

Example 4.15. Custom repository base class

```
public class MyRepositoryImpl<T, ID extends Serializable>
    extends SimpleJpaRepository<T, ID> implements MyRepository<T, ID> {

    public void sharedCustomMethod(ID id) {
        // implementation goes here
    }
}
```

The last step to get this implementation used as base class for Spring Data repositories is replacing the standard `RepositoryFactoryBean` with a custom one using a custom `RepositoryFactory` that in turn creates instances of your `MyRepositoryImpl` class.

Example 4.16. Custom repository factory bean

```
public class MyRepositoryFactoryBean<T extends JpaRepository<?, ?>
    extends JpaRepositoryFactoryBean<T> {

    protected RepositoryFactorySupport getRepositoryFactory(...) {
        return new MyRepositoryFactory(...);
    }

    private static class MyRepositoryFactory extends JpaRepositoryFactory{

        public MyRepositoryImpl getTargetRepository(...) {
            return new MyRepositoryImpl(...);
        }

        public Class<? extends RepositorySupport> getRepositoryClass() {
            return MyRepositoryImpl.class;
        }
    }
}
```

Finally you can either declare beans of the custom factory directly or use the `factory-class` attribute of the Spring namespace to tell the repository infrastructure to use your custom factory implementation.

Example 4.17. Using the custom factory with the namespace

```
<repositories base-package="com.acme.repository"  
  factory-class="com.acme.MyRepositoryFactoryBean" />
```

Part II. Reference Documentation

Document Structure

This part of the reference documentation explains the core functionality offered by Spring Data Document.

Chapter 5, *MongoDB support* introduces the MongoDB module feature set.

Chapter 6, *Mongo repositories* introduces the repository support for MongoDB.

Chapter 5. MongoDB support

The MongoDB support contains a wide range of features which are summarized below.

- Spring configuration support using Java based `@Configuration` classes or an XML namespace for a Mongo driver instance and replica sets
- `MongoTemplate` helper class that increases productivity performing common Mongo operations. Includes integrated object mapping between documents and POJOs.
- Exception translation into Spring's portable Data Access Exception hierarchy
- Feature Rich Object Mapping integrated with Spring's Conversion Service
- Annotation based mapping metadata but extensible to support other metadata formats
- Persistence and mapping lifecycle events
- Java based Query, Criteria, and Update DSLs
- Automatic implementatin of Repository interfaces including support for custom finder methods.
- QueryDSL integration to support type-safe queries.
- Cross-store persistence - support for JPA Entities with fields transparently persisted/retrieved using MongoDB
- Log4j log appender
- GeoSpatial integration

For most tasks you will find yourself using `MongoTemplate` or the Repository support that both leverage the rich mapping functionality. `MongoTemplate` is the place to look for accessing functionality such as incrementing counters or ad-hoc CRUD operations. `MongoTemplate` also provides callback methods so that it is easy for you to get a hold of the low level API artifacts such as `org.mongo.db` to communicate directly with MongoDB. The goal with naming conventions on various API artifacts is to copy those in the base MongoDB Java driver so you can easily map your existing knowledge onto the Spring APIs.

5.1. Getting Started

Spring MongoDB support requires MongoDB 1.4 or higher and Java SE 5 or higher. The latest production release (1.8.x as of this writing) is recommended. An easy way to bootstrap setting up a working environment is to create a Spring based project in [STS](#).

First you need to set up a running Mongoddb server. Refer to the [Mongoddb Quick Start guide](#) for an explanation on how to startup a Mongo instance. Once installed starting Mongo is typically a matter of executing the following command: `MONGO_HOME/bin/mongod`

To create a Spring project in STS go to File -> New -> Spring Template Project -> Simple Spring Utility Project --> press Yes when prompted. Then enter a project and a package name such as `org.springframework.mongodb.example`.

Then add the following to pom.xml dependencies section.

```
<dependencies>

  <!-- other dependency elements omitted -->

  <dependency>
    <groupId>org.springframework.data</groupId>
    <artifactId>spring-data-mongodb</artifactId>
    <version>1.0.0.M3</version>
  </dependency>

</dependencies>
```

Also change the version of Spring in the pom.xml to be

```
<spring.framework.version>3.0.5.RELEASE</spring.framework.version>
```

You will also need to add the location of the Spring Milestone repository for maven to your pom.xml which is at the same level of your <dependencies/> element

```
<repositories>
  <repository>
    <id>spring-milestone</id>
    <name>Spring Maven MILESTONE Repository</name>
    <url>http://maven.springframework.org/milestone</url>
  </repository>
</repositories>
```

The repository is also [browseable here](#).

You may also want to set the logging level to DEBUG to see some additional information, edit the log4j.properties file to have

```
log4j.category.org.springframework.data.document.mongodb=DEBUG
log4j.appender.stdout.layout.ConversionPattern=%d{ABSOLUTE} %5p %40.40c:%4L - %m%n
```

Create a simple Person class to persist

```
package org.springframework.mongodb.example;

public class Person {

  private String id;
  private String name;
  private int age;

  public Person(String name, int age) {
    this.name = name;
    this.age = age;
  }

  public String getId() {
    return id;
  }

  public String getName() {
    return name;
  }

  public int getAge() {
    return age;
  }

  @Override
  public String toString() {
    return "Person [id=" + id + ", name=" + name + ", age=" + age + "];"
  }
}
```

And a main application to run

```

package org.springframework.mongodb.example;

import static org.springframework.data.document.mongodb.query.Criteria.where;

import org.apache.commons.logging.Log;
import org.apache.commons.logging.LogFactory;
import org.springframework.data.document.mongodb.MongoOperations;
import org.springframework.data.document.mongodb.MongoTemplate;
import org.springframework.data.document.mongodb.query.Query;

import com.mongodb.Mongo;

public class MongoApp {

    private static final Log log = LogFactory.getLog(MongoApp.class);

    public static void main(String[] args) throws Exception {

        MongoOperations mongoOps = new MongoTemplate(new Mongo(), "database");

        mongoOps.insert(new Person("Joe", 34));

        log.info(mongoOps.findOne(new Query(where("name").is("Joe")), Person.class));

        mongoOps.dropCollection("person");
    }
}

```

This will produce the following output

```

10:01:32,062 DEBUG apping.MongoPersistentEntityIndexCreator: 80 - Analyzing class class org.springframework.example.Pers
10:01:32,265 DEBUG work.data.document.mongodb.MongoTemplate: 631 - insertDBObject containing fields: [_class, a
10:01:32,765 DEBUG work.data.document.mongodb.MongoTemplate:1243 - findOne using query: { "name" : "Joe"} in db.
10:01:32,953 INFO org.springframework.mongodb.example.MongoApp: 25 - Person [id=4ddbba3c0be56b7e1b210156, name=Joe
10:01:32,984 DEBUG work.data.document.mongodb.MongoTemplate: 375 - Dropped collection [database.person]

```

Even in this simple example, there are few things to take notice of

- You can instantiate the central helper class of Spring Mongo, [MongoTemplate](#), using the standard `com.mongodb.Mongo` object and the name of the database to use.
- The mapper works against standard POJO objects without the need for any additional metadata (though you can optionally provide that information. See [here](#)).
- Conventions are used for handling the id field, converting it to be a `ObjectId` when stored in the database.
- Mapping conventions can use field access. Notice the `Person` class has only getters.
- If the constructor argument names match the field names of the stored document, they will be used to instantiate the object

5.1.1. Required Jars

The following jars are required to use Spring Data Mongo

- `spring-data-mongodb-1.0.0.M3.jar`
- `spring-data-commons-1.1.0.M1.jar`

In addition to the above listed Spring Data jars you need to provide the following dependencies:

- aopalliance-1.0.0.jar
- commons-logging-1.1.1.jar
- mongo-java-driver-2.5.3.jar
- spring-aop-3.0.5.RELEASE.jar
- spring-asm-3.0.5.RELEASE.jar
- spring-beans-3.0.5.RELEASE.jar
- spring-context-3.0.5.RELEASE.jar
- spring-core-3.0.5.RELEASE.jar
- spring-expression-3.0.5.RELEASE.jar

5.1.2. Migrating from M2 to M3

There were several API changes introduced in the M3 release. To upgrade from M2 to M3 you will need to make. For a full listing of API changes please refer to this [JDiff Report](#).

The major changes are with respect to `MongoTemplate`

- Constructors have changed on `MongoTemplate`. `MongoTemplate(Mongo, String, String)` and `MongoTemplate(Mongo, String, String, MongoConverter)` were removed. `MongoTemplate(Mongo, String, UserCredentials)`, `MongoTemplate(MongoDbFactory)`, `MongoTemplate(MongoDbFactory, MongoConverter)` were added. These changes will also effect usage of wiring up `MongoTemplate` in `<bean/>` XML defintions.
- `MongoTemplate` no longer takes a default collection name. The collection name is now either specified when the method is invoked or inferred from the Java class, either the class name or via mapping metadata.
- Reordered parameters in some `MongoTemplate` methods to make signatures more consistent across the board.
- Removed `MongoTemplate` methods that use `MongoReader` and `MongoWriter`. As an alternative register a Spring converter with the `MappingMongoConverter`. See [here](#) for details.
- Added `findById` methods to `MongoTemplate`.

5.2. Examples Repository

There is an [github repository with several examples](#) that you can download and play around with to get a feel for how the library works.

5.3. Connecting to MongoDB with Spring

One of the first tasks when using MongoDB and Spring is to create a `com.mongodb.Mongo` object using the IoC container. There are two main ways to do this, either using Java based bean metadata or XML based bean metadata. These are discussed in the following sections.



Note

For those not familiar with how to configure the Spring container using Java based bean metadata instead of XML based metadata see the high level introduction in the reference docs [here](#) as well as the detailed documentation [here](#).

5.3.1. Registering a Mongo instance using Java based metadata

An example of using Java based bean metadata to register an instance of a `com.mongodb.Mongo` is shown below

Example 5.1. Registering a `com.mongodb.Mongo` object using Java based bean metadata

```
@Configuration
public class AppConfig {

    /*
     * Use the standard Mongo driver API to create a com.mongodb.Mongo instance.
     */
    public @Bean Mongo mongo() throws UnknownHostException {
        return new Mongo("localhost");
    }
}
```

This approach allows you to use the standard `com.mongodb.Mongo` API that you may already be used to using but also pollutes the code with the `UnknownHostException` checked exception. The use of the checked exception is not desirable as Java based bean metadata uses methods as a means to set object dependencies, making the calling code cluttered.

An alternative is to register an instance of `com.mongodb.Mongo` instance with the container using Spring's `MongoFactoryBean`. As compared to instantiating a `com.mongodb.Mongo` instance directly, the `FactoryBean` approach does not throw a checked exception and has the added advantage of also providing the container with an `ExceptionHandler` implementation that translates Mongo exceptions to exceptions in Spring's portable `DataAccessException` hierarchy for data access classes annotated with the `@Repository` annotation. This hierarchy and use of `@Repository` is described in [Spring's DAO support features](#).

An example of a Java based bean metadata that supports exception translation on `@Repository` annotated classes is shown below:

Example 5.2. Registering a `com.mongodb.Mongo` object using Spring's `MongoFactoryBean` and enabling Spring's exception translation support

```
@Configuration
public class AppConfig {

    /*
     * Factory bean that creates the com.mongodb.Mongo instance
     */
    public @Bean MongoFactoryBean mongo() {
        MongoFactoryBean mongo = new MongoFactoryBean();
        mongo.setHost("localhost");
        return mongo;
    }
}
```

To access the `com.mongodb.Mongo` object created by the `MongoFactoryBean` in other `@Configuration` or your

own classes, use a "private @Autowired Mongo mongo;" field.

5.3.2. Registering a Mongo instance using XML based metadata

While you can use Spring's traditional `<beans/>` XML namespace to register an instance of `com.mongodb.Mongo` with the container, the XML can be quite verbose as it is general purpose. XML namespaces are a better alternative to configuring commonly used objects such as the Mongo instance. The `mongo` namespace allows you to create a Mongo instance server location, replica-sets, and options.

To use the Mongo namespace elements you will need to reference the Mongo schema:

Example 5.3. XML schema to configure MongoDB

```
<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"
       xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
       xmlns:context="http://www.springframework.org/schema/context"
       xmlns:mongo="http://www.springframework.org/schema/data/mongo"
       xsi:schemaLocation=
         "http://www.springframework.org/schema/context
         http://www.springframework.org/schema/context/spring-context-3.0.xsd
         http://www.springframework.org/schema/data/mongo
         http://www.springframework.org/schema/data/mongo/spring-mongo-1.0.xsd
         http://www.springframework.org/schema/beans
         http://www.springframework.org/schema/beans/spring-beans-3.0.xsd">

  <!-- Default bean name is 'mongo' -->
  <mongo:mongo host="localhost" port="27017"/>

</beans>
```

A more advanced configuration with `MongoOptions` is shown below (note these are not recommended values)

Example 5.4. XML schema to configure a `com.mongodb.Mongo` object with `MongoOptions`

```
<beans>

  <mongo:mongo host="localhost" port="27017">
    <mongo:options connections-per-host="8"
                  threads-allowed-to-block-for-connection-multiplier="4"
                  connect-timeout="1000"
                  max-wait-time="1500}"
                  auto-connect-retry="true"
                  socket-keep-alive="true"
                  socket-timeout="1500"
                  slave-ok="true"
                  write-number="1"
                  write-timeout="0"
                  write-fsync="true"/>
  </mongo:mongo/>

</beans>
```

A configuration using replica sets is shown below.

Example 5.5. XML schema to configure `com.mongodb.Mongo` object with Replica Sets

```
<mongo:mongo id="replicaSetMongo" replica-set="127.0.0.1:27017,localhost:27018"/>
```

5.3.3. The MongoClientFactory interface

While `com.mongodb.Mongo` is the entry point to the MongoDB driver API, connecting to a specific MongoDB database instance requires additional information such as the database name and an optional username and password. With that information you can obtain a `com.mongodb.DB` object and access all the functionality of a specific MongoDB database instance. Spring provides the `org.springframework.data.mongodb.MongoDbFactory` interface shown below to bootstrap connectivity to the database.

```
public interface MongoClientFactory {
    DB getDb() throws DataAccessException;
    DB getDb(String dbName) throws DataAccessException;
}
```

The following sections show how you can use the container with either Java or the XML based metadata to configure an instance of the `MongoDbFactory` interface. In turn, you can use the `MongoDbFactory` instance to configure `MongoTemplate`.

The class `org.springframework.data.mongodb.SimpleMongoDbFactory` provides implements the `MongoDbFactory` interface and is created with a standard `com.mongodb.Mongo` instance, the database name and an optional `org.springframework.data.authentication.UserCredentials` constructor argument.

Instead of using the IoC container to create an instance of `MongoTemplate`, you can just use them in standard Java code as shown below.

```
public class MongoApp {
    private static final Log log = LoggerFactory.getLog(MongoApp.class);

    public static void main(String[] args) throws Exception {
        MongoOperations mongoOps = new MongoTemplate(new SimpleMongoDbFactory(new Mongo(), "database"));
        mongoOps.insert(new Person("Joe", 34));
        log.info(mongoOps.findOne(new Query(where("name").is("Joe")), Person.class));
        mongoOps.dropCollection("person");
    }
}
```

The code in bold highlights the use of `SimpleMongoDbFactory` and is the only difference between the listing shown in the [getting started section](#).

5.3.4. Registering a MongoClientFactory instance using Java based metadata

To register a `MongoDbFactory` instance with the container, you write code much like what was highlighted in the previous code listing. A simple example is shown below

```
@Configuration
public class MongoConfiguration {
    public @Bean MongoClientFactory mongoDbFactory() throws Exception {
```

```

    return new SimpleMongoDbFactory(new Mongo(), "database");
}
}

```

To define the username and password create an instance of `org.springframework.data.authentication.UserCredentials` and pass it into the constructor as shown below. This listing also shows using `MongoDbFactory` register an instance of `MongoTemplate` with the container.

```

@Configuration
public class MongoConfiguration {

    public @Bean MongoDbFactory mongoDbFactory() throws Exception {
        UserCredentials userCredentials = new UserCredentials("joe", "secret");
        return new SimpleMongoDbFactory(new Mongo(), "database", userCredentials);
    }

    public @Bean MongoTemplate mongoTemplate() throws Exception {
        return new MongoTemplate(mongoDbFactory());
    }
}

```

5.3.5. Registering a `MongoDbFactory` instance using XML based metadata

The `mongo` namespace provides a convenient way to create a `SimpleMongoDbFactory` as compared to using the `<beans/>` namespace. Simple usage is shown below

```
<mongo:db-factory dbname="database">
```

In the above example a `com.mongodb.Mongo` instance is created using the default host and port number. The `SimpleMongoDbFactory` registered with the container is identified by the id `'mongoDbFactory'` unless a value for the id attribute is specified.

You can also provide the host and port for the underlying `com.mongodb.Mongo` instance as shown below, in addition to username and password for the database.

```

<mongo:db-factory id="anotherMongoDbFactory"
    host="localhost"
    port="27017"
    dbname="database"
    username="joe"
    password="secret"/>

```

If you need to configure additional options on the `com.mongodb.Mongo` instance that is used to create a `SimpleMongoDbFactory` you can refer to an existing bean using the `mongo-ref` attribute as shown below. To show another common usage pattern, this listing show the use of a property placeholder to parameterise the configuration and creating `MongoTemplate`.

```

<context:property-placeholder location="classpath:/com/myapp/mongodb/config/mongo.properties"/>
<mongo:mongo host="${mongo.host}" port="${mongo.port}">
  <mongo:options
    connections-per-host="${mongo.connectionsPerHost}"
    threads-allowed-to-block-for-connection-multiplier="${mongo.threadsAllowedToBlockForConnectionMultiplier}"
    connect-timeout="${mongo.connectTimeout}"
    max-wait-time="${mongo.maxWaitTime}"
    auto-connect-retry="${mongo.autoConnectRetry}"
    socket-keep-alive="${mongo.socketKeepAlive}"
    socket-timeout="${mongo.socketTimeout}"
    slave-ok="${mongo.slaveOk}"
  >

```

```
    write-number="1"
    write-timeout="0"
    write-fsync="true"/>
</mongo:mongo>

<mongo:db-factory dbname="database" mongo-ref="mongo"/>

<bean id="anotherMongoTemplate" class="org.springframework.data.document.mongodb.MongoTemplate">
  <constructor-arg name="mongoDbFactory" ref="mongoDbFactory"/>
</bean>
```

5.4. Introduction to MongoTemplate

The class `MongoTemplate`, located in the package `org.springframework.data.document.mongodb`, is the central class of the Spring's MongoDB support providing a rich feature set to interact with the database. The template offers convenience operations to create, update, delete and query for MongoDB documents and provides a mapping between your domain objects and MongoDB documents.



Note

Once configured, `MongoTemplate` is thread-safe and can be reused across multiple instances.

The mapping between Mongo documents and domain classes is done by delegating to an implementation of the interface `MongoConverter`. Spring provides two implementations, `SimpleMappingConverter` and `MongoMappingConverter`, but you can also write your own converter. Please refer to the section on `MongoConverters` for more detailed information.

The `MongoTemplate` class implements the interface `MongoOperations`. In as much as possible, the methods on `MongoOperations` are named after methods available on the MongoDB driver `Collection` object as to make the API familiar to existing MongoDB developers who are used to the driver API. For example, you will find methods such as "find", "findAndModify", "findOne", "insert", "remove", "save", "update" and "updateMulti". The design goal was to make it as easy as possible to transition between the use of the base MongoDB driver and `MongoOperations`. A major difference in between the two APIs is that `MongoOperations` can be passed domain objects instead of `DBObject` and there are fluent APIs for `Query`, `Criteria`, and `Update` operations instead of populating a `DBObject` to specify the parameters for those operations.



Note

The preferred way to reference the operations on `MongoTemplate` instance is via its interface `MongoOperations`.

The default converter implementation used by `MongoTemplate` is `MongoMappingConverter`. While the `MongoMappingConverter` can make use of additional metadata to specify the mapping of objects to documents it is also capable of converting objects that contain no additional metadata by using some conventions for the mapping of IDs and collection names. These conventions as well as the use of mapping annotations is explained in the [Mapping chapter](#).



Note

In the M2 release `SimpleMappingConverter`, was the default and this class is now deprecated as its functionality has been subsumed by the `MongoMappingConverter`.

Another central feature of MongoTemplate is exception translation of exceptions thrown in the Mongo Java driver into Spring's portable Data Access Exception hierarchy. Refer to the section on [exception translation](#) for more information.

While there are many convenience methods on MongoTemplate to help you easily perform common tasks if you should need to access the Mongo driver API directly to access functionality not explicitly exposed by the MongoTemplate you can use one of several Execute callback methods to access underlying driver APIs. The execute callbacks will give you a reference to either a `com.mongodb.Collection` or a `com.mongodb.DB` object. Please see the section [Execution Callbacks](#) for more information.

Now let's look at a examples of how to work with the MongoTemplate in the context of the Spring container.

5.4.1. Instantiating MongoTemplate

You can use Java to create and register an instance of MongoTemplate as shown below.

Example 5.6. Registering a `com.mongodb.Mongo` object and enabling Spring's exception translation support

```
@Configuration
public class AppConfig {

    public @Bean Mongo mongo() throws Exception {
        return new Mongo("localhost");
    }

    public @Bean MongoTemplate mongoTemplate() throws Exception {
        return new MongoTemplate(mongo(), "mydatabase");
    }
}
```

There are several overloaded constructors of MongoTemplate. These are

- **MongoTemplate** (`Mongo mongo`, `String databaseName`) - takes the `com.mongodb.Mongo` object and the default database name to operate against.
- **MongoTemplate** (`Mongo mongo`, `String databaseName`, `UserCredentials userCredentials`) - adds the username and password for authenticating with the database.
- **MongoTemplate** (`MongoDbFactory mongoDbFactory`) - takes a `MongoDbFactory` object that encapsulated the `com.mongodb.Mongo` object, database name, and username and password.
- **MongoTemplate** (`MongoDbFactory mongoDbFactory`, `MongoConverter mongoConverter`) - adds a `MongoConverter` to use for mapping.

You can also configure a MongoTemplate using Spring's XML `<beans/>` schema.

```
<mongo:mongo host="localhost" port="27017"/>
<bean id="mongoTemplate" class="org.springframework.data.document.mongodb.MongoTemplate">
  <constructor-arg ref="mongo"/>
  <constructor-arg name="databaseName" value="geospatial"/>
</bean>
```

Other optional properties that you might like to set when creating a `MongoTemplate` are the default `WriteResultCheckingPolicy`, `WriteConcern`, and `SlaveOk` write option.



Note

The preferred way to reference the operations on `MongoTemplate` instance is via its interface `MongoOperations`.

5.4.1.1. WriteResultChecking Policy

When in development it is very handy to either log or throw an exception if the `com.mongodb.WriteResult` returned from any MongoDB operation contains an error. It is quite common to forget to do this during development and then end up with an application that looks like it runs successfully but in fact the database was not modified according to your expectations. Set `MongoTemplate`'s `WriteResultChecking` property to an enum with the following values, `LOG`, `EXCEPTION`, or `NONE` to either log the error, throw an exception or do nothing. The default is to use a `WriteResultChecking` value of `NONE`.

5.4.1.2. WriteConcern

You can set the `com.mongodb.WriteConcern` property that the `MongoTemplate` will use for write operations if it has not yet been specified via the driver at a higher level such as `com.mongodb.Mongo`. If `MongoTemplate`'s `WriteConcern` property is not set it will default to the one set in the MongoDB driver's DB or Collection setting.



Note

Setting the `WriteConcern` to different values when saving an object will be provided in a future release. This will most likely be handled using mapping metadata provided either in the form of annotations on the domain object or by an external fluent DSL.

5.5. Saving, Updating, and Removing Documents

`MongoTemplate` provides a simple way for you to save, update, and delete your domain objects and map those objects to documents stored in MongoDB.

Given a simple class such as `Person`

```
public class Person {
    private String id;
    private String name;
    private int age;

    public Person(String name, int age) {
        this.name = name;
        this.age = age;
    }

    public String getId() {
        return id;
    }
    public String getName() {
        return name;
    }
    public int getAge() {
        return age;
    }
}
```

```

@Override
public String toString() {
    return "Person [id=" + id + ", name=" + name + ", age=" + age + " ]";
}
}

```

You can save, update and delete the object as shown below.



Note

MongoOperations is the interface that MongoTemplate implements.

```

package org.springframework.example;

import static org.springframework.data.document.mongodb.query.Criteria.where;
import static org.springframework.data.document.mongodb.query.Update.update;
import static org.springframework.data.document.mongodb.query.Query.query;

import java.util.List;

import org.apache.commons.logging.Log;
import org.apache.commons.logging.LogFactory;
import org.springframework.data.document.mongodb.MongoOperations;
import org.springframework.data.document.mongodb.MongoTemplate;
import org.springframework.data.document.mongodb.SimpleMongoDbFactory;

import com.mongodb.Mongo;

public class MongoApp {

    private static final Log log = LogFactory.getLog(MongoApp.class);

    public static void main(String[] args) throws Exception {

        MongoOperations mongoOps = new MongoTemplate(new SimpleMongoDbFactory(new Mongo(), "database"));

        Person p = new Person("Joe", 34);

        // Insert is used to initially store the object into the database.
        mongoOps.insert(p);
        log.info("Insert: " + p);

        // Find
        p = mongoOps.findById(p.getId(), Person.class);
        log.info("Found: " + p);

        // Update
        mongoOps.updateFirst(query(where("name").is("Joe")), update("age", 35), Person.class);
        p = mongoOps.findOne(query(where("name").is("Joe")), Person.class);
        log.info("Updated: " + p);

        // Delete
        mongoOps.remove(p);

        // Check that deletion worked
        List<Person> people = mongoOps.findAll(Person.class);
        log.info("Number of people = : " + people.size());

        mongoOps.dropCollection(Person.class);
    }
}

```

This would produce the following log output (including debug messages from MongoTemplate itself)

```

DEBUG apping.MongoPersistentEntityIndexCreator: 80 - Analyzing class class org.springframework.example.Person for index
DEBUG work.data.document.mongodb.MongoTemplate: 632 - insertDBObject containing fields: [_class, age, name] in
INFO org.springframework.example.MongoApp: 30 - Insert: Person [id=4ddc6e784ce5b1eba3ceaf5c, name=Joe, age=
DEBUG work.data.document.mongodb.MongoTemplate:1246 - findOne using query: { "_id" : { "$oid" : "4ddc6e784ce5b1e
INFO org.springframework.example.MongoApp: 34 - Found: Person [id=4ddc6e784ce5b1eba3ceaf5c, name=Joe, age=

```

```

DEBUG work.data.document.mongodb.MongoTemplate: 778 - calling update using query: { "name" : "Joe"} and update:
DEBUG work.data.document.mongodb.MongoTemplate:1246 - findOne using query: { "name" : "Joe"} in db.collection: d
INFO      org.springframework.example.MongoApp: 39 - Updated: Person [id=4ddc6e784ce5b1eba3ceaf5c, name=Joe, ag
DEBUG work.data.document.mongodb.MongoTemplate: 823 - remove using query: { "id" : "4ddc6e784ce5b1eba3ceaf5c"} i
INFO      org.springframework.example.MongoApp: 46 - Number of people = : 0
DEBUG work.data.document.mongodb.MongoTemplate: 376 - Dropped collection [database.person]

```

There was implicit conversion using the `MongoConverter` between a `String` and `ObjectId` as stored in the database and recognizing a convention of the property "Id" name.



Note

This example is meant to show the use of save, update and remove operations on `MongoTemplate` and not to show complex mapping functionality

The query syntax used in the example is explained in more detail in the section [Querying Documents](#).

5.5.1. How the '_id' field is handled in the mapping layer

Mongo requires that you have an '_id' field for all documents. If you don't provide one the driver will assign a `ObjectId` with a generated value. When using the `MongoMappingConverter` there are certain rules that govern how properties from the Java class is mapped to this '_id' field.

The following outlines what property will be mapped to the '_id' document field:

- A property or field annotated with `@Id` (`org.springframework.data.annotation.Id`) will be mapped to the '_id' field.
- A property or field without an annotation but named `id` will be mapped to the '_id' field.

The following outlines what type conversion, if any, will be done on the property mapped to the `_id` document field when using the `MappingMongoConverter`, the default for `MongoTemplate`.

- An `id` property or field declared as a `String` in the Java class will be converted to and stored as an `ObjectId` if possible using a `Spring Converter<String, ObjectId>`. Valid conversion rules are delegated to the Mongo Java driver. If it cannot be converted to an `ObjectId`, then the value will be stored as a string in the database.
- An `id` property or field declared as `BigInteger` in the Java class will be converted to and stored as an `ObjectId` using a `Spring Converter<BigInteger, ObjectId>`.

If no field or property specified above is present in the Java class then an implicit '_id' file will be generated by the driver but not mapped to a property or field of the Java class.

When querying and updating `MongoTemplate` will use the converter to handle conversions of the `Query` and `Update` objects that correspond to the above rules for saving documents so field names and types used in your queries will be able to match what is in your domain classes.

5.5.2. Methods for saving and inserting documents

There are several convenient methods on `MongoTemplate` for saving and inserting your objects. To have more fine grained control over the conversion process you can register Spring converters with the

MappingMongoConverter, for example Converter<Person, DBObject> and Converter<DBObject, Person>.



Note

The difference between insert and save operations is that a save operation will perform an insert if the object is not already present.

The simple case of using the save operation is to save a POJO. In this case the collection name will be determined by name (not fully qualified) of the class. You may also call the save operation with a specific collection name. The collection to store the object can be overridden using mapping metadata.

When inserting or saving, if the Id property is not set, the assumption is that its value will be autogenerated by the database. As such, for autogeneration of an ObjectId to succeed the type of the Id property/field in your class must be either a `String`, `ObjectId`, or `BigInteger`.

Here is a basic example of using the save operation and retrieving its contents.

Example 5.7. Inserting and retrieving documents using the MongoTemplate

```
import static org.springframework.data.mongodb.query.Criteria.where;
import static org.springframework.data.mongodb.query.Criteria.query;

...

Person p = new Person("Bob", 33);
mongoTemplate.insert(p);

Person qp = mongoTemplate.findOne(query(where("age").is(33)), Person.class);
```

The insert/save operations available to you are listed below.

- void **save** (Object objectToSave) Save the object to the default collection.
- void **save** (Object objectToSave, String collectionName) Save the object to the specified collection.

A similar set of insert operations is listed below

- void **insert** (Object objectToSave) Insert the object to the default collection.
- void **insert** (Object objectToSave, String collectionName) Insert the object to the specified collection.

5.5.2.1. Which collection will my documents be saved into?

There are two ways to manage the collection name that is used for operating on the documents. The default collection name that is used is the class name changed to start with a lower-case letter. So a `com.test.Person` class would be stored in the "person" collection. You can customize this by providing a different collection name using the `@Document` annotation. You can also override the collection name by providing your own collection name as the last parameter for the selected `MongoTemplate` method calls.

5.5.2.2. Inserting or saving individual objects

The MongoDB driver supports inserting a collection of documents in one operation. The methods in the `MongoOperations` interface that support this functionality are listed below

- **insert** Insert an object. If there is an existing document with the same id then an error is generated.
- **insertAll** Takes a `Collection` of objects as the first parameter. This method inspects each object and inserts it to the appropriate collection based on the rules specified above.
- **save** Save the object overwriting any object that might exist with the same id.

5.5.2.3. Inserting several objects in a batch

The MongoDB driver supports inserting a collection of documents in one operation. The methods in the `MongoOperations` interface that support this functionality are listed below

- **insert** methods that take a `Collection` as the first argument. This inserts a list of objects in a single batch write to the database.

5.5.3. Updating documents in a collection

For updates we can elect to update the first document found using `MongoOperation`'s method `updateFirst` or we can update all documents that were found to match the query using the method `updateMulti`. Here is an example of an update of all SAVINGS accounts where we are adding a one time \$50.00 bonus to the balance using the `$inc` operator.

Example 5.8. Updating documents using the `MongoTemplate`

```
import static org.springframework.data.document.mongodb.query.Criteria.where;
import static org.springframework.data.document.mongodb.query.Query;
import static org.springframework.data.document.mongodb.query.Update;

...

WriteResult wr = mongoTemplate.updateMulti(new Query(where("accounts.accountType").is(Account.Type.SAVINGS)),
                                           new Update().inc("accounts.$.balance", 50.00),
                                           Account.class);
```

In addition to the `Query` discussed above we provide the update definition using an `Update` object. The `Update` class has methods that match the update modifiers available for MongoDB.

As you can see most methods return the `Update` object to provide a fluent style for the API.

5.5.3.1. Methods for executing updates for documents

- **updateFirst** Updates the first document that matches the query document criteria with the provided updated document.
- **updateMulti** Updates all objects that match the query document criteria with the provided updated

document.

5.5.3.2. Methods for the Update class

The Update class can be used with a little 'syntax sugar' as its methods are meant to be chained together and you can kickstart the creation of a new Update instance via the static method `public static Update update(String key, Object value)` and using static imports.

Here is a listing of methods on the Update class

- Update **addToSet** (String key, Object value) Update using the \$addToSet update modifier
- Update **inc** (String key, Number inc) Update using the \$inc update modifier
- Update **pop** (String key, Update.Position pos) Update using the \$pop update modifier
- Update **pull** (String key, Object value) Update using the \$pull update modifier
- Update **pullAll** (String key, Object[] values) Update using the \$pullAll update modifier
- Update **push** (String key, Object value) Update using the \$push update modifier
- Update **pushAll** (String key, Object[] values) Update using the \$pushAll update modifier
- Update **rename** (String oldName, String newName) Update using the \$rename update modifier
- Update **set** (String key, Object value) Update using the \$set update modifier
- Update **unset** (String key) Update using the \$unset update modifier

5.5.4. Methods for removing documents

You can use several overloaded methods to remove an object from the database.

- **remove** Remove the given document based on one of the following: a specific object instance, a query document criteria combined with a class or a query document criteria combined with a specific collection name.

5.6. Querying Documents

You can express your queries using the `Query` and `Criteria` classes which have method names that mirror the native MongoDB operator names such as `lt`, `lte`, `is`, and others. The `Query` and `Criteria` classes follow a fluent API style so that you can easily chain together multiple method criteria and queries while having easy to understand code. Static imports in Java are used to help remove the need to see the 'new' keyword for creating `Query` and `Criteria` instances so as to improve readability.

GeoSpatial queries are also supported and are described more in the section [GeoSpatial Queries](#).

5.6.1. Querying documents in a collection

We saw how to retrieve a single document using the `findOne` and `findById` methods on `MongoTemplate` in previous sections which return a single domain object. We can also query for a collection of documents to be returned as a list of domain objects. Assuming that we have a number of `Person` objects with name and age stored as documents in a collection and that each person has an embedded account document with a balance. We can now run a query using the following code.

Example 5.9. Querying for documents using the `MongoTemplate`

```
import static org.springframework.data.document.mongodb.query.Criteria.where;
import static org.springframework.data.document.mongodb.query.Query.query;

...

List<Person> result = mongoTemplate.find(query(where("age").lt(50).and("accounts.balance").gt(1000.00d)), P
```

All find methods take a `Query` object as a parameter. This object defines the criteria and options used to perform the query. The criteria is specified using a `Criteria` object that has a static factory method named `where` used to instantiate a new `Criteria` object. We recommend using a static import for `org.springframework.data.document.mongodb.query.Criteria.where` and `Query.query` to make the query more readable.

This query should return a list of `Person` objects that meet the specified criteria. The `Criteria` class has the following methods that correspond to the operators provided in MongoDB.

As you can see most methods return the `Criteria` object to provide a fluent style for the API.

5.6.1.1. Methods for the `Criteria` class

- `Criteria all (Object o)` Creates a criterion using the `$all` operator
- `Criteria and (String key)` Adds a chained `Criteria` with the specified key to the current `Criteria` and returns the newly created one
- `Criteria elemMatch (Criteria c)` Creates a criterion using the `$elemMatch` operator
- `Criteria exists (boolean b)` Creates a criterion using the `$exists` operator
- `Criteria gt (Object o)` Creates a criterion using the `$gt` operator
- `Criteria gte (Object o)` Creates a criterion using the `$gte` operator
- `Criteria in (Object... o)` Creates a criterion using the `$in` operator for a varargs argument.
- `Criteria in (Collection<?> collection)` Creates a criterion using the `$in` operator using a collection
- `Criteria is (Object o)` Creates a criterion using the `$is` operator
- `Criteria lt (Object o)` Creates a criterion using the `$lt` operator
- `Criteria lte (Object o)` Creates a criterion using the `$lte` operator

- Criteria **mod** (Number value, Number remainder) Creates a criterion using the \$mod operator
- Criteria **ne** (Object o) Creates a criterion using the \$ne operator
- Criteria **nin** (Object... o) Creates a criterion using the \$nin operator
- Criteria **not** () Creates a criterion using the \$not meta operator which affects the clause directly following
- Criteria **or** (List<Query> queries) Creates an or query using the \$or operator for all of the provided queries
- Criteria **regex** (String re) Creates a criterion using a \$regex
- Criteria **size** (int s) Creates a criterion using the \$size operator
- Criteria **type** (int t) Creates a criterion using the \$type operator

There are also methods on the Criteria class for geospatial queries. Here is a listing but look at the section on [GeoSpatial Queries](#) to see them in action.

- Criteria **withinCenter** (Circle circle) Creates a geospatial criterion using \$within \$center operators
- Criteria **withinCenterSphere** (Circle circle) Creates a geospatial criterion using \$within \$center operators. This is only available for Mongo 1.7 and higher.
- Criteria **withinBox** (Box box) Creates a geospatial criterion using a \$within \$box operation
- Criteria **near** (Point point) Creates a geospatial criterion using a \$near operation
- Criteria **nearSphere** (Point point) Creates a geospatial criterion using \$nearSphere\$center operations. This is only available for Mongo 1.7 and higher.
- Criteria **maxDistance** (double maxDistance) Creates a geospatial criterion using the \$maxDistance operation, for use with \$near.

The Query class has some additional methods used to provide options for the query.

5.6.1.2. Methods for the Query class

- Query **addCriteria** (Criteria criteria) used to add additional criteria to the query
- void **or** (List<Query> queries) Creates an or query using the \$or operator for all of the provided queries
- Field **fields** () used to define fields to be included in the query results
- Query **limit** (int limit) used to limit the size of the returned results to the provided limit (used for paging)
- Query **skip** (int skip) used to skip the provided number of documents in the results (used for paging)
- Sort **sort** () used to provide sort definition for the results

5.6.2. Methods for querying for documents

The query methods need to specify the target type T that will be returned and they are also overloaded with an

explicit collection name for queries that should operate on a collection other than the one indicated by the return type.

- **findAll** Query for a list of objects of type T from the collection.
- **findOne** Map the results of an ad-hoc query on the collection to a single instance of an object of the specified type.
- **findById** Return an object of the given id and target class.
- **find** Map the results of an ad-hoc query on the collection to a List of the specified type.
- **findAndRemove** Map the results of an ad-hoc query on the collection to a single instance of an object of the specified type. The first document that matches the query is returned and also removed from the collection in the database.

5.6.3. GeoSpatial Queries

MongoDB supports GeoSpatial queries through the use of operators such as `$near`, `$within`, and `$nearSphere`. Methods specific to geospatial queries are available on the `Criteria` class. There are also a few shape classes, `Box`, `Circle`, and `Point` that are used in conjunction with geospatial related `Criteria` methods.

To understand how to perform GeoSpatial queries we will use the following `Venue` class taken from the integration tests, which relies on using the rich `MappingMongoConverter`.

```
@Document(collection="newyork")
public class Venue {

    @Id
    private String id;
    private String name;
    private double[] location;

    @PersistenceConstructor
    Venue(String name, double[] location) {
        super();
        this.name = name;
        this.location = location;
    }

    public Venue(String name, double x, double y) {
        super();
        this.name = name;
        this.location = new double[] { x, y };
    }

    public String getName() {
        return name;
    }

    public double[] getLocation() {
        return location;
    }

    @Override
    public String toString() {
        return "Venue [id=" + id + ", name=" + name + ", location="
            + Arrays.toString(location) + "];"
    }
}
```

To find locations within a circle, the following query can be used.

```
Circle circle = new Circle(-73.99171, 40.738868, 0.01);
List<Venue> venues =
    template.find(new Query(Criteria.where("location").withinCenter(circle)), Venue.class);
```

To find venues within a circle using Spherical coordinates the following query can be used

```
Circle circle = new Circle(-73.99171, 40.738868, 0.003712240453784);
List<Venue> venues =
    template.find(new Query(Criteria.where("location").withinCenterSphere(circle)), Venue.class);
```

To find venues within a Box the following query can be used

```
//lower-left then upper-right
Box box = new Box(new Point(-73.99756, 40.73083), new Point(-73.988135, 40.741404));
List<Venue> venues =
    template.find(new Query(Criteria.where("location").withinBox(box)), Venue.class);
```

To find venues near a Point, the following query can be used

```
Point point = new Point(-73.99171, 40.738868);
List<Venue> venues =
    template.find(new Query(Criteria.where("location").near(point).maxDistance(0.01)), Venue.class);
```

To find venues near a Point using Spherical coordinates the following query can be used

```
Point point = new Point(-73.99171, 40.738868);
List<Venue> venues =
    template.find(new Query(
        Criteria.where("location").nearSphere(point).maxDistance(0.003712240453784)),
        Venue.class);
```

Note



Support for the GeoNear command will be provided in the RC release.

5.7. Overriding default mapping with custom converters

In order to have more fine grained control over the mapping process you can register Spring converters with the `MongoConverter` implementations such as the `MappingMongoConverter`.

The `MappingMongoConverter` checks to see if there are any Spring converters that can handle a specific class before attempting to map the object itself. To 'hijack' the normal mapping strategies of the `MappingMongoConverter`, perhaps for increased performance or other custom mapping needs, you first need to create an implementation of the `Spring Converter` interface and then register it with the `MappingConverter`.

Note



For more information on the Spring type conversion service see the reference docs [here](#).

5.7.1. Saving using a registered Spring Converter

An example implementation of the `Converter` that converts from a `Person` object to a `com.mongodb.DBObject`

is shown below

```
import org.springframework.core.convert.converter.Converter;

import com.mongodb.BasicDBObject;
import com.mongodb.DBObject;

public class PersonWriteConverter implements Converter<Person, DBObject> {

    public DBObject convert(Person source) {
        DBObject dbo = new BasicDBObject();
        dbo.put("_id", source.getId());
        dbo.put("name", source.getFirstName());
        dbo.put("age", source.getAge());
        return dbo;
    }
}
```

5.7.2. Reading using a Spring Converter

An example implementation of a Converter that converts from a DBObject of a Person object is shown below

```
public class PersonReadConverter implements Converter<DBObject, Person> {

    public Person convert(DBObject source) {
        Person p = new Person((ObjectId) source.get("_id"), (String) source.get("name"));
        p.setAge((Integer) source.get("age"));
        return p;
    }
}
```

5.7.3. Registering Spring Converters with the MongoConverter

The mongo XSD namespace provides a convenience way to register Spring Converters as shown below as well as configuring it into a MongoTemplate.

```
<mongo:db-factory dbname="database"/>

<mongo:mapping-converter>
  <mongo:custom-converters>
    <mongo:converter ref="readConverter"/>
    <mongo:converter>
      <bean class="org.springframework.data.document.mongodb.PersonWriteConverter"/>
    </mongo:converter>
  </mongo:custom-converters>
</mongo:mapping-converter>

<bean id="readConverter" class="org.springframework.data.document.mongodb.PersonReadConverter"/>

<bean id="mongoTemplate" class="org.springframework.data.document.mongodb.MongoTemplate">
  <constructor-arg name="mongoDbFactory" ref="mongoDbFactory"/>
  <constructor-arg name="mongoConverter" ref="mappingConverter"/>
</bean>
```

5.8. Index and Collection management

MongoTemplate provides a few methods for managing indexes and collections.

5.8.1. Methods for creating an Index

We can create an index on a collection to improve query performance.

Example 5.10. Creating an index using the MongoTemplate

```
mongoTemplate.ensureIndex(new Index().on("name", Order.ASCENDING), Person.class);
```

- **ensureIndex** Ensure that an index for the provided IndexDefinition exists for the collection.

You can create both standard indexes and geospatial indexes using the classes `IndexDefinition` and `GeoSpatialIndex` respectfully. For example, given the `Venue` class defined in a previous section, you would declare a geospatial query as shown below

```
mongoTemplate.ensureIndex(new GeospatialIndex("location"), Venue.class);
```

5.8.2. Methods for working with a Collection

It's time to look at some code examples showing how to use the `MongoTemplate`. First we look at creating our first collection.

Example 5.11. Working with collections using the MongoTemplate

```
DBCollection collection = null;
if (!mongoTemplate.getCollectionNames().contains("MyNewCollection")) {
    collection = mongoTemplate.createCollection("MyNewCollection");
}

mongoTemplate.dropCollection("MyNewCollection");
```

- **getCollectionNames** Returns a set of collection names.
- **collectionExists** Check to see if a collection with a given name exists.
- **createCollection** Create an uncapped collection
- **dropCollection** Drop the collection
- **getCollection** Get a collection by name, creating it if it doesn't exist.

5.9. Executing Commands

You can also get at the Mongo driver's `DB.command()` method using the `executeCommand` methods on `MongoTemplate`. These will also perform exception translation into Spring's Data Access Exception hierarchy.

5.9.1. Methods for executing commands

- `CommandResult executeCommand (DBObject command)` Execute a MongoDB command.
- `CommandResult executeCommand (String jsonCommand)` Execute the a MongoDB command expressed as a JSON string.

5.10. Lifecycle Events

Built into the MongoDB mapping framework are several `org.springframework.context.ApplicationEvent` events that your application can respond to by registering special beans in the `ApplicationContext`. By being based off Spring's `ApplicationContext` event infrastructure this enables other products, such as Spring Integration, to easily receive these events as they are a well known eventing mechanism in Spring based applications.

To intercept an object before it goes through the conversion process (which turns your domain object into a `com.mongodb.DBObject`), you'd register a subclass of `org.springframework.data.document.mongodb.mapping.event.AbstractMappingEventListener` that overrides the `onBeforeConvert` method. When the event is dispatched, your listener will be called and passed the domain object before it goes into the converter.

Example 5.12.

```
public class BeforeConvertListener<BeforeConvertEvent, Person> extends AbstractMappingEventListener {
    @Override
    public void onBeforeConvert(Person p) {
        ... does some auditing manipulation, set timestamps, whatever ...
    }
}
```

To intercept an object before it goes into the database, you'd register a subclass of `org.springframework.data.document.mongodb.mapping.event.AbstractMappingEventListener` that overrides the `onBeforeSave` method. When the event is dispatched, your listener will be called and passed the domain object and the converted `com.mongodb.DBObject`.

Example 5.13.

```
public class BeforeSaveListener<BeforeSaveEvent, Person> extends AbstractMappingEventListener {
    @Override
    public void onBeforeSave(Person p, DBObject dbo) {
        ... change values, delete them, whatever ...
    }
}
```

Simply declaring these beans in your Spring `ApplicationContext` will cause them to be invoked whenever the event is dispatched.

The list of callback methods that are present in `AbstractMappingEventListener` are

- `onBeforeConvert` - called in `MongoTemplate` `insert`, `insertList` and `save` operations before the object is converted to a `DBObject` using a `MongoConverter`.
- `onBeforeSave` - called in `MongoTemplate` `insert`, `insertList` and `save` operations *before* inserting/saving the `DBObject` in the database.
- `onAfterSave` - called in `MongoTemplate` `insert`, `insertList` and `save` operations *after* inserting/saving the `DBObject` in the database.
- `onAfterLoad` - called in `MongoTemplate` `find`, `findAndRemove`, `findOne` and `getCollection` methods after the `DBObject` is retrieved from the database.
- `onAfterConvert` - called in `MongoTemplate` `find`, `findAndRemove`, `findOne` and `getCollection` methods after the `DBObject` retrieved from the database was converted to a `POJO`.

5.. Exception Translation

The Spring framework provides exception translation for a wide variety of database and mapping technologies. This has traditionally been for JDBC and JPA. The Spring support for Mongo extends this feature to the MongoDB Database by providing an implementation of the `org.springframework.dao.support.PersistenceExceptionTranslator` interface.

The motivation behind mapping to Spring's [consistent data access exception hierarchy](#) is that you are then able to write portable and descriptive exception handling code without resorting to coding against [MongoDB error codes](#). All of Spring's data access exceptions are inherited from the root `DataAccessException` class so you can be sure that you will be able to catch all database related exception within a single try-catch block. Note, that not all exceptions thrown by the MongoDB driver inherit from the `MongoException` class. The inner exception and message are preserved so no information is lost.

Some of the mappings performed by the `MongoExceptionTranslator` are: `com.mongodb.Network` to `DataAccessResourceFailureException` and `MongoException` error codes 1003, 12001, 12010, 12011, 12012 to `InvalidDataAccessApiUsageException`. Look into the implementation for more details on the mapping.

5.12. Execution Callback

One common design feature of all Spring template classes is that all functionality is routed into one of the templates execute callback methods. This helps ensure that exceptions and any resource management that maybe required are performed consistency. While this was of much greater need in the case of JDBC and JMS than with MongoDB, it still offers a single spot for exception translation and logging to occur. As such, using these execute callback is the preferred way to access the Mongo driver's `DB` and `Collection` objects to perform uncommon operations that were not exposed as methods on `MongoTemplate`.

Here is a list of execute callback methods.

- `<T> T execute (Class<?> entityClass, CollectionCallback<T> action)` Executes the given `CollectionCallback` for the entity collection of the specified class.
- `<T> T execute (String collectionName, CollectionCallback<T> action)` Executes the given `CollectionCallback` on the collection of the given name.

- `<T> T execute (DbCallback<T> action)` Executes a DbCallback translating any exceptions as necessary.
- `<T> T execute (String collectionName, DbCallback<T> action)` Executes a DbCallback on the collection of the given name translating any exceptions as necessary.
- `<T> T executeInSession (DbCallback<T> action)` Executes the given DbCallback within the same connection to the database so as to ensure consistency in a write heavy environment where you may read the data that you wrote.

Here is an example that uses the CollectionCallback to return information about an index.

```
boolean hasIndex = template.execute("geolocation", new CollectionCallback<Boolean>() {
    public Boolean doInCollection(Venue.class, DBCollection collection) throws MongoException, DataAccessException {
        List<DBObject> indexes = collection.getIndexInfo();
        for (DBObject dbo : indexes) {
            if ("location_2d".equals(dbo.get("name"))) {
                return true;
            }
        }
        return false;
    }
});
```

Chapter 6. Mongo repositories

6.1. Introduction

This chapter will point out the specialties for repository support for MongoDB. This builds on the core repository support explained in Chapter 4, *Repositories*. So make sure you've got a sound understanding of the basic concepts explained there.

6.2. Usage

To access domain entities stored in a MongoDB you can leverage our sophisticated repository support that eases implementing those quite significantly. To do so, simply create an interface for your repository:

Example 6.1. Sample Person entity

```
public class Person {  
  
    @Id  
    private String id;  
    private String firstname;  
    private String lastname;  
    private Address address;  
  
    // ... getters and setters omitted  
}
```

We have a quite simple domain object here. Note that it has a property named `id` of type `ObjectId`. The default serialization mechanism used in `MongoTemplate` (which is backing the repository support) regards properties named `id` as document id. Currently we support `String`, `ObjectId` and `BigInteger` as id-types.

Example 6.2. Basic repository interface to persist Person entities

```
public interface PersonRepository extends PagingAndSortingRepository<Person, Long> {  
  
    // additional custom finder methods go here  
}
```

Right now this interface simply serves typing purposes but we will add additional methods to it later. In your Spring configuration simply add

Example 6.3. General mongo repository Spring configuration

```
<?xml version="1.0" encoding="UTF-8"?>  
<beans xmlns="http://www.springframework.org/schema/beans"  
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
    xmlns:mongo="http://www.springframework.org/schema/data/mongo"  
    xsi:schemaLocation="http://www.springframework.org/schema/beans  
        http://www.springframework.org/schema/beans/spring-beans-3.0.xsd  
        http://www.springframework.org/schema/data/mongo  
        http://www.springframework.org/schema/data/mongo/spring-mongo-1.0.xsd">
```

```

<mongo:mongo id="mongo" />

<bean id="mongoTemplate" class="org.springframework.data.document.mongodb.MongoTemplate">
  <constructor-arg ref="mongo" />
  <constructor-arg value="databaseName" />
</bean>

<mongo:repositories base-package="com.acme.*.repositories" />

</beans>

```

This namespace element will cause the base packages to be scanned for interfaces extending `MongoRepository` and create Spring beans for each of them found. By default the repositories will get a `MongoTemplate` Spring bean wired that is called `mongoTemplate`, so you only need to configure `mongo-template-ref` explicitly if you deviate from this convention.

As our domain repository extends `PagingAndSortingRepository` it provides you with CRUD operations as well as methods for paginated and sorted access to the entities. Working with the repository instance is just a matter of dependency injecting it into a client. So accessing the second page of `Persons` at a page size of 10 would simply look something like this:

Example 6.4. Paging access to Person entities

```

@RunWith(SpringJUnit4ClassRunner.class)
@ContextConfiguration
public class PersonRepositoryTests {

    @Autowired PersonRepository repository;

    @Test
    public void readsFirstPageCorrectly() {

        Page<Person> persons = repository.findAll(new PageRequest(0, 10));
        assertThat(persons.isFirstPage(), is(true));
    }
}

```

The sample creates an application context with Spring's unit test support which will perform annotation based dependency injection into test cases. Inside the test method we simply use the repository to query the datastore. We hand the repository a `PageRequest` instance that requests the first page of persons at a page size of 10.

6.3. Query methods

Most of the data access operations you usually trigger on a repository result a query being executed against the Mongo databases. Defining such a query is just a matter of declaring a method on the repository interface

Example 6.5. PersonRepository with query methods

```

public interface PersonRepository extends PagingAndSortingRepository<Person, String> {

    List<Person> findByLastname(String lastname);

    Page<Person> findByFirstname(String firstname, Pageable pageable);

    Person findByShippingAddresses(Address address);
}

```

The first method shows a query for all people with the given lastname. The query will be derived parsing the method name for constraints which can be concatenated with `And` and `Or`. Thus the method name will result in a query expression of `{"lastname" : lastname}`. The second example shows how pagination is applied to a query. Just equip your method signature with a `Pageable` parameter and let the method return a `Page` instance and we will automatically page the query accordingly. The third examples shows that you can query based on properties which are not a primitive type.

Table 6.1. Supported keywords for query methods

Keyword	Sample	Logical result
GreaterThan	<code>findByAgeGreaterThan(int age)</code>	<code>{"age" : {"\$gt" : age}}</code>
LessThan	<code>findByAgeLessThan(int age)</code>	<code>{"age" : {"\$lt" : age}}</code>
Between	<code>findByAgeBetween(int from, int to)</code>	<code>{"age" : {"\$gt" : from, "\$lt" : to}}</code>
IsNotNull, NotNull	<code>findByFirstnameNotNull()</code>	<code>{"age" : {"\$ne" : null}}</code>
IsNull, Null	<code>findByFirstnameNull()</code>	<code>{"age" : null}</code>
Like	<code>findByFirstnameLike(String name)</code>	<code>{"age" : age}</code> (age as regex)
(No keyword)	<code>findByFirstname(String name)</code>	<code>{"age" : name}</code>
Not	<code>findByFirstnameNot(String name)</code>	<code>{"age" : {"\$ne" : name}}</code>
Near	<code>findByLocationNear(Point point)</code>	<code>{"location" : {"\$near" : [x,y]}}</code>
Within	<code>findByLocationWithin(Circle circle)</code>	<code>{"location" : {"\$within" : {"\$center" : [[x, y], distance]}}</code>
Within	<code>findByLocationWithin(Box box)</code>	<code>{"location" : {"\$within" : {"\$box" : [[x1, y1], x2, y2]}}</code>

6.3.1. Mongo JSON based query methods and field restriction

By adding the annotation `org.springframework.data.mongodb.repository.Query` repository finder methods you can specify a Mongo JSON query string to use instead of having the query derived from the method name. For example

```
public interface PersonRepository extends MongoRepository<Person, String>
{
    @Query("{ 'firstname' : ?0 }")
    List<Person> findByThePersonsFirstname(String firstname);
}
```

The placeholder `?0` lets you substitute the value from the method arguments into the JSON query string.

You can also use the `filter` property to restrict the set of properties that will be mapped into the Java object. For example,

```
public interface PersonRepository extends MongoRepository<Person, String>
{
    @Query(value="{ 'firstname' : ?0 }", fields="{ 'firstname' : 1, 'lastname' : 1}")
```

```
List<Person> findByThePersonsFirstname(String firstname);
}
```

This will return only the `firstname`, `lastname` and `Id` properties of the `Person` objects. The `age` property, a `java.lang.Integer`, will not be set and its value will therefore be `null`.

6.3.2. Type-safe Query methods

Mongo repository support integrates with the [QueryDSL](#) project which provides a means to perform type-safe queries in Java. To quote from the project description, "Instead of writing queries as inline strings or externalizing them into XML files they are constructed via a fluent API." It provides the following features

- Code completion in IDE (all properties, methods and operations can be expanded in your favorite Java IDE)
- Almost no syntactically invalid queries allowed (type-safe on all levels)
- Domain types and properties can be referenced safely (no Strings involved!)
- Adopts better to refactoring changes in domain types
- Incremental query definition is easier

Please refer to the [QueryDSL](#) documentation which describes how to bootstrap your environment for APT based code generation [using Maven](#) or [using Ant](#).

Using [QueryDSL](#) you will be able to write queries as shown below

```
QPerson person = new QPerson("person");
List<Person> result = repository.findAll(person.address.zipCode.eq("C0123"));

Page<Person> page = repository.findAll(person.lastname.contains("a"),
                                     new PageRequest(0, 2, Direction.ASC, "lastname"));
```

`QPerson` is a class that is generated (via the Java annotation post processing tool) which is a `Predicate` that allows you to write type safe queries. Notice that there are no strings in the query other than the value "C0123".

You can use the generated `Predicate` class via the interface `QueryDslPredicateExecutor` which is shown below

```
public interface QueryDslPredicateExecutor<T> {
    T findOne(Predicate predicate);
    List<T> findAll(Predicate predicate);
    List<T> findAll(Predicate predicate, OrderSpecifier<?>... orders);
    Page<T> findAll(Predicate predicate, Pageable pageable);
    Long count(Predicate predicate);
}
```

To use this in your repository implementation, simply inherit from it in addition to other repository interfaces. This is shown below

```
public interface PersonRepository extends MongoRepository<Person, String>, QueryDslPredicateExecutor<Person> {
    // additional finder methods go here
}
```



```
}
```

We think you will find this an extremely powerful tool for writing MongoDB queries.

Chapter 7. Mapping

Rich mapping support is provided by the `MongoMappingConverter`. `MongoMappingConverter` has a rich metadata model that provides a full feature set of functionality to map domain objects to MongoDB documents. The mapping metadata model is populated using annotations on your domain objects. However, the infrastructure is not limited to using annotations as the only source of metadata information. The `MongoMappingConverter` also allows you to map objects to documents without providing any additional metadata, by following a set of conventions.

In this section we will describe the features of the `MongoMappingConverter`. How to use conventions for mapping objects to documents and how to override those conventions with annotation based mapping metadata.



Note

`SimpleMongoConverter` has been deprecated in Spring Data MongoDB M3 as all of its functionality has been subsumed into `MappingMongoConverter`.

7.1. Convention based Mapping

`MongoMappingConverter` has a few conventions for mapping objects to documents when no additional mapping metadata is provided. The conventions are:

- The short Java class name is mapped to the collection name in the following manner. The class `'com.bigbank.SavingsAccount'` maps to `'savingsAccount'` collection name.
- All nested objects are stored as nested objects in the document and **not** as DBRefs
- The converter will use any Spring Converters registered with it to override the default mapping of object properties to document field/values.
- The fields of an object are used to convert to and from fields in the document. Public JavaBean properties are not used.
- You can have a single non-zero argument constructor whose constructor argument names match top level field names of document, that constructor will be used. Otherwise the zero arg constructor will be used. If there is more than one non-zero argument constructor an exception will be thrown.

7.1.1. How the '_id' field is handled in the mapping layer

Mongo requires that you have an '_id' field for all documents. If you don't provide one the driver will assign a `ObjectId` with a generated value. The "_id" field can be of any type the, other than arrays, so long as it is unique. The driver naturally supports all primitive types and Dates. When using the `MongoMappingConverter` there are certain rules that govern how properties from the Java class is mapped to this '_id' field.

The following outlines what field will be mapped to the '_id' document field:

- A field annotated with `@Id (org.springframework.data.annotation.Id)` will be mapped to the '_id' field.
- A field without an annotation but named `id` will be mapped to the '_id' field.

The following outlines what type conversion, if any, will be done on the property mapped to the `_id` document field.

- If a field named 'id' is declared as a `String` or `BigInteger` in the Java class it will be converted to and stored as an `ObjectId` if possible. `ObjectId` as a field type is also valid. If you specify a value for 'id' in your application, the conversion to an `ObjectId` is delegated to the `MongoDBDriver`. If the specified 'id' value cannot be converted to an `ObjectId`, then the value will be stored as is in the document's `_id` field.
- If a field named 'id' id field is not declared as a `String`, `BigInteger`, or `ObjectID` in the Java class then you should assign it a value in your application so it can be stored 'as-is' in the document's `_id` field.
- If no field named 'id' is present in the Java class then an implicit '_id' field will be generated by the driver but not mapped to a property or field of the Java class.

When querying and updating `MongoTemplate` will use the converter to handle conversions of the `Query` and `Update` objects that correspond to the above rules for saving documents so field names and types used in your queries will be able to match what is in your domain classes.

7.2. Mapping Configuration

Unless explicitly configured, an instance of `MongoMappingConverter` is created by default when creating a `MongoTemplate`. You can create your own instance of the `MappingMongoConverter` so as to tell it where to scan the classpath at startup your domain classes in order to extract metadata and construct indexes. Also, by creating your own instance you can register Spring converters to use for mapping specific classes to and from the database.

You can configure the `MongoMappingConverter` as well as `com.mongodb.Mongo` and `MongoTemplate` either using Java or XML based metadata. Here is an example using Spring's Java based configuration

Example 7.1. @Configuration class to configure MongoDB mapping support

```
@Configuration
public class GeoSpatialAppConfig extends AbstractMongoConfiguration {

    @Bean
    public Mongo mongo() throws Exception {
        return new Mongo("localhost");
    }

    @Override
    public String getDatabaseName() {
        return "database";
    }

    @Override
    public String getMappingBasePackage() {
        return "com.bigbank.domain";
    }

    // the following are optional

    @Override
    protected void afterMappingMongoConverterCreation(MappingMongoConverter converter) {
        Set<Converter<?, ?>> converterList = new HashSet<Converter<?, ?>>();
        converterList.add(new org.springframework.data.document.mongodb.PersonReadConverter());
        converterList.add(new org.springframework.data.document.mongodb.PersonWriteConverter());
        converter.setCustomConverters(converterList);
    }

    @Bean
```

```

public LoggingEventListener<MongoMappingEvent> mappingEventsListener() {
    return new LoggingEventListener<MongoMappingEvent>();
}
}

```

`AbstractMongoConfiguration` requires you to implement methods that define a `com.mongodb.Mongo` as well as provide a database name. `AbstractMongoConfiguration` also has a method you can override named `'getMappingBasePackage'` which tells the converter where to scan for classes annotated with the `@org.springframework.data.document.mongodb.mapping.Document` annotation.

You can add additional converters to the converter by overriding the method `afterMappingMongoConverterCreation`. Also shown in the above example is a `LoggingEventListener` which logs `MongoMappingEvents` that are posted onto Spring's `ApplicationContextEvent` infrastructure.



Note

`AbstractMongoConfiguration` will create a `MongoTemplate` instance and registered with the container under the name `'mongoTemplate'`.

You can also override the method `UserCredentials` `getUserCredentials()` to provide the username and password information to connect to the database.

Spring's Mongo namespace enables you to easily enable mapping functionality in XML

Example 7.2. XML schema to configure MongoDB mapping support

```

<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"
       xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
       xmlns:context="http://www.springframework.org/schema/context"
       xmlns:mongo="http://www.springframework.org/schema/data/mongo"
       xsi:schemaLocation="http://www.springframework.org/schema/context http://www.springframework.org/schema/context
                           http://www.springframework.org/schema/data/mongo http://www.springframework.org/schema/data/mongo/spr
                           http://www.springframework.org/schema/beans http://www.springframework.org/schema/beans/spring-beans-
<!-- Default bean name is 'mongo' -->
<mongo:mongo host="localhost" port="27017"/>

<mongo:db-factory dbname="database" mongo-ref="mongo"/>

<!-- by default look for a Mongo object named 'mongo' - default name used for the converter is 'mappingConvert
<mongo:mapping-converter base-package="com.bigbank.domain">
  <mongo:custom-converters>
    <mongo:converter ref="readConverter"/>
    <mongo:converter>
      <bean class="org.springframework.data.document.mongodb.PersonWriteConverter"/>
    </mongo:converter>
  </mongo:custom-converters>
</mongo:mapping-converter>

<bean id="readConverter" class="org.springframework.data.document.mongodb.PersonReadConverter"/>

<!-- set the mapping converter to be used by the MongoTemplate -->
<bean id="mongoTemplate" class="org.springframework.data.document.mongodb.MongoTemplate">
  <constructor-arg name="mongoDbFactory" ref="mongoDbFactory"/>
  <constructor-arg name="mongoConverter" ref="mappingConverter"/>
</bean>

<bean class="org.springframework.data.document.mongodb.mapping.event.LoggingEventListener"/>
</beans>

```

The `base-package` property tells it where to scan for classes annotated with the `@org.springframework.data.mongodb.mapping.Document` annotation.

7.3. Metadata based Mapping

To take full advantage of the object mapping functionality inside the Spring Data/MongoDB support, you should annotate your mapped objects with the `@org.springframework.data.mongodb.mapping.Document` annotation. Although it is not necessary for the mapping framework to have this annotation (your POJOs will be mapped correctly, even without any annotations), it allows the classpath scanner to find and pre-process your domain objects to extract the necessary metadata. If you don't use this annotation, your application will take a slight performance hit the first time you store a domain object because the mapping framework needs to build up its internal metadata model so it knows about the properties of your domain object and how to persist them.

Example 7.3. Example domain object

```
package com.mycompany.domain;

@Document
public class Person {

    @Id
    private ObjectId id;

    @Indexed
    private Integer ssn;

    private String firstName;

    @Indexed
    private String lastName;
}
```



Important

The `@Id` annotation tells the mapper which property you want to use for the MongoDB `_id` property and the `@Indexed` annotation tells the mapping framework to call `ensureIndex` on that property of your document, making searches faster.

7.3.1. Mapping annotation overview

The `MappingMongoConverter` can use metadata to drive the mapping of objects to documents. An overview of the annotations is provided below

- `@Id` - applied at the field level to mark the field used for identity purpose.
- `@Document` - applied at the class level to indicate this class is a candidate for mapping to the database. You can specify the name of the collection where the database will be stored.
- `@DBRef` - applied at the field to indicate it is to be stored using a `com.mongodb.DBRef`.

- `@Indexed` - applied at the field level to describe how to index the field.
- `@CompoundIndex` - applied at the type level to declare Compound Indexes
- `@GeoSpatialIndexed` - applied at the field level to describe how to geospatially index the field.
- `@Transient` - by default all private fields are mapped to the document, this annotation excludes the field where it is applied from being stored in the database
- `@PersistenceConstructor` - marks a given constructor - even a package protected one - to use when instantiating the object from the database. Constructor arguments are mapped by name to the key values in the retrieved DBObject.
- `@Value` - this annotation is part of the Spring Framework . Within the mapping framework it can be applied to constructor arguments. This lets you use a Spring Expression Language statement to transform a key's value retrieved in the database before it is used to construct a domain object.

The mapping metadata infrastructure is defined in a separate spring-data-commons project that is technology agnostic. Specific subclasses are using in the Mongo support to support annotation based metadata. Other strategies are also possible to put in place if there is demand.

Here is an example of a more complex mapping.

```

@Document
@CompoundIndexes({
    @CompoundIndex(name = "age_idx", def = "{ 'lastName': 1, 'age': -1}")
})
public class Person<T extends Address> {

    @Id
    private String id;
    @Indexed(unique = true)
    private Integer ssn;
    private String firstName;
    @Indexed
    private String lastName;
    private Integer age;
    @Transient
    private Integer accountTotal;
    @DBRef
    private List<Account> accounts;
    private T address;

    public Person(Integer ssn) {
        this.ssn = ssn;
    }

    @PersistenceConstructor
    public Person(Integer ssn, String firstName, String lastName, Integer age, T address) {
        this.ssn = ssn;
        this.firstName = firstName;
        this.lastName = lastName;
        this.age = age;
        this.address = address;
    }

    public String getId() {
        return id;
    }

    // no setter for Id. (getter is only exposed for some unit testing)

    public Integer getSsn() {
        return ssn;
    }

    // other getters/setters omitted

```

7.3.2. Compound Indexes

Compound indexes are also supported. They are defined at the class level, rather than on individual properties.



Note

Compound indexes are very important to improve the performance of queries that involve criteria on multiple fields

Here's an example that creates a compound index of `lastName` in ascending order and `age` in descending order:

Example 7.4. Example Compound Index Usage

```
package com.mycompany.domain;

@Document
@CompoundIndexes({
    @CompoundIndex(name = "age_idx", def = {"lastName": 1, "age": -1})
})
public class Person {

    @Id
    private ObjectId id;
    private Integer age;
    private String firstName;
    private String lastName;
}
```

7.3.3. Using DBRefs

The mapping framework doesn't have to store child objects embedded within the document. You can also store them separately and use a DBRef to refer to that document. When the object is loaded from MongoDB, those references will be eagerly resolved and you will get back a mapped object that looks the same as if it had been stored embedded within your master document.

Here's an example of using a DBRef to refer to a specific document that exists independently of the object in which it is referenced (both classes are shown in-line for brevity's sake):

Example 7.5.

```
@Document
public class Account {

    @Id
    private ObjectId id;
    private Float total;
}

@Document
public class Person {
```

```

@Id
private ObjectId id;
@Indexed
private Integer ssn;
@DBRef
private List<Account> accounts;
}

```

There's no need to use something like `@OneToMany` because the mapping framework sees that you're wanting a one-to-many relationship because there is a `List` of objects. When the object is stored in MongoDB, there will be a list of DBRefs rather than the `Account` objects themselves.



Important

The mapping framework does not handle cascading saves. If you change an `Account` object that is referenced by a `Person` object, you must save the `Account` object separately. Calling `save` on the `Person` object will not automatically save the `Account` objects in the property `accounts`.

7.3.4. Mapping Framework Events

Events are fired throughout the lifecycle of the mapping process. This is described in the [Lifecycle Events](#) section.

Simply declaring these beans in your Spring `ApplicationContext` will cause them to be invoked whenever the event is dispatched.

7.3.5. Overriding Mapping with explicit Converters

When storing and querying your objects it is convenient to have a `MongoConverter` instance handle the mapping of all Java types to `DBObject`s. However, sometimes you may want the `MongoConverter`'s do most of the work but allow you to selectively handle the conversion for a particular type or to optimize performance.

To selectively handle the conversion yourself, register one or more `org.springframework.core.convert.converter.Converter` instances with the `MongoConverter`.



Note

Spring 3.0 introduced a `core.convert` package that provides a general type conversion system. This is described in detail in the Spring reference documentation section entitled [Spring 3 Type Conversion](#).

The `setConverters` method on `SimpleMongoConverter` and `MappingMongoConverter` should be used for this purpose. The method `afterMappingMongoConverterCreation` in `AbstractMongoConfiguration` can be overridden to configure a `MappingMongoConverter`. The examples [here](#) at the beginning of this chapter show how to perform the configuration using Java and XML.

Below is an example of a Spring Converter implementation that converts from a `DBObject` to a `Person` POJO.

```

public class PersonReadConverter implements Converter<DBObject, Person> {
    public Person convert(DBObject source) {
        Person p = new Person((ObjectId) source.get("_id"), (String) source.get("name"));
        p.setAge((Integer) source.get("age"));
    }
}

```



```
    return p;
}
}
```

Here is an example that converts from a `Person` to a `DObject`.

```
public class PersonWriteConverter implements Converter<Person, DObject> {

    public DObject convert(Person source) {
        DObject dbo = new BasicDObject();
        dbo.put("_id", source.getId());
        dbo.put("name", source.getFirstName());
        dbo.put("age", source.getAge());
        return dbo;
    }
}
```

Chapter 8. Cross Store support

Sometimes you need to store data in multiple data stores and these data stores can be of different types. One might be relational while the other a document store. For this use case we have created a separate module in the MongoDB support that handles what we call cross-store support. The current implementation is based on JPA as the driver for the relational database and we allow select fields in the Entities to be stored in a Mongo database. In addition to allowing you to store your data in two stores we also coordinate persistence operations for the non-transactional MongoDB store with the transaction life-cycle for the relational database.

8.1. Cross Store Configuration

Assuming that you have a working JPA application and would like to add some cross-store persistence for MongoDB. What do you have to add to your configuration?

First of all you need to add a dependency on the `spring-data-mongodb-cross-store` module. Using Maven this is done by adding a dependency to your pom:

Example 8.1. Example Maven pom.xml with spring-data-mongodb-cross-store dependency

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
  <modelVersion>4.0.0</modelVersion>

  ...

  <!-- Spring Data -->
  <dependency>
    <groupId>org.springframework.data</groupId>
    <artifactId>spring-data-mongodb-cross-store</artifactId>
    <version>${spring.data.mongo.version}</version>
  </dependency>

  ...

</project>
```

Once this is done we need to enable AspectJ for the project. The cross-store support is implemented using AspectJ aspects so by enabling compile time AspectJ support the cross-store features will become available to your project. In Maven you would add an additional plugin to the `<build>` section of the pom:

Example 8.2. Example Maven pom.xml with AspectJ plugin enabled

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
  <modelVersion>4.0.0</modelVersion>

  ...

  <build>
    <plugins>

      ...

    <plugin>
      <groupId>org.codehaus.mojo</groupId>
      <artifactId>aspectj-maven-plugin</artifactId>
      <version>1.0</version>
    </plugin>
  </build>
</project>
```

```

<dependencies>
  <!-- NB: You must use Maven 2.0.9 or above or these are ignored (see MNG-2972) -->
  <dependency>
    <groupId>org.aspectj</groupId>
    <artifactId>aspectjrt</artifactId>
    <version>${aspectj.version}</version>
  </dependency>
  <dependency>
    <groupId>org.aspectj</groupId>
    <artifactId>aspectjtools</artifactId>
    <version>${aspectj.version}</version>
  </dependency>
</dependencies>
<executions>
  <execution>
    <goals>
      <goal>compile</goal>
      <goal>test-compile</goal>
    </goals>
  </execution>
</executions>
<configuration>
  <outxml>true</outxml>
  <aspectLibraries>
    <aspectLibrary>
      <groupId>org.springframework</groupId>
      <artifactId>spring-aspects</artifactId>
    </aspectLibrary>
    <aspectLibrary>
      <groupId>org.springframework.data</groupId>
      <artifactId>spring-data-mongodb-cross-store</artifactId>
    </aspectLibrary>
  </aspectLibraries>
  <source>1.6</source>
  <target>1.6</target>
</configuration>
</plugin>

...

</plugins>
</build>

...

</project>

```

Finally, you need to configure your project to use MongoDB and also configure the aspects that are used. The following XML snippet should be added to your application context:

Example 8.3. Example application context with MongoDB and cross-store aspect support

```

<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:jdbc="http://www.springframework.org/schema/jdbc"
  xmlns:jpa="http://www.springframework.org/schema/data/jpa"
  xmlns:mongo="http://www.springframework.org/schema/data/mongo"
  xsi:schemaLocation="http://www.springframework.org/schema/data/mongo
    http://www.springframework.org/schema/data/mongo/spring-mongo.xsd
    http://www.springframework.org/schema/jdbc
    http://www.springframework.org/schema/jdbc/spring-jdbc-3.0.xsd
    http://www.springframework.org/schema/beans
    http://www.springframework.org/schema/beans/spring-beans-3.0.xsd
    http://www.springframework.org/schema/data/jpa
    http://www.springframework.org/schema/data/jpa/spring-jpa-1.0.xsd">

...

  <!-- Mongo config -->
  <mongo:mongo host="localhost" port="27017"/>

  <bean id="mongoTemplate" class="org.springframework.data.document.mongodb.MongoTemplate">

```

```

<constructor-arg name="mongo" ref="mongo"/>
<constructor-arg name="databaseName" value="test"/>
<constructor-arg name="defaultCollectionName" value="cross-store"/>
</bean>

<bean class="org.springframework.data.document.mongodb.MongoExceptionTranslator"/>

<!-- Mongo cross-store aspect config -->
<bean class="org.springframework.data.persistence.document.mongo.MongoDocumentBacking"
      factory-method="aspectOf">
  <property name="changeSetPersister" ref="mongoChangeSetPersister"/>
</bean>
<bean id="mongoChangeSetPersister"
      class="org.springframework.data.persistence.document.mongo.MongoChangeSetPersister">
  <property name="mongoTemplate" ref="mongoTemplate"/>
  <property name="entityManagerFactory" ref="entityManagerFactory"/>
</bean>

...
</beans>

```

8.2. Writing the Cross Store Application

We are assuming that you have a working JPA application so we will only cover the additional steps needed to persist part of your Entity in your Mongo database. First you need to identify the field you want persisted. It should be a domain class and follow the general rules for the Mongo mapping support covered in previous chapters. The field you want persisted in MongoDB should be annotated using the `@RelatedDocument` annotation. That is really all you need to do!. The cross-store aspects take care of the rest. This includes marking the field with `@Transient` so it won't be persisted using JPA, keeping track of any changes made to the field value and writing them to the database on succesfull transaction completion, loading the document from MongoDB the first time the value is used in your application. Here is an example of a simple Entity that has a field annotated with `@RelatedEntity`.

Example 8.4. Example of Entity with `@RelatedDocument`

```

@Entity
public class Customer {

  @Id
  @GeneratedValue(strategy = GenerationType.IDENTITY)
  private Long id;

  private String firstName;

  private String lastName;

  @RelatedDocument
  private SurveyInfo surveyInfo;

  // getters and setters omitted
}

```

Example 8.5. Example of domain class to be stored as document

```

public class SurveyInfo {

  private Map<String, String> questionsAndAnswers;
}

```

```

public SurveyInfo() {
    this.questionsAndAnswers = new HashMap<String, String>();
}

public SurveyInfo(Map<String, String> questionsAndAnswers) {
    this.questionsAndAnswers = questionsAndAnswers;
}

public Map<String, String> getQuestionsAndAnswers() {
    return questionsAndAnswers;
}

public void setQuestionsAndAnswers(Map<String, String> questionsAndAnswers) {
    this.questionsAndAnswers = questionsAndAnswers;
}

public SurveyInfo addQuestionAndAnswer(String question, String answer) {
    this.questionsAndAnswers.put(question, answer);
    return this;
}
}

```

Once the SurveyInfo has been set on the Customer object above the MongoTemplate that was configured above is used to save the SurveyInfo along with some metadata about the JPA Entity is stored in a MongoDB collection named after the fully qualified name of the JPA Entity class. The following code:

Example 8.6. Example of code using the JPA Entity configured for cross-store persistence

```

Customer customer = new Customer();
customer.setFirstName("Sven");
customer.setLastName("Olafsen");
SurveyInfo surveyInfo = new SurveyInfo()
    .addQuestionAndAnswer("age", "22")
    .addQuestionAndAnswer("married", "Yes")
    .addQuestionAndAnswer("citizenship", "Norwegian");
customer.setSurveyInfo(surveyInfo);
customerRepository.save(customer);

```

Executing the code above results in the following JSON document stored in MongoDB.

Example 8.7. Example of JSON document stored in MongoDB

```

{
  "_id" : ObjectId( "4d9e8b6e3c55287f87d4b79e" ),
  "_entity_id" : 1,
  "_entity_class" : "org.springframework.data.mongodb.examples.custsvc.domain.Customer",
  "_entity_field_name" : "surveyInfo",
  "questionsAndAnswers" : { "married" : "Yes",
    "age" : "22",
    "citizenship" : "Norwegian" },
  "_entity_field_class" : "org.springframework.data.mongodb.examples.custsvc.domain.SurveyInfo" }

```

Chapter 9. Logging support

An appender for Log4j is provided in the maven module "spring-data-mongodb-log4j". Note, there is no dependency on other Spring Mongo modules, only the MongoDB driver.

9.1. MongoDB Log4j Configuration

Here is an example configuration

```
log4j.rootCategory=INFO, stdout

log4j.appender.stdout=org.springframework.data.document.mongodb.log4j.MongoLog4jAppender
log4j.appender.stdout.layout=org.apache.log4j.PatternLayout
log4j.appender.stdout.layout.ConversionPattern=%d %p [%c] - <%m>%n
log4j.appender.stdout.host = localhost
log4j.appender.stdout.port = 27017
log4j.appender.stdout.database = logs
log4j.appender.stdout.collectionPattern = %X{year}%X{month}
log4j.appender.stdout.applicationId = my.application
log4j.appender.stdout.warnOrHigherWriteConcern = FSYNC_SAFE

log4j.category.org.apache.activemq=ERROR
log4j.category.org.springframework.batch=DEBUG
log4j.category.org.springframework.data.document.mongodb=DEBUG
log4j.category.org.springframework.transaction=INFO
```

The important configuration to look at aside from host and port is the database and collectionPattern. The variables year, month, day and hour are available for you to use in forming a collection name. This is to support the common convention of grouping log information in a collection that corresponds to a specific time period, for example a collection per day.

There is also an applicationId which is put into the stored message. The document stored from logging as the following keys: level, name, applicationId, timestamp, properties, traceback, and message.

Chapter 10. JMX support

The JMX support for MongoDB exposes the results of executing the 'serverStatus' command on the admin database for a single MongoDB server instance. It also exposes an administrative MBean, MongoAdmin which will let you perform administrative operations such as drop or create a database. The JMX features build upon the JMX feature set available in the Spring Framework. See [here](#) for more details.

10.1. MongoDB JMX Configuration

Spring's Mongo namespace enables you to easily enable JMX functionality

Example 10.1. XML schmea to configure MongoDB

```
<?xml version="1.0" encoding="UTF-8"?>
  <beans xmlns="http://www.springframework.org/schema/beans"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:context="http://www.springframework.org/schema/context"
    xmlns:mongo="http://www.springframework.org/schema/data/mongo"
    xsi:schemaLocation=
      "http://www.springframework.org/schema/context
      http://www.springframework.org/schema/context/spring-context-3.0.xsd
      http://www.springframework.org/schema/data/mongo
      http://www.springframework.org/schema/data/mongo/spring-mongo-1.0.xsd
      http://www.springframework.org/schema/beans http://www.springframework.org/schema/beans/spring-beans-3.0.xsd" />
  <beans>
    <!-- Default bean name is 'mongo' -->
    <mongo:mongo host="localhost" port="27017"/>

    <!-- by default look for a Mongo object named 'mongo' -->
    <mongo:jmx/>

    <context:mbean-export/>

    <!-- To translate any MongoExceptions thrown in @Repository annotated classes -->
    <context:annotation-config/>

    <bean id="registry" class="org.springframework.remoting.rmi.RmiRegistryFactoryBean" p:port="1099" />

    <!-- Expose JMX over RMI -->
    <bean id="serverConnector" class="org.springframework.jmx.support.ConnectorServerFactoryBean"
      depends-on="registry"
      p:objectName="connector:name=rmi"
      p:serviceUrl="service:jmx:rmi://localhost/jndi/rmi://localhost:1099/myconnector" />
  </beans>
```

This will expose several MBeans

- AssertMetrics
- BackgroundFlushingMetrics
- BtreeIndexCounters
- ConnectionMetrics
- GlobalLoclMetrics

- MemoryMetrics
- OperationCounters
- ServerInfo
- MongoAdmin

This is shown below in a screenshot from JConsole